

WILDLIFE CONSERVATION ACT 2010

WILDLIFE CONSERVATION (AMENDMENT OF SCHEDULE) ORDER 2012

In exercise of the powers conferred by section 134 of the Wildlife Conservation Act 2010 [Act 716], the Minister makes the following order:

Citation

1. This order may be cited as the **Wildlife Conservation (Amendment of Schedule) Order 2012**.

Substitution of Schedules

2. The Wildlife Conservation Act 2010 is amended by substituting for the First Schedule, Second Schedule, Third Schedule, Fifth Schedule, Sixth Schedule and Seventh Schedule the following Schedules:

“FIRST SCHEDULE

[Section 3]

PROTECTED WILDLIFE

Interpretation of the First Schedule

1. Species included in this Schedule are referred to—
 - (a) by the name of the species; or
 - (b) as being all of the species included in a higher taxon or designated part thereof.
2. The abbreviation “spp.” is used to denote all species of a higher taxon.
3. Other references to taxa higher than species are for the purposes of information or classification only. The common names included after the scientific names of families are for reference only. They are intended to indicate the species within the family concerned that are included in this Schedule. In most cases this is not all of the species within the family.
4. Where there is conflict between a scientific name and a local name and a common name in the use of the name of any species in this Schedule, the scientific name shall prevail.

PART I

(HUNTED SPECIES)

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------------|-----------------------------------|-------------------|--------------------------|
| CLASS MAMMALIA | | | |
| ORDER ARTIODACTYLA | | | |
| Cervidae | <i>Muntiacus muntjak</i> | Kijang | Barking Deer |
| | <i>Rusa unicolor</i> | Rusa Sambar | Sambar Deer |
| Suidae | <i>Sus scrofa</i> | Babi Hutan | Wild Boar |
| Tragulidae | <i>Tragulus javanicus</i> | Pelanduk | Lesser Mousedeer |
| | <i>Tragulus napu</i> | Napuh | Large Mousedeer |
| ORDER CARNIVORA | | | |
| Viverridae | <i>Paradoxurus hermaphroditus</i> | Musang Pulut | Common Palm Civet |
| ORDER CHIROPTERA | | | |
| Pteropodidae | <i>Pteropus hypomelanus</i> | Keluang Kecil | Island Flying Fox |
| | <i>Pteropus vampyrus</i> | Keluang | Malayan Flying Fox |
| ORDER PRIMATES | | | |
| Cercopithecidae | <i>Macaca fascicularis</i> | Kera | Long-tailed Macaque |
| | <i>Macaca nemestrina</i> | Beruk | Pig-tailed Macaque |
| | <i>Presbytis melalophos</i> | Lotong Chenekah | Mitred Leaf Monkey |
| | <i>Trachypithecus cristatus</i> | Lotong Kelabu | Silvered Leaf Monkey |
| | <i>Trachypithecus obscurus</i> | Lotong Cengkong | Dusky Leaf Monkey |
| ORDER RODENTIA | | | |
| Hystricidae | <i>Atherurus macrourus</i> | Landak Nibong | Brush-tailed Porcupine |
| | <i>Hystrix brachyura</i> | Landak Raya | Malayan Porcupine |
| CLASS AVES | | | |
| ORDER COLUMBIFORMES | | | |
| Columbidae | <i>Chalcophaps indica</i> | Punai Tanah | Emerald Dove |
| | <i>Treron olax</i> | Punai Daun | Little Green Pigeon |
| | <i>Treron vernans</i> | Punai Gading | Pink-necked Green Pigeon |
| ORDER GALLIFORMES | | | |
| Phasianidae | <i>Coturnix chinensis</i> | Pikau | Blue-breasted Quail |
| | <i>Gallus gallus</i> | Ayam Hutan | Red Junglefowl |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------------------|-------------------------------|-------------------------------------|------------------------------|
| ORDER GRUIFORMES | | | |
| Rallidae | <i>Amaurornis phoenicurus</i> | Ruak-ruak | White-breasted Waterhen |
| | <i>Porzana cinerea</i> | Sintar Dahi Putih | White-browed Crane |
| ORDER PASSERIFORMES | | | |
| Sturnidae | <i>Gracula religiosa</i> | Tiong Mas | Hill Myna |
| Turdidae | <i>Copsychus malabaricus</i> | Murai Batu | White-rumped Shama |
| Zosteropidae | <i>Zosterops palpebrosus</i> | Mata Putih Timur, Kelicap Kunyit | Oriental White-Eye |
| Ploceidae | <i>Ploceus philippinus</i> | Ciak Tempua | Baya Weaver |
| ORDER PSITTACIFORMES | | | |
| Psittacidae | <i>Loriculus galgulus</i> | Bayan Serindit | Blue-crowned Hanging Parrot |
| CLASS REPTILIA | | | |
| ORDER SQUAMATA | | | |
| SUBORDER LACERTILIA | | | |
| Agamidae | <i>Acanthosaura armata</i> | Sesumpah Tanduk | Horned Tree Lizard |
| | <i>Acanthosaura crucigera</i> | — | Cross-bearing Tree Lizard |
| | <i>Aphaniotis fusca</i> | Sesumpah Tanpa Telinga | Earless Lizard |
| | <i>Calotes emma emma</i> | — | Forest Crested Lizard |
| | <i>Calotes versicolor</i> | Sesumpah Kuning | Garden Fence Lizard |
| | <i>Draco blanfordii</i> | — | Blanford's Gliding Lizard |
| | <i>Draco maculatus</i> | — | Spotted Gliding Lizard |
| | <i>Draco melanopogon</i> | — | Black-bearded Gliding Lizard |
| | <i>Draco quinquefasciatus</i> | Cicak Terbang Lima Jalur | Five-banded Gliding Lizard |
| | <i>Draco sumatranus</i> | Cicak Kobin | Common Gliding Lizard |
| | <i>Gonocephalus bellii</i> | — | Bell's Anglehead Lizard |
| <i>Gonocephalus chamaeleontinus</i> | — | Chameleon Anglehead Lizard | |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------------------|-------------------------------------|-------------------------|-------------------------------|
| | <i>Gonocephalus doriae abbotti</i> | — | Doria's Anglehead Lizard |
| | <i>Gonocephalus grandis</i> | Cicak Kepala Segi Besar | Great Anglehead Lizard |
| | <i>Gonocephalus liogaster</i> | — | Comb Crested Forest Lizard |
| | <i>Gonocephalus robinsonii</i> | — | Robinson's Anglehead Lizard |
| | <i>Leiolepis belliana</i> | — | Common Butterfly Lizard |
| | <i>Leiolepis triploida</i> | — | Malayan Butterfly Lizard |
| Gekkonidae | <i>Aeluroscalabotes felinus</i> | — | Cat-eyed Gecko |
| | <i>Cnemaspis nigridius</i> | — | Dark Round-eyed Gecko |
| | <i>Cyrtodactylus brevipalmatus</i> | — | Web-footed Slender-toed Gecko |
| | <i>Cyrtodactylus consobrinus</i> | — | Peter's Slender-toed Gecko |
| | <i>Cyrtodactylus peguensis</i> | — | Leopard Gecko |
| | <i>Cyrtodactylus pulchellus</i> | Cicak Belang | Banded Slender-toed Gecko |
| | <i>Cyrtodactylus quadrivirgatus</i> | Cicak Jari Bengkok | Marble Slender-toed Gecko |
| | <i>Gekko gekko</i> | Tokay | Tockay |
| | <i>Gekko smithii</i> | — | Smith's Green-eyed Gecko |
| Scincidae | <i>Sphenomorphus praesignis</i> | — | Blotched Forest Skink |
| | <i>Sphenomorphus stellatus</i> | — | Starry Forest Skink |
| Varanidae | <i>Varanus salvator</i> | Biawak Air | Monitor Lizard |
| SUBORDER SERPENTES | | | |
| Acrochordidae | <i>Acrochordus javanicus</i> | Ular Belalai Gajah | Elephant-trunk Snake |
| Colubridae | <i>Ahaetulla fasciolata</i> | — | Speckle-headed Whip Snake |
| | <i>Ahaetulla mycterizans</i> | Ular Cemeti Hijau Daun | Malayan Green Whip Snake |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|-----------------------------------|----------------------|------------------------------|
| | <i>Ahaetulla nasuta</i> | — | Long-nosed Whip Snake |
| | <i>Ahaetulla prasina</i> | Ular Pucuk | Oriental Whip Snake |
| | <i>Amphiesma inas</i> | — | Malayan Mountain Keelback |
| | <i>Amphiesma petersii</i> | — | Peter's Keelback |
| | <i>Amphiesma sanguineum</i> | — | Smedley's Keelback |
| | <i>Amphiesma sarawacense</i> | — | Sarawak Mountain Keelback |
| | <i>Aplopeltura boa</i> | — | Blunt-headed Slug Snake |
| | <i>Asthenodipsas laevis</i> | — | Smooth Slug Snake |
| | <i>Asthenodipsas vertebralis</i> | — | Southern Mountain Slug Snake |
| | <i>Boiga cyanea</i> | — | Green Cat Snake |
| | <i>Boiga cynodon</i> | Ular Kucing Taring | Dog-toothed Cat Snake |
| | <i>Boiga dendrophila melanota</i> | Ular Bakau | Mangrove Snake |
| | <i>Boiga drapiezii</i> | — | White Spotted Cat Snake |
| | <i>Boiga jaspidea</i> | — | Jasper Cat Snake |
| | <i>Boiga multomaculata</i> | — | Marble Cat Snake |
| | <i>Boiga nigriceps</i> | — | Black-headed Cat Snake |
| | <i>Cerberus rynchops</i> | Ular Air Kadut | Bockadam |
| | <i>Chrysopelea ornata</i> | Ular Pokok Emas | Golden Tree Snake |
| | <i>Chrysopelea paradisi</i> | Ular Sawa Burung | Paradise Tree Snake |
| | <i>Chrysopelea pelias</i> | Ular Pokok Belang | Twin-barred Tree Snake |
| | <i>Coelognathus flavolineata</i> | Ular Laju Ekor Hitam | Common Malayan Racer |
| | <i>Coelognathus radiata</i> | Ular Rusuk Kerbau | Copperhead Racer |
| | <i>Enhydris bocourti</i> | — | Bocourt's Water Snake |
| | <i>Enhydris enhydris</i> | Ular Air Biasa | Rainbow Water Snake |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------|----------------------------------|--------------------------|-------------------------------|
| | <i>Gonyosoma oxycephalum</i> | Ular Laju Ekor Merah | Red-tailed Rat Snake |
| | <i>Gonyosoma prasina</i> | — | Green Tree Racer |
| | <i>Homalopsis buccata</i> | Ular Air Tembam | Puff-face Water Snake |
| | <i>Liopeltis tricolor</i> | — | Malayan Ringneck |
| | <i>Lycodon effraenis</i> | — | Scarce Wolf Snake |
| | <i>Lycodon subcinctus</i> | — | Malayan Banded Wolf Snake |
| | <i>Macrocalamus lateralis</i> | — | Malayan Mountain Reed Snake |
| | <i>Macrocalamus tweediei</i> | — | Tweedie's Mountain Reed Snake |
| | <i>Macropisthodon rhodomelas</i> | — | Blue-necked Keelback |
| | <i>Pareas carinatus</i> | — | Keeled Slug Snake |
| | <i>Pareas margaritophorus</i> | — | White-spotted Slug Snake |
| | <i>Pseudoxenodon macrops</i> | — | Big-eyed Mountain Keelback |
| | <i>Ptyas carinata</i> | — | Keeled Rat Snake |
| | <i>Ptyas fusca</i> | — | White-bellied Rat Snake |
| | <i>Ptyas korros</i> | — | Indo-chinese Rat Snake |
| | <i>Ptyas mucosus</i> | Ular Tikus Biasa | Common Rat Snake |
| | <i>Rhabdophis chrysargos</i> | Ular Rabung Perut Bintik | Speckle-bellied Keelback |
| | <i>Rhabdophis conspicillatus</i> | — | Red-bellied Keelback |
| | <i>Rhabdophis subminiatus</i> | — | Red-necked Keelback |
| | <i>Sibynophis collaris</i> | — | Common Blackhead |
| | <i>Sibynophis melanocephalus</i> | — | Malayan Many-toothed Snake |
| Cylindrophidae | <i>Cylindrophis ruffus</i> | Ular Kepala Dua | Red-tailed Pipesnake |
| Elapidae | <i>Bungarus candidus</i> | Ular Katam Tebu | Malayan Krait |
| | <i>Bungarus fasciatus</i> | Ular Katam Belang | Banded Krait |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------|--|--------------------------|-------------------------------|
| | <i>Bungarus flaviceps</i> | Ular Katam Kepala Merah | Red Headed Krait |
| | <i>Calliophis bivirgatus</i> | Ular Pantai Biru-biru | Blue Long-glanded Coral Snake |
| | <i>Calliophis gracilis</i> | Ular Pantai Bintik | Spotted Coral Snake |
| | <i>Calliophis intestinalis</i> | Ular Pantai Belang | Banded Malayan Coral Snake |
| | <i>Calliophis maculiceps</i> | Ular Pantai Bintik Kecil | Small-spotted Coral Snake |
| | <i>Naja kaouthia</i> | Ular Senduk | Monocellate Cobra |
| | <i>Naja sumatrana</i> | Ular Senduk Sembur | Equatorial Spitting Cobra |
| | <i>Ophiophagus hannah</i> | Ular Tedung Selar | King Cobra |
| Pythonidae | <i>Python reticulatus</i> | Ular Sawa | Reticulated Python |
| Viperidae | <i>Calloselasma rhodostoma</i> | Ular Kapak Bodoh | Malayan Pit Viper |
| | <i>Cryptelytrops albolabris</i> | Ular Kapak Bibir Putih | White-lipped Pit Viper |
| | <i>Cryptelytrops purpureomaculatus</i> | Ular Kapak Bakau | Mangrove Pit Viper |
| | <i>Ovophis monticola convictus</i> | Ular Kapak Gunung | Mountain Pit Viper |
| | <i>Parias hageni</i> | Ular Kapak Hijau | Indonesian Pit Viper |
| | <i>Parias sumatranus</i> | Ular Kapak Sumatra | Sumatran Pit Viper |
| | <i>Popeia buniana</i> | Ular Kapak Tioman | Tioman Pit Viper |
| | <i>Popeia popeorum</i> | Ular Kapak Pope | Pope's Pit Viper |
| | <i>Trimeresurus borneensis</i> | Ular Kapak Borneo | Bornean Pit Viper |
| | <i>Tropidolaemus wagleri</i> | Ular Kapak Tokong | Wagler's Pit Viper |
| Xenopeltidae | <i>Xenopeltis unicolor</i> | Ular Pelangi | Sunbeam Snake |
| ORDER TESTUDINES | | | |
| Geoemydidae | <i>Batagur borneoensis</i> | Tuntung Sungai | Painted Batagur |
| | <i>Cuora amboinensis</i> | Kura-kura Katup | Malayan Box Turtle |
| | <i>Cyclemys dentata</i> | — | Asian Leaf Turtle |
| | <i>Malayemys macrocephala</i> | Jelebu Siput Besar | Malayan Snail-eating Turtle |
| | <i>Siebenrockiella crassicollis</i> | Kura-kura Kolam | Black Marsh Turtle |
| Testudinidae | <i>Manouria emys</i> | Baning Perang | Asian Brown Tortoise |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------|----------------------------------|---------------------------|-----------------------------------|
| Trionychidae | <i>Amyda cartilaginea</i> | Labi-labi Biasa | Asiatic Softshell Turtle |
| | <i>Dogania subplana</i> | Labi Melayu | Malayan Softshell Turtle |
| CLASS AMPHIBA | | | |
| ORDER ANURA | | | |
| Bufonidae | <i>Ansonia leptopus</i> | — | Brown Slender Toad |
| | <i>Ansonia penangensis</i> | Kodok Sungai Pulau Pinang | Penang Stream Toad |
| | <i>Ansonia tiomanica</i> | Kodok Sungai Pulau Tioman | Tioman Slender Toad |
| | <i>Ingerophrynus kumquat</i> | — | Peat Swamp Toad |
| Dicroglossidae | <i>Limnonectes blythii</i> | Katak Demam | Giant Asian River Frog |
| | <i>Limnonectes malesianus</i> | Katak Paya Tanah Gambut | Peat Swamp Frog |
| | <i>Limnonectes tweediei</i> | — | Tweedie's Frog |
| | <i>Limnonectes paramacrodon</i> | Katak Paya Kecil | — |
| Megophryidae | <i>Megophrys nasuta</i> | Katak Bertanduk Borneo | Bornean Horned Frog |
| | <i>Xenophrys aceras</i> | Katak Tanduk Kecil | Perak Spadefoot Toad |
| | <i>Xenophrys longipes</i> | — | Long-legged Horned Frog |
| Microhylidae | <i>Kalophrynus palmatissimus</i> | Katak Lekit | Black-spotted Narrow-mouthed Frog |
| | <i>Kalophrynus robinsoni</i> | — | Robinson's Grainy Frog |
| Ranidae | <i>Amolops larutensis</i> | — | Larut Cascade Frog |
| | <i>Hylarana banjarana</i> | — | Banjaran Frog |
| | <i>Hylarana erythraea</i> | Katak Sawah Hijau | Common Green Frog |
| | <i>Hylarana picturata</i> | Katak Sungai Berbintik | Spotted Stream Frog |
| | <i>Hylarana raniceps</i> | Katak Anak Sungai Kesat | White-lipped Frog |
| | <i>Odorrana hosii</i> | Katak Batu Beracun | Hose's Rock Frog |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------|--|---------------------------|---|
| Rhacophoridae | <i>Nyctixalus pictus</i> | Katak Perang Berbintik | Cinnamon Tree Frog |
| | <i>Polypedates colletti</i> | — | Collett's Tree Frog |
| | <i>Rhacophorus nigropalmatus</i> | Katak Terbang Wallace | Wallace's Flying Frog |
| | <i>Rhacophorus pardalis</i> | — | Harlequin Tree Frog |
| | <i>Rhacophorus prominanus</i> | — | Malayan Flying Frog |
| | <i>Rhacophorus reinwardtii</i> | — | Reinwardt's Tree Frog |
| CLASS ARACHNIDA | | | |
| ORDER ARANEAE | | | |
| Liphisitiidae | <i>Liphistius</i> spp. (except the species included in the Second Schedule) | — | Tube-Dwelling Spider |
| Theraphosidae | <i>Chilobrachys</i> spp. | — | — |
| | <i>Coremiocnemis</i> spp. | — | — |
| | <i>Cyriopagopus</i> spp. | — | — |
| | <i>Haplopelma</i> spp. | — | — |
| | <i>Lampropelma violaceopes</i> | — | Malay Blue Femur |
| | <i>Lyrognathus robustus</i> | — | Malaysian Stout Leg |
| | <i>Phlogiellus</i> spp. | — | — |
| | <i>Phormingochilus</i> spp. | — | — |
| | <i>Poecilotheria</i> spp. | — | — |
| | <i>Selenocosmia</i> spp. | — | — |
| Tetragnathidae | <i>Nephila</i> spp. | — | Golden Silk Orb- Weavers/Banana Spiders |
| ORDER SCORPIONES | | | |
| Scorpionidae | <i>Heterometrus</i> spp. | — | — |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------|--------------------------------|-------------------|--------------------|
| CLASS INSECTA | | | |
| ORDER COLEOPTERA | | | |
| Buprestidae | <i>Catoxantha</i> spp. | — | — |
| | <i>Chrysochroa</i> spp. | — | — |
| | <i>Demochroa</i> spp. | — | — |
| | <i>Megaloxantha</i> spp. | — | — |
| | <i>Mormolyce</i> spp. | — | Violin Beetles |
| | <i>Stigmodera armata</i> | — | — |
| Cerambycidae | <i>Anoplophora birmanica</i> | — | — |
| | <i>Anoplophora elegans</i> | — | — |
| | <i>Anoplophora horsfieldi</i> | — | — |
| | <i>Anoplophora medenbachi</i> | — | — |
| | <i>Anoplophora longehisuta</i> | — | — |
| | <i>Anoplophora zonatrix</i> | — | — |
| | <i>Apriona elsa</i> | — | — |
| | <i>Apriona marcusina</i> | — | — |
| | <i>Apriona rixator</i> | — | — |
| | <i>Arctolamia cruciatus</i> | — | — |
| | <i>Actolamia fasciata</i> | — | — |
| | <i>Actolamia villosa</i> | — | — |
| | <i>Batocera lombokiana</i> | — | — |
| | <i>Batocera rosenbergi</i> | — | — |
| | <i>Batocera sumbaensis</i> | — | — |
| | <i>Combe brianus</i> | — | — |
| | <i>Cyriopalus wallacei</i> | — | — |
| | <i>Cheliadonium venereum</i> | — | — |
| | <i>Glenea</i> spp. | — | — |
| | <i>Nemophas tricolor</i> | — | — |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|--------------------------|-----------------------------|----------------------------------|------------------------------------|
| Lucanidae | <i>Lamprima</i> spp. | — | Golden Stag Beetles |
| ORDER HEMIPTERA | | | |
| Cicadidae | <i>Ambragaeana ambra</i> | Riang-riang | — |
| | <i>Angamiana floridula</i> | Riang-riang Zamrut Hijau | Green Jade Cicada |
| | <i>Ayuthia spectabile</i> | Riang-riang Hantu | Ghost Cicada |
| | <i>Huechys sanguinea</i> | Riang-riang Merah Bersayap Putih | White-winged Red Cicada |
| | <i>Pomponia adusta</i> | Riang | — |
| | <i>Pomponia imperatoria</i> | — | Malaysian Giant Cicada |
| Fulgoridae | <i>Aphaena aurantia</i> | — | Green-yellow Hornless Lanternfly |
| | <i>Aphaena submaculata</i> | — | Pinkish-orange Hornless Lanternfly |
| | <i>Pyrops</i> spp. | — | Lanternfly |
| | <i>Scamandra sanguiflua</i> | — | Lanternfly |
| ORDER LEPIDOPTERA | | | |
| Danaidae | <i>Danaus affinis</i> | — | Malay Tiger |
| | <i>Idea hypermnestra</i> | — | Tree Nymph |
| | <i>Idea jasonia</i> | — | Tree Nymph |
| | <i>Idea leuconoe</i> | — | Tree Nymph |
| | <i>Idea lynceus</i> | — | Tree Nymph |
| | <i>Idea stolli</i> | — | Tree Nymph |
| Nymphalidae | <i>Agatasa calydonia</i> | — | Glorios Begum |
| | <i>Charaxes</i> spp. | — | Rajah Butterfly |
| | <i>Enispe intermedia</i> | — | Intermediate Caliph |
| | <i>Kallima paralekta</i> | — | Indian Leaf |
| | <i>Polyura eudamippus</i> | — | Great Nawab |
| | <i>Polyura schreiber</i> | — | Blue Nawab |
| | <i>Prothoe franck</i> | — | Nyamphalid Butterfly |
| | <i>Zeuxidia aurelius</i> | — | The Great Saturn |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|--------------------------|----------------------------------|---------------------------------------|-------------------------------|
| Papilionidae | <i>Chilasa agestor</i> | — | Mime Butterfly |
| | <i>Graphium empedovana</i> | — | Malayan Yellow Bottle |
| | <i>Meandrusa payeni</i> | — | — |
| | <i>Lamproptera curius</i> | — | White Dragontail |
| | <i>Lamproptera meges</i> | — | Green Dragontail |
| | <i>Ornithoptera</i> spp. | — | Birdwing |
| | <i>Papilio mahadeva</i> | — | Burmese Raven |
| | <i>Papilio palinurus</i> | — | Banded Peacock |
| | <i>Trogonoptera brookiana</i> | — | Rajah Brooke |
| | <i>Troides</i> spp. | — | Birdwing Butterflies |
| ORDER MANTODEA | | | |
| Hymenopodidae | <i>Hymenopus coronatus</i> | Mentadak Orkid | Orchid Mantis |
| Mantidae | <i>Deroplatys</i> spp. | Mentadak Daun | Dead Leaf Mantis |
| | <i>Theopompa</i> spp. | — | Asian Bark Mantis |
| | <i>Paratoxodera cornicollis</i> | — | Giant Malayan Stick Mantis |
| | <i>Theopropus elegans</i> | — | Asian Boxer Mantis |
| | <i>Parhymenopus davidsoni</i> | — | Yellow Flower Mantis |
| ORDER ORTHOPTERA | | | |
| Gryllacrididae | <i>Gryllacris</i> spp. | Cengkerik Raksasa | Giant Cricket |
| ORDER PHASMATODEA | | | |
| Bacillidae | <i>Heteropteryx dilatata</i> | — | Malayan Jungle Nymph |
| Heteronemiidae | <i>Phaenopharos struthioneus</i> | Serangga Ranting Bersayap Merah Kecil | Small Red-Winged Stick Insect |
| Phasmatidae | <i>Tagesoidea nigrofasciata</i> | — | Yellow Umbrella Stick Insect |
| | <i>Eurycnema versirubra</i> | — | — |
| | <i>Extatosoma tiaratum</i> | — | Macleay's Spectre |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|-------------------------------|---------------------|---------------------|
| Phyllidae | <i>Phyllium pulchrifolium</i> | Serangga Daun | Walking Leaf Insect |
| | <i>Phyllium giganteum</i> | Serangga Daun Besar | Giant Leaf Insect |

PART 2
(OTHER PROTECTED WILDLIFE)

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|------------------------------|--|-------------------|----------------------|
| CLASS MAMMALIA | | | |
| ORDER ARTIODACTYLA | | | |
| Bovidae | <i>Ammotragus lervia</i> | — | Barbary Sheep |
| | <i>Antilope cervicapra</i> | — | Blackbuck |
| | <i>Bubalus arnee</i> | — | Wild Asiatic Buffalo |
| | <i>Budorcas taxicolor</i> | — | Takin |
| | <i>Cephalophus dorsalis</i> | — | Bay Duiker |
| | <i>Cephalophus ogilbyi</i> | — | Ogilby's Duiker |
| | <i>Cephalophus silvicultor</i> | — | Yellow-backed Duiker |
| | <i>Cephalophus zebra</i> | — | Banded Duiker |
| | <i>Damaliscus pygargus pygargus</i> | — | Bontebok |
| | <i>Gazella dama</i> | — | Dama Gazelle |
| | <i>Gazella dorcas</i> | — | Dorcas Gazelle |
| | <i>Hippotragus equinus</i> | — | Roan Antelope |
| | <i>Kobus leche</i> | — | Leche |
| | <i>Ovis ammon</i> (except the subspecies included in the Second Schedule) | — | Argali |
| | <i>Ovis canadensis</i> | — | Bighorn Sheep |
| | <i>Ovis vignei</i> (except the subspecies included in the Second Schedule) | — | Red Sheep |
| <i>Philantomba monticola</i> | — | Blue Duiker | |
| <i>Saiga tatarica</i> | — | Saiga Antelope | |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|------------------------|--|-------------------|------------------------------|
| | <i>Tetracerus quadricornis</i> | — | Four-horned Antelope |
| | <i>Tragelaphus eurycerus</i> | — | Lowland Bongo |
| | <i>Tragelaphus spekii</i> | — | Sitatunga |
| Camelidae | <i>Lama guanicoe</i> | — | Guanaco |
| Cervidae | <i>Mazama temama cerasina</i> | — | Guatemalan Red Brocket |
| | <i>Odocoileus virginianus mayensis</i> | — | Guatemalan White-Tailed Deer |
| | <i>Pudu mephistophiles</i> | — | Northern Pudu |
| Hippopotamidae | <i>Hexaprotodon liberiensis</i> | — | Pygmy Hippopotamus |
| | <i>Hippopotamus amphibius</i> | Badak Air | Common Hippopotamus |
| Tayassuidae | <i>Pecari tajacu</i> | — | Collared Peccary |
| | <i>Tayassu pecari</i> | — | White-lipped Peccary |
| Tragulidae | <i>Hyemoschus aquaticus</i> | — | Water Chevrotain |
| ORDER CARNIVORA | | | |
| Canidae | <i>Canis aureus</i> | — | Common Jackal |
| | <i>Cerdocyon thous</i> | — | Forest Fox |
| | <i>Chrysocyon brachyurus</i> | — | Maned Wolf |
| | <i>Pseudalopex culpaeus</i> | — | Andean Wolf |
| | <i>Pseudalopex griseus</i> | — | Argentine Grey Fox |
| | <i>Pseudalopex gymnocercus</i> | — | Azara's Zorro |
| | <i>Vulpes bengalensis</i> | — | Bengal Fox |
| | <i>Vulpes cana</i> | — | Afghan Fox |
| | <i>Vulpes zerda</i> | — | Fennec Fox |
| Eupleridae | <i>Cryptoprocta ferox</i> | — | Fosa |
| | <i>Eupleres goudotii</i> | — | Malagasy Mongoose |
| | <i>Fossa fossana</i> | — | Malagasy Civet |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|---|-------------------|----------------------------|
| Felidae | <i>Caracal aurata</i> | — | African Golden Cat |
| | <i>Felis</i> spp. (except the species included in the Second Schedule) | — | Wild Cats |
| | <i>Leopardus</i> spp. (except the species included in the Second Schedule) | — | Wild cats |
| | <i>Leptailurus serval</i> | — | Serval |
| | <i>Lynx</i> spp. (except the species included in the Second Schedule) | — | Lynx |
| | <i>Panthera leo</i> (except the subspecies included in the Second Schedule) | — | Lion |
| | <i>Prionailurus</i> spp. (except the species included in the Second Schedule) | — | Wild Cats |
| | <i>Puma concolor</i> (except the subspecies included in the Second Schedule) | — | Puma |
| Herpestidae | <i>Herpestes fuscus</i> | — | Indian Brown Mongoose |
| | <i>Herpestes smithii</i> | — | Ruddy Mongoose |
| | <i>Herpestes vitticollis</i> | — | Stripe-necked Mongoose |
| Hyaenidae | <i>Proteles cristata</i> | — | Aardwolf |
| Mephitidae | <i>Conepatus humboldtii</i> | — | Humboldt's Hog-nosed Skunk |
| Mustelidae | <i>Eira barbara</i> | — | Tayra |
| | <i>Galictis vittata</i> | — | Allamand's Grison |
| | <i>Lontra canadensis</i> | — | River Otter |
| | <i>Lutra</i> spp. (except the species included in the Second Schedule) | Memerang | Otters |
| | <i>Martes foina intermedia</i> | — | Stone Marten |
| | <i>Mellivora capensis</i> | — | Honey Badger |
| | <i>Mustela altaica</i> | — | Mountain Weasel |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------------|---|-------------------|-------------------------|
| | <i>Mustela kathiah</i> | — | Yellow-bellied Weasel |
| | <i>Mustela sibirica</i> | — | Siberian Weasel |
| Procyonidae | <i>Bassaricyon gabbii</i> | — | Bushy-tailed Olingo |
| | <i>Bassariscus sumichrasti</i> | — | Cacomistle |
| | <i>Nasua narica</i> | — | Northern Coati |
| | <i>Nasua nasua solitaria</i> | — | South Brazilian Coati |
| | <i>Potos flavus</i> | — | Kinkajou |
| Ursidae | <i>Ursus</i> spp. (except the species included in the Second Schedule) | Beruang | Bears |
| Viverridae | <i>Civettictis civetta</i> | — | African Civet |
| | <i>Paradoxurus jerdoni</i> | — | Jerdon's Palm Civet |
| | <i>Viverra civettina</i> | — | Malabar Civet |
| | <i>Viverricula indica</i> | — | Small Indian Civet |
| ORDER CHIROPTERA | | | |
| Phyllostomidae | <i>Platyrrhinus lineatus</i> | — | White-lined Bat |
| Pteropodidae | <i>Acerodon</i> spp. (except the species included in the Second Schedule) | Kelawar | Fruit Bats |
| | <i>Pteropus</i> spp. (except the species included in the Second Schedule) | Keluang | Flying Foxes |
| ORDER DIPROTODONTIA | | | |
| Burramyidae | <i>Burramys parvus</i> | — | Mountain Pygmy Possum |
| Petauridae | <i>Petaurus breviceps</i> | — | Sugar Glider |
| Phalangeridae | <i>Phalanger</i> spp. | — | Cuscus |
| | <i>Spilocuscus</i> spp. | — | Cuscus |
| ORDER INSECTIVORA | | | |
| Erinaceidae | <i>Hylomys suillus</i> | — | Short-tailed Gymnure |
| Soricidae | <i>Chimarrogale platycephala</i> | — | Flat-headed Water Shrew |
| Talpidae | <i>Euroscaptor micrura</i> | — | Himalayan Mole |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-----------------------------|--|-------------------|----------------------------------|
| ORDER PERISSODACTYLA | | | |
| Equidae | <i>Equus hemionus</i> (except the subspecies included in the Second Schedule) | — | Asian Wild Ass |
| | <i>Equus kiang</i> | — | Kiang |
| | <i>Equus zebra hartmannae</i> | — | Hartmann's Zebra |
| ORDER PRIMATES | | | |
| Aotidae | <i>Aotus</i> spp. | — | Night Monkeys |
| Atelidae | <i>Alouatta belzebul</i> | — | Rufous-handed Howler Monkey |
| | <i>Alouatta caraya</i> | — | Black Howler Monkey |
| | <i>Alouatta</i> spp. (except the species included in the Second Schedule) | — | Howler Monkeys |
| | <i>Ateles</i> spp. (except the species included in the Second Schedule) | — | Spider Monkeys |
| | <i>Ateles geoffroyi</i> (except the subspecies included in the Second Schedule) | — | — |
| | <i>Lagothrix</i> spp. | — | Woolly Monkeys |
| Callitrichidae | <i>Cebuella pygmaea</i> | — | Pygmy Marmoset |
| Cebidae | <i>Callithrix</i> spp. (except the species included in the Second Schedule) | Marmoset | Marmosets |
| | <i>Cebus</i> spp. | — | Capuchins |
| | <i>Saguinus fuscicollis</i> | — | Spix's Saddle-backed Tamarin |
| | <i>Saguinus imperator</i> | — | Emperor Tamarin |
| | <i>Saguinus inustus</i> | — | Mottle-faced Tamarin |
| | <i>Saguinus labiatus</i> | — | Geoffrey's Moustached Tamarin |
| | <i>Saguinus midas</i> | — | Red-headed Tamarin |
| | <i>Saguinus mystax</i> | — | Spix's Moustached Tamarin |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-----------------|---|-------------------|-----------------------------|
| | <i>Saguinus nigricollis</i> | — | Spix's Black-mantle Tamarin |
| | <i>Saguinus</i> spp. (except the species included in the Second Schedule) | Tamarin | Tamarins |
| | <i>Saimiri</i> spp. (except the species included in the Second Schedule) | — | Squirrel Monkeys |
| Cercopithecidae | <i>Allenopithecus nigroviridis</i> | — | Allen's Swamp Monkey |
| | <i>Cercocebus torquatus</i> | — | Red-capped Mangabey |
| | <i>Cercocebus</i> spp. (except the species included in the Second Schedule) | — | Mangabeys |
| | <i>Cercopithecus ascanius</i> | — | Black-cheeked Monkey |
| | <i>Cercopithecus campbelli</i> | — | Campbell's Mona Monkey |
| | <i>Cercopithecus cephus</i> | — | Moustached Monkey |
| | <i>Cercopithecus dryas</i> | — | Dryas Monkey |
| | <i>Cercopithecus erythrogaster</i> | — | Red-bellied Monkey |
| | <i>Cercopithecus erythrotis</i> | — | Russet-eared Monkey |
| | <i>Cercopithecus hamlyni</i> | — | Owl-faced Monkey |
| | <i>Cercopithecus lhoesti</i> | — | Hoest Mountain Monkey |
| | <i>Cercopithecus mitis</i> | — | White-throated Monkey |
| | <i>Cercopithecus mona</i> | — | Mona Monkey |
| | <i>Cercopithecus neglectus</i> | — | De Brazza's Monkey |
| | <i>Cercopithecus nictitans</i> | — | Greater White-nosed Monkey |
| | <i>Cercopithecus petaurista</i> | — | Lesser White-nosed Monkey |
| | <i>Cercopithecus pogonias</i> | — | Crowned Monkey |
| | <i>Cercopithecus wolffi</i> | — | Wolf's Monkey |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|---|-------------------|---------------------------|
| | <i>Cercopithecus</i> spp. (except the species included in the Second Schedule) | — | Monkeys |
| | <i>Chlorocebus</i> spp. | — | Green Monkeys |
| | <i>Colobus</i> spp. | — | Colobus |
| | <i>Erythrocebus patas</i> | — | Patas Monkey |
| | <i>Lophocebus</i> spp. | — | Mangabeys |
| | <i>Macaca assamensis</i> | — | Himalayan Macaque |
| | <i>Macaca cyclopis</i> | — | Taiwan Macaque |
| | <i>Macaca fuscata</i> | — | Japanese Macaque |
| | <i>Macaca maura</i> | — | Moor Macaque |
| | <i>Macaca mulatta</i> | — | Rhesus Macaque |
| | <i>Macaca nigra</i> | — | Crested Macaque |
| | <i>Macaca ochreata</i> | — | Booted Macaque |
| | <i>Macaca radiata</i> | — | Madras Macaque |
| | <i>Macaca tonkeana</i> | — | Tonkean Black Ape |
| | <i>Macaca</i> spp. (except the species included in the Second Schedule) | — | Macaques |
| | <i>Miopithecus</i> spp. | — | Southern Talapoin |
| | <i>Papio hamadryas</i> | — | Olive Babbon |
| | <i>Papio</i> spp. | Babun | Baboon |
| | <i>Ptilocolobus</i> spp. (except the species included in the Second Schedule) | — | Red Colobus |
| | <i>Presbytis frontata</i> | — | White-fronted Leaf Monkey |
| | <i>Presbytis hosei</i> | — | Grey Langur |
| | <i>Presbytis rubicunda</i> | — | Maroon Leaf Monkey |
| | <i>Presbytis thomasi</i> | — | Thomas Langur |
| | <i>Presbytis</i> spp. (except the species included in the Second Schedule) | — | Leaf Monkeys |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-----------------------|--|-------------------|------------------------------------|
| | <i>Procolobus verus</i> | — | Olive Colobus |
| | <i>Theropithecus gelada</i> | — | Gelada Babboon |
| | <i>Trachypithecus</i> spp. (except the species included in the Second Schedule) | — | Langur |
| Galagonidae | <i>Euoticus elegantulus</i> | — | Elegant Galago |
| | <i>Euoticus pallidus</i> | — | Northern Needle-clawed Bushbaby |
| | <i>Galago</i> spp. | — | Galago |
| | <i>Otolemur</i> spp. | — | Greater Galago |
| Lorisidae | <i>Arctocebus aureus</i> | — | Golden Potto |
| | <i>Arctocebus calabarensis</i> | — | Angwantibo |
| | <i>Loris lydekkerianus</i> | — | Grey Slender Loris |
| | <i>Loris tardigradus</i> | — | Slender Loris |
| | <i>Perodicticus potto</i> | — | Potto |
| | <i>Pseudopotto martini</i> | — | False Potto |
| Pitheciidae | <i>Callicebus</i> spp. | — | Titi |
| | <i>Chiropotes</i> spp. (except the species included in the Second Schedule) | — | Bearded Saki |
| | <i>Pithecia</i> spp. | — | Saki |
| Tarsiidae | <i>Tarsius</i> spp. | — | Tarsiers |
| ORDER RODENTIA | | | |
| Anomaluridae | <i>Anomalurops beecrofti</i> | — | Beecroft's Flying Squirrel |
| | <i>Anomalurus derbianus</i> | — | Lord's Derby Flying Squirrel |
| | <i>Anomalurus pelii</i> | — | Pel's Flying Squirrel |
| | <i>Idiurus macrotis</i> | — | Long-eared Flying Squirrel |
| Cuniculidae | <i>Cuniculus paca</i> | — | Paca |
| Dasyproctidae | <i>Dasyprocta punctata</i> | — | Central American Agouti |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|--------------------------|---|----------------------|-------------------------------------|
| Erethizontidae | <i>Sphiggurus mexicanus</i> | — | Mexican Hairy Dwarf Porcupine |
| | <i>Sphiggurus spinosus</i> | — | Orange-spined Hairy Dwarf Porcupine |
| Hystricidae | <i>Hystrix</i> spp. | Landak | Porcupines |
| Sciuridae | <i>Epixerus ebi</i> | — | Western Palm Squirrel |
| | <i>Marmota caudata</i> | — | Long-tailed Marmot |
| | <i>Marmota himalayana</i> | — | Himalayan Marmot |
| | <i>Ratufa</i> spp. (except the species included in the Second Schedule) | — | Giant Squirrels |
| | <i>Sciurus deppei</i> | — | Deppe's Squirrel |
| ORDER SCANDENTIA | | | |
| Tupaiaidae | <i>Anathana ellioti</i> | — | Indian Treeshrew |
| | <i>Dendrogale melanura</i> | — | Bornean Smooth-tailed Treeshrew |
| | <i>Dendrogale murina</i> | — | Mainland Slender-tailed Treeshrew |
| | <i>Tupaia belangeri</i> | — | Northern Treeshrew |
| | <i>Tupaia dorsalis</i> | — | Striped Treeshrew |
| | <i>Tupaia gracilis</i> | — | Slender Treeshrew |
| | <i>Tupaia montana</i> | — | Mountain Treeshrew |
| | <i>Tupaia picta</i> | — | Painted Treeshrew |
| | <i>Tupaia splendidula</i> | — | Ruddy Treeshrew |
| | <i>Tupaia tana</i> | — | Large Treeshrew |
| | <i>Tupaia chrysogaster</i> | — | Golden-bellied Treeshrew |
| | <i>Tupaia javanica</i> | — | Horsfield's Treeshrew |
| | <i>Tupaia longipes</i> | — | Long-footed Treeshrew |
| | <i>Tupaia moellendorffi</i> | — | Calamian Treeshrew |
| | <i>Tupaia nicobarica</i> | — | Nicobar Treeshrew |
| | <i>Tupaia palawanensis</i> | — | Palawan Treeshrew |
| <i>Urogale everetti</i> | — | Mindanao Treeshrew | |
| <i>Ptilocercus lowii</i> | — | Pen-tailed Treeshrew | |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------------|--------------------------------|-------------------|---------------------------------|
| ORDER TACHYGLOSSA | | | |
| Tachyglossidae | <i>Zaglossus bruijnii</i> | — | Long-nosed Echidnas |
| ORDER TUBULIDENTATA | | | |
| Orycteropodidae | <i>Orycteropus afer</i> | — | Aardvark |
| ORDER XENARTHRA | | | |
| Bradypodidae | <i>Bradypus variegatus</i> | — | Brown-Throated Sloth |
| Dasypodidae | <i>Cabassous centralis</i> | — | Northern Naked-Tailed Armadillo |
| | <i>Cabassous tatouay</i> | — | Greater Naked-Tailed Armadillo |
| | <i>Chaetophractus nationi</i> | — | Bolivian Hairy Armadillo |
| Megalonychidae | <i>Choloepus hoffmanni</i> | — | Hoffmann's Two-toed Sloth |
| Myrmecophagidae | <i>Myrmecophaga tridactyla</i> | — | Giant Anteater |
| | <i>Tamandua mexicana</i> | — | Northern Tamandua |
| CLASS AVES | | | |
| ORDER ANSERIFORMES | | | |
| Anatidae | <i>Anas bernieri</i> | — | Bernier's Teal |
| | <i>Anas formosa</i> | — | Baikal Teal |
| | <i>Anas capensis</i> | — | Cape Teal |
| | <i>Alopochen aegyptiacus</i> | — | Egyptian Goose |
| | <i>Aythya nyroca</i> | — | Ferruginous Duck |
| | <i>Branta ruficollis</i> | — | Red-breasted Goose |
| | <i>Coscoroba coscoroba</i> | — | Coscoroba Swan |
| | <i>Cygnus melanocoryphus</i> | — | Black-necked Swan |
| | <i>Cygnus columbianus</i> | — | Jankowski's Swan |
| | <i>Dendrocygna arborea</i> | — | Black-billed Wood-Duck |
| | <i>Dendrocygna autumnalis</i> | — | Black-bellied Whistling Duck |
| | <i>Dendrocygna bicolor</i> | — | Fulvous Whistling Duck |
| | <i>Dendrocygna viduata</i> | — | White-faced Whistling Duck |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|--------------------------|--------------------------------|-------------------|---------------------------------|
| | <i>Nettapus auritus</i> | — | African Pygmy Goose |
| | <i>Oxyura leucocephala</i> | — | White-headed Duck |
| | <i>Plectropterus gambensis</i> | — | Spur-winged Goose |
| | <i>Pteronetta hartlaubii</i> | — | Hartlaub's Duck |
| | <i>Sarkidiornis melanotos</i> | — | Comb Duck |
| ORDER APODIFORMES | | | |
| Trochilidae | <i>Abeillia abeillei</i> | — | Emerald-chinned Hummingbird |
| | <i>Adelomyia melanogenys</i> | — | Speckled Hummingbird |
| | <i>Aglaeactis</i> spp. | — | — |
| | <i>Aglaiocercus</i> spp. | — | — |
| | <i>Amazilia</i> spp. | — | — |
| | <i>Androdona equatorialis</i> | — | Tooth-billed Hummingbird |
| | <i>Anopetia gounellei</i> | — | Broad-tipped Hermit Hummingbird |
| | <i>Anthocephala floriceps</i> | — | Blossomcrown Hummingbird |
| | <i>Anthracothorax</i> spp. | — | — |
| | <i>Archilochus alexandri</i> | — | Black-chinned Hummingbird |
| | <i>Archilochus colubris</i> | — | Ruby-throated Hummingbird |
| | <i>Atthis ellioti</i> | — | Wine-throated Hummingbird |
| | <i>Atthis heloisa</i> | — | Bumblebee Hummingbird |
| | <i>Augastes</i> spp. | — | — |
| | <i>Basilinna leucotis</i> | — | White-eared Hummingbird |
| | <i>Basilinna xantusii</i> | — | Black-fronted Hummingbird |
| | <i>Boissonneaua</i> spp. | — | — |
| | <i>Calliphlox</i> spp. | — | — |
| | <i>Calothorax lucifer</i> | — | Lucifer Hummingbird |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|-----------------------------------|-------------------|---------------------------------|
| | <i>Calothorax pulcher</i> | — | Beautiful Hummingbird |
| | <i>Calypte</i> spp. | — | — |
| | <i>Campylopterus</i> spp. | — | — |
| | <i>Chaetocercus</i> spp. | — | — |
| | <i>Chalcostigma</i> spp. | — | — |
| | <i>Chalybura</i> spp. | — | — |
| | <i>Chlorostilbon</i> spp. | — | — |
| | <i>Chrysolampis mosquitus</i> | — | Ruby-topaz Hummingbird |
| | <i>Chrysuronia oenone</i> | — | Golden-tailed Sapphire |
| | <i>Clytolaema rubricauda</i> | — | Brazilian Ruby Hummingbird |
| | <i>Coeligena</i> spp. | — | — |
| | <i>Colibri</i> spp. | — | — |
| | <i>Cyanophaea bicolor</i> | — | Blue-headed Hummingbird |
| | <i>Cynanthus</i> spp. | — | — |
| | <i>Damophila julie</i> | — | Violet-bellied Hummingbird |
| | <i>Discosura</i> spp. | — | — |
| | <i>Doricha</i> spp. | — | — |
| | <i>Doryfera</i> spp. | — | — |
| | <i>Elvira</i> spp. | — | — |
| | <i>Ensifera ensifera</i> | — | Sword-billed Hummingbird |
| | <i>Eriocnemis</i> spp. | — | — |
| | <i>Eugenes fulgens</i> | — | Magnificent Hummingbird |
| | <i>Eulampis</i> spp. | — | — |
| | <i>Eupherusa</i> spp. | — | — |
| | <i>Eutoxeres</i> spp. | — | — |
| | <i>Eulidia yarrellii</i> | — | Chilean Woodstar Hummingbird |
| | <i>Florisuga</i> spp. | — | — |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|--|-------------------|------------------------------------|
| | <i>Glaucis</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Goethalsia bella</i> | — | Rufous-cheeked Hummingbird |
| | <i>Goldmania violiceps</i> | — | Violet-capped Hummingbird |
| | <i>Haplophaedia</i> spp. | — | — |
| | <i>Heliactin bilophus</i> | — | Horned Sungem Hummingbird |
| | <i>Heliangelus</i> spp. | — | — |
| | <i>Heliodoxa</i> spp. | — | — |
| | <i>Heliomaster</i> spp. | — | — |
| | <i>Heliothryx</i> spp. | — | — |
| | <i>Hylocharis</i> spp. | — | — |
| | <i>Hylonympha macrocerca</i> | — | Scissor-tailed Hummingbird |
| | <i>Klais guimeti</i> | — | Violet-headed Hummingbird |
| | <i>Lafresnaya lafresnayi</i> | — | Mountain Velvetbreast |
| | <i>Lampornis</i> spp. | — | — |
| | <i>Lamprolaima rhami</i> | — | Garnet-throated Hummingbird |
| | <i>Lepidopyga</i> spp. | — | — |
| | <i>Lesbia</i> spp. | — | — |
| | <i>Leucippus</i> spp. | — | — |
| | <i>Leucochloris albicollis</i> | — | White-throated Hummingbird |
| | <i>Loddigesia mirabilis</i> | — | Marvellous Spatuletail Hummingbird |
| | <i>Lophornis</i> spp. | — | — |
| | <i>Mellisuga</i> spp. | — | — |
| | <i>Metallura</i> spp. | — | — |
| | <i>Microchera albocoronata</i> | — | Snowcap Hummingbird |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|---------------------------------|-------------------|-------------------------------------|
| | <i>Microstilbon burmeisteri</i> | — | Slender-tailed Woodstar Hummingbird |
| | <i>Myrmia micrura</i> | — | Short-tailed Woodstar Hummingbird |
| | <i>Myrtis</i> spp. | — | — |
| | <i>Ocreatus underwoodii</i> | — | Booted Racket-tail Hummingbird |
| | <i>Opisthoprora euryptera</i> | — | Mountain Avocetbill Hummingbird |
| | <i>Oreonympha nobilis</i> | — | Bearded Mountaineer Hummingbird |
| | <i>Oreotrochilus</i> spp. | — | — |
| | <i>Orthorhyncus cristatus</i> | — | Antillean Crested Hummingbird |
| | <i>Oxygogon guerinii</i> | — | Bearded Helmetcrest |
| | <i>Panterpe insignis</i> | — | Fiery-throated Hummingbird |
| | <i>Patagona gigas</i> | — | Giant Hummingbird |
| | <i>Phaethornis</i> spp. | — | — |
| | <i>Phlogophilus</i> spp. | — | — |
| | <i>Polyonymus caroli</i> | — | Bronze-tailed Comet Hummingbird |
| | <i>Polytmus</i> spp. | — | — |
| | <i>Pterophanes cyanopterus</i> | — | Great Sapphirewing |
| | <i>Ramphodon naevius</i> | — | Saw-billed Hermit Hummingbird |
| | <i>Ramphomicron</i> spp. | — | — |
| | <i>Rhodopis vesper</i> | — | Oasis Hummingbird |
| | <i>Sappho sparganura</i> | — | Red-tailed Comet Hummingbird |
| | <i>Selasphorus</i> spp. | — | — |
| | <i>Sephanoides</i> spp. | — | — |
| | <i>Stellula calliope</i> | — | Calliope Hummingbird |
| | <i>Stephanoxis lalandi</i> | — | Plover crest |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|------------------------------|-----------------------------------|-------------------|---------------------------------------|
| | <i>Sternoclyta cyanopectus</i> | — | Violet-chested Hummingbird |
| | <i>Taphrolesbia griseiventris</i> | — | Grey-bellied Comet Hummingbird |
| | <i>Thalurania</i> spp. | — | — |
| | <i>Thaumastura cora</i> | — | Peruvian Sheartail Hummingbird |
| | <i>Threnetes</i> spp. | — | — |
| | <i>Tilmatura dupontii</i> | — | Sparkling-tailed Woodstar Hummingbird |
| | <i>Topaza pella</i> | — | Crimson Topaz Hummingbird |
| | <i>Topaza pyra</i> | — | Fiery Topaz Hummingbird |
| | <i>Trochilus</i> spp. | — | — |
| | <i>Urochroa bougueri</i> | — | White-tailed Hillstar Hummingbird |
| | <i>Urosticte</i> spp. | — | — |
| ORDER CHARADRIIFORMES | | | |
| Burhinidae | <i>Burhinus bistriatus</i> | — | Double-striped Thick-knee |
| Dromadidae | <i>Dromas ardeola</i> | — | Crab Plover |
| Pedionomidae | <i>Pedionomus torquatus</i> | — | Plains-wanderer |
| ORDER CICONIIFORMES | | | |
| Ciconiidae | <i>Ciconia nigra</i> | — | Black Stork |
| Threskiornithidae | <i>Bostrychia hagedash</i> | — | Hadada Ibis |
| | <i>Bostrychia rara</i> | — | Spot-breasted Ibis |
| | <i>Eudocimus ruber</i> | — | Scarlet Ibis |
| | <i>Geronticus calvus</i> | — | Southern Bald Ibis |
| | <i>Platalea leucorodia</i> | — | Spoonbill |
| ORDER COLUMBIFORMES | | | |
| Columbidae | <i>Gallicolumba luzonica</i> | — | Luzon Bleeding-heart Pigeon |
| | <i>Goura</i> spp. | — | — |
| | <i>Nesoenas mayeri</i> | — | Pink Pigeon |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------------------|--------------------------------|-------------------------|-----------------------------|
| ORDER CUCULIFORMES | | | |
| Musophagidae | <i>Corythaeola cristata</i> | — | Great Blue Turaco |
| | <i>Crinifer piscator</i> | — | Western Grey Plantain-eater |
| | <i>Musophaga violacea</i> | — | Violet Turaco |
| | <i>Tauraco porphyeolophus</i> | — | Purple-crested Turaco |
| | <i>Tauraco</i> spp. | — | — |
| ORDER FALCONIFORMES | | | |
| Cathartidae | <i>Sarcoramphus papa</i> | — | King Vulture |
| ORDER GALLIFORMES | | | |
| Cracidae | <i>Crax alberti</i> | — | Blue-billed Curassow |
| | <i>Crax daubentoni</i> | — | Yellow-knobbed Curassow |
| | <i>Crax globulosa</i> | — | Wattled Curassow |
| | <i>Crax rubra</i> | — | Great Curassow |
| | <i>Ortalis vetula</i> | — | Plain Chachalaca |
| | <i>Pauxi pauxi</i> | — | Helmeted Curassow |
| | <i>Penelope purpurascens</i> | — | Crested Guan |
| | <i>Penelopina nigra</i> | — | Highland Guan |
| Phasianidae | <i>Arborophila orientalis</i> | — | White-faced Partridge |
| | <i>Agelastes meleagrides</i> | — | White-breasted Guineafowl |
| | <i>Cyrtonyx montezumae</i> | — | Montezuma Quail |
| | <i>Francolinus ochropectus</i> | — | Djibouti Francolin |
| | <i>Francolinus swierstrai</i> | — | Swierstra's Francolin |
| | <i>Gallus sonneratii</i> | — | Grey Junglefowl |
| | <i>Ithaginis cruentus</i> | — | Blood Pheasant |
| | <i>Meleagris ocellata</i> | — | Ocellated Turkey |
| <i>Polyplectron bicalcaratum</i> | — | Common Peacock Pheasant | |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------|---|-------------------|-----------------------------|
| | <i>Polyplectron germaini</i> | — | Germain's Peacock Pheasant |
| | <i>Tragopan satyra</i> | — | Crimson Horned Pheasant |
| ORDER GRUIFORMES | | | |
| Gruidae | <i>Balearica</i> spp. | — | — |
| | <i>Grus canadensis</i> (except the subspecies included in the Second Schedule) | — | — |
| | <i>Grus</i> spp. (except the species included in the Second Schedule) | — | — |
| Otididae | <i>Ardeotis</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Eupodotis</i> spp. | — | — |
| | <i>Neotis</i> spp. | — | — |
| | <i>Otis tarda</i> | Jaguh Rumput | Great Bustards |
| | <i>Tetrax tetrax</i> | Jaguh Kecil | Little Bustards |
| | <i>Eupodotis melanogaster</i> | — | Black-bellied Bustard |
| | <i>Eupodotis ruficrista</i> | — | Red-crested Bustard |
| | <i>Eupodotis savilei</i> | — | Savile's Bustard |
| | <i>Eupodotis hartlaubii</i> | — | Hartlaub's Bustard |
| | <i>Sypheotides indicus</i> | — | Lesser Florica |
| Viduidae | <i>Anomalospiza imberbis</i> | — | Cuckoo Finch |
| | <i>Vidua chalybeata</i> | — | Village Indigobird |
| | <i>Vidua interjecta</i> | — | Long-tailed Paradise Whydah |
| | <i>Vidua macroura</i> | — | Pin-tailed Whydah |
| | <i>Vidua paradisaea</i> | — | Eastern Paradise Whydah |
| | <i>Vidua raricola</i> | — | Jambandu Indigobird |
| | <i>Vidua togoensis</i> | — | Togo Paradise Whydah |
| | <i>Vidua wilsoni</i> | — | Pale-winged Indigobird |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------------|---------------------------------|-------------------|------------------------------|
| | <i>Vidua larvaticola</i> | — | Baka Indigobird |
| ORDER PASSERIFORMES | | | |
| Cotingidae | <i>Cephalopterus ornatus</i> | — | Amazonian Umbrellabird |
| | <i>Cephalopterus penduliger</i> | — | Long-wattled Umbrellabird |
| | <i>Rupicola</i> spp. | — | — |
| Emberizidae | <i>Gubernatrix cristata</i> | — | Yellow Cardinal |
| | <i>Paroaria capitata</i> | — | Yellow-billed Cardinal |
| | <i>Paroaria coronata</i> | — | Red-crested Cardinal |
| | <i>Tangara fastuosa</i> | — | Seven-coloured Tanager |
| Estrildidae | <i>Amandava formosa</i> | — | Green Avadavat |
| | <i>Amadina fasciata</i> | — | Cut-throat |
| | <i>Amandava subflava</i> | — | Zebra Waxbill |
| | <i>Estrilda astrild</i> | — | Common Waxbill |
| | <i>Estrilda caerulescens</i> | — | Lavender Waxbill |
| | <i>Estrilda melpoda</i> | — | Orange-cheeked Waxbill |
| | <i>Estrilda troglodytes</i> | — | Black-rumped Waxbill |
| | <i>Lagonosticta larvata</i> | — | Black-throated Firefinch |
| | <i>Lagonosticta rara</i> | — | Black-bellied Firefinch |
| | <i>Lagonosticta rubricata</i> | — | African Firefinch |
| | <i>Lagonosticta rufopicta</i> | — | Bar-breasted Firefinch |
| | <i>Lagonosticta senegala</i> | — | Red-billed Firefinch |
| | <i>Mandingoa nitidula</i> | — | Green-backed Twinspot |
| | <i>Nesocharis capistrata</i> | — | White-checked Oliveback |
| | <i>Nigrita bicolor</i> | — | Chestnut-breasted Negrofinch |
| | <i>Nigrita canicapilla</i> | — | Grey-headed Negrofinch |
| | <i>Nigrita fusconota</i> | — | White-breasted Negrofinch |
| | <i>Ortygospiza atricollis</i> | — | — |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|----------------------------------|-------------------|---------------------------------|
| | <i>Parmoptila woodhousei</i> | — | Woodhouse's Antpecker |
| | <i>Pyrenestes ostrinus</i> | — | Black-bellied Seedcracker |
| | <i>Pytilia hypogrammica</i> | — | Red-faced Pytilia |
| | <i>Pytilia phoenicoptera</i> | — | Red-winged Pytilia |
| | <i>Poephila cincta</i> | — | Black-throated Finch |
| | <i>Spermophaga haematina</i> | — | Western Bluebill |
| | <i>Uraeginthus bengalus</i> | — | Red-cheeked Cordonbleu |
| Fringillidae | <i>Carduelis yarrellii</i> | — | Yellow-faced Siskin |
| | <i>Serinus gularis</i> | — | Streaky-headed Seedeater |
| | <i>Serinus leucopygius</i> | — | White-rumped Seedeater |
| | <i>Serinus mozambicus</i> | — | Yellow-fronted Canary |
| | <i>Serinus canaria</i> | — | Island Canary |
| Muscicapidae | <i>Garrulax canorus</i> | Rimba Hawai | Hwamei |
| Monarchidae | <i>Terpsiphone bourbonnensis</i> | — | Mascarene Paradise-Flycatcher |
| Passeridae | <i>Passer griseus</i> | — | Northern Grey-headed Sparrow |
| | <i>Petronia dentata</i> | — | Bush Petronia |
| | <i>Plocepasser superciliosus</i> | — | Chestnut-crowned Sparrow-weaver |
| Ploceidae | <i>Amblyospiza albifrons</i> | — | Grosbeak Weaver |
| | <i>Bubalornis albirostris</i> | — | White-billed Buffalo-weaver |
| | <i>Euplectes afer</i> | — | Yellow-crowned Bishop |
| | <i>Euplectes ardens</i> | — | Red-collared Widowbird |
| | <i>Euplectes macroura</i> | — | Yellow-shouldered Widowbird |
| | <i>Euplectes hordeaceus</i> | — | Black-winged Bishop |
| | <i>Euplectes orix</i> | — | Red Bishop |
| | <i>Malimbus cassini</i> | — | Black-throated Malimbe |
| | <i>Malimbus malimbicus</i> | — | Crested Malimbe |
| | <i>Malimbus nitens</i> | — | Gray's Malimbe |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|-------------------------------|-------------------|----------------------------------|
| | <i>Malimbus rubricollis</i> | — | Red-headed Malimbe |
| | <i>Malimbus scutatus</i> | — | Red-vented Malimbe |
| | <i>Ploceus cucullatus</i> | — | Village Weaver |
| | <i>Ploceus heuglini</i> | — | Heuglin's Masked-weaver |
| | <i>Ploceus melanocephalus</i> | — | Black-headed Weaver |
| | <i>Ploceus luteolus</i> | — | Little Weaver |
| | <i>Ploceus nigricollis</i> | — | Black-necked Weaver |
| | <i>Ploceus nigerrimus</i> | — | Vieillot's Black Weaver |
| | <i>Ploceus preussi</i> | — | Preuss's Weaver |
| | <i>Ploceus pelzelni</i> | — | Slender-billed Weaver |
| | <i>Ploceus superciliosus</i> | — | Compact Weaver |
| | <i>Ploceus tricolor</i> | — | Yellow-mantled Weaver |
| | <i>Ploceus velatus</i> | — | Southern Masked-weaver |
| | <i>Quelea erythrops</i> | — | Red-headed Quelea |
| | <i>Sporopipes frontalis</i> | — | Speckle-fronted Weaver |
| Paradisaeidae | <i>Astrapia</i> spp. | — | — |
| | <i>Cicinnurus</i> spp. | — | — |
| | <i>Cnemophilus</i> spp. | — | — |
| | <i>Epimachus bruijnii</i> | — | Pale-billed Sicklebill |
| | <i>Epimachus</i> spp. | — | — |
| | <i>Loboparadisea sericea</i> | — | Yellow-breasted Bird-of-paradise |
| | <i>Lophorina superba</i> | — | Superb Bird-of-paradise |
| | <i>Lycocorax pyrrhopterus</i> | — | Paradise-crow |
| | <i>Macgregoria pulchra</i> | — | Macgregor's Bird-of-paradise |
| | <i>Manucodia</i> spp. | — | — |
| | <i>Melampitta</i> spp. | — | — |
| | <i>Paradigalla</i> spp. | — | — |
| | <i>Paradisaea</i> spp. | — | — |
| | <i>Parotia</i> spp. | — | — |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------------------|---------------------------------|-------------------|---------------------------------|
| | <i>Pteridophora alberti</i> | — | King of Saxony Bird-of-paradise |
| | <i>Ptiloris</i> spp. | — | — |
| | <i>Seleucidis melanoleuca</i> | — | Twelve-wired Bird-of-paradise |
| | <i>Semioptera wallacii</i> | — | Standardwing |
| Remizidae | <i>Pholidornis rushiae</i> | — | Tit-hylia |
| Sylviidae | <i>Acrocephalus rodericanus</i> | — | Rodrigues Warbler |
| Timaliidae | <i>Liocichla omeiensis</i> | — | Emei Shan Liocichla |
| ORDER PHOENICOPTERIFORMES | | | |
| Phoenicopteridae | <i>Phoenicoparrus andinus</i> | — | Andean Flamingo |
| | <i>Phoenicoparrus jamesi</i> | — | Puna Flamingo |
| | <i>Phoenicopterus</i> spp. | — | — |
| ORDER PELECANIFORMES | | | |
| Balaenicipitidae | <i>Balaeniceps rex</i> | — | Shoebill |
| ORDER PICIFORMES | | | |
| Capitonidae | <i>Semnornis ramphastinus</i> | — | Toucan Barbet |
| Ramphastidae | <i>Bailloniuss bailloni</i> | — | Saffron Toucanet |
| | <i>Pteroglossus aracari</i> | — | Black-necked Aracari |
| | <i>Pteroglossus castanotis</i> | — | Chestnut-eared Aracari |
| | <i>Pteroglossus viridis</i> | — | Green Aracari |
| | <i>Ramphastos dicolorus</i> | — | Red-breasted Toucan |
| | <i>Ramphastos sulfuratus</i> | — | Keel-billed Toucan |
| | <i>Ramphastos toco</i> | — | Toco Toucan |
| | <i>Ramphastos tucanus</i> | — | Red-billed Toucan |
| | <i>Ramphastos vitellinus</i> | — | Channel-billed Toucan |
| | <i>Selenidera maculirostris</i> | — | Spot-billed Toucanet |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---|---|-------------------|------------------------|
| ORDER PSITTACIFORMES | | | |
| Cacatuidae | <i>Cacatua</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Callocephalon fimbriatum</i> | — | Gang-gang Cockatoo |
| | <i>Calyptorhynchus</i> spp. | — | — |
| | <i>Eolophus roseicapillus</i> | — | Galah |
| Loriidae | <i>Chalcopsitta</i> spp. | — | — |
| | <i>Charmosyna</i> spp. | — | — |
| | <i>Eos</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Glossopsitta</i> spp. | — | — |
| | <i>Lorius</i> spp. | — | — |
| | <i>Neopsittacus musschenbroekii</i> | — | Yellow-billed Lorikeet |
| | <i>Neopsittacus pullicauda</i> | — | Emerald Lorikeet |
| | <i>Oreopsittacus arfaki</i> | — | Plum-faced Lorikeet |
| | <i>Phigys solitarius</i> | — | Collared Lory |
| | <i>Pseudeos fuscata</i> | — | Dusky Lory |
| | <i>Psittuteles</i> spp. | — | — |
| | <i>Trichoglossus</i> spp. | — | — |
| <i>Vini</i> spp. (except the species included in the Second Schedule) | — | — | |
| Psittacidae | <i>Agapornis</i> spp. (except the species included in the Fifth Schedule) | — | — |
| | <i>Alisterus</i> spp. | — | — |
| | <i>Amazona</i> spp. (except the species included in the Second Schedule) | — | Amazon Parrot |
| | <i>Aprosmictus erythropterus</i> | — | Red-winged Parrot |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|---|-------------------|-------------------------|
| | <i>Aprosmictus jonquillaceus</i> | — | Olive-shouldered Parrot |
| | <i>Ara</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Aratinga</i> spp. | — | — |
| | <i>Barnardius zonarius</i> | — | Australian Ringneck |
| | <i>Bolbopsittacus lunulatus</i> | — | Guaiabero |
| | <i>Bolborhynchus</i> spp. | — | — |
| | <i>Brotogeris</i> spp. | — | — |
| | <i>Cyanoliseus patagonus</i> | — | Burrowing Parakeet |
| | <i>Coracopsis</i> spp. | — | — |
| | <i>Cyanoliseus</i> spp. | — | — |
| | <i>Cyanoramphus</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Cyclopsitta</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Deroptyus accipitrinus</i> | — | Hawk-headed Parrot |
| | <i>Diopsittaca nobilis</i> | — | Hahn's Macaw |
| | <i>Eclectus roratus</i> | — | Electus Parrot |
| | <i>Enicognathus</i> spp. | — | — |
| | <i>Forpus</i> spp. | — | — |
| | <i>Geoffroyus</i> spp. | — | — |
| | <i>Graydidascalus brachyurus</i> | — | Short-tailed Parrot |
| | <i>Hapalopsittaca</i> spp. | — | — |
| | <i>Lathamus discolor</i> | — | Swift Parrot |
| | <i>Leptosittaca branickii</i> | — | Golden-plumed Conure |
| | <i>Loriculus</i> spp. | — | — |
| | <i>Melopsittacus undulatus</i> | — | Budgerigar |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|---|-------------------|-----------------------|
| | <i>Micropsitta</i> spp. | — | — |
| | <i>Myiopsitta</i> spp. | — | — |
| | <i>Nandayus nenday</i> | — | Black-headed Conure |
| | <i>Nannopsittaca dachilleae</i> | — | Amazonian Parakeet |
| | <i>Nannopsittaca panychlora</i> | — | Tepui Parakeet |
| | <i>Neophema</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Neopsephotus bourkii</i> | — | Bourke's Parrot |
| | <i>Nestor meridionalis</i> | — | Kaka |
| | <i>Nestor notabilis</i> | — | Kea |
| | <i>Northiella haematogaster</i> | — | Blue Bonnet |
| | <i>Nymphicus hollandicus</i> | — | Cockatiel |
| | <i>Orthopsittaca manilata</i> | — | Red-bellied Macaw |
| | <i>Pionites leucogaster</i> | — | White-bellied Parrot |
| | <i>Pionites melanocephala</i> | — | Black-headed Parrot |
| | <i>Pionopsitta</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Pionus</i> spp. | — | — |
| | <i>Platycercus</i> spp. | — | — |
| | <i>Poicephalus</i> spp. | — | — |
| | <i>Polytelis</i> spp. | — | — |
| | <i>Primolius auricollis</i> | — | Yellow-collared Macaw |
| | <i>Prioniturus</i> spp. | — | — |
| | <i>Prosopieia</i> spp. | — | — |
| | <i>Psephotus</i> spp. (except the species included in the Second Schedule) | — | — |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------------|--|-------------------|----------------------------|
| | <i>Psilopsiagon aurifrons</i> | — | Mountain Parakeet |
| | <i>Psilopsiagon aymara</i> | — | Grey-hooded Parakeet |
| | <i>Psittacella</i> spp. | — | — |
| | <i>Psittacula krameri</i> | — | Rose-ringed Parakeet |
| | <i>Psittacula</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Psittaculirostris</i> spp. | — | — |
| | <i>Psittacus erithacus</i> | — | Grey Parrot |
| | <i>Psittrichas fulgidus</i> | — | Pesquet's Parrot |
| | <i>Purpureicephalus spurius</i> | — | Red-capped Parrot |
| | <i>Pyrrhura</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Tanygnathus</i> spp. | — | — |
| | <i>Touit</i> spp. | — | — |
| | <i>Triclaria malachitacea</i> | — | Blue-bellied Parrot |
| ORDER SPHENISCIFORMES | | | |
| Spheniscidae | <i>Spheniscus demersus</i> | — | Africa Penguin |
| ORDER STRUTHIONIFORMES | | | |
| Rheidae | <i>Rhea pennata pennata</i> | — | Darwin's Rhea |
| | <i>Rhea americana</i> | — | Common Rhea |
| ORDER TINAMIFORMES | | | |
| Tinamidae | <i>Rhynchotus rufescens</i> | — | Red-winged Tinamou |
| ORDER TURNICIFORMES | | | |
| Turnicidae | <i>Turnix melanogaster</i> | — | Black-breasted Buttonquail |
| CLASS REPTILIA | | | |
| ORDER CROCODYLIA | | | |
| Alligatoridae | <i>Alligator mississippiensis</i> | — | American Alligator |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------------|---|-------------------|-----------------------------------|
| Crocodylidae | <i>Crocodylus johnsoni</i> | — | Australian Freshwater Crocodile |
| | <i>Crocodylus novaeguineae</i> | — | New Guinea Crocodile |
| | <i>Paleosuchus palpebrosus</i> | — | Cuvier's Dwarf Caiman |
| | <i>Paleosuchus trigonatus</i> | — | Schneider's Smooth-fronted Caiman |
| ORDER SQUAMATA | | | |
| SUBORDER LACERTILIA | | | |
| Agamidae | <i>Uromastyx</i> spp. | — | — |
| Chamaeleonidae | <i>Bradypodion</i> spp. | — | — |
| | <i>Brookesia</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Calumma</i> spp. | — | — |
| | <i>Chamaeleo</i> spp. | — | — |
| | <i>Furcifer</i> spp. | — | — |
| Cordylidae | <i>Cordylus campbelli</i> | — | Campbell's Girdled Lizard |
| | <i>Cordylus coeruleopunctatus</i> | — | Blue-spotted Girdled Lizard |
| | <i>Cordylus cataphractus</i> | — | Armadillo Girdled Lizard |
| | <i>Cordylus cordylus</i> | — | Girdled Lizard |
| | <i>Cordylus giganteus</i> | — | Giant Girdled Lizard |
| | <i>Cordylus lawrenci</i> | — | Lawrence's Girdled Lizard |
| | <i>Cordylus warreni</i> | — | Warren's Girdled Lizard |
| | <i>Cordylus</i> spp. | — | — |
| | <i>Pseudocordylus</i> spp. | — | Craig Lizard |
| Dibamidae | <i>Dibamus booliati</i> | — | — |
| | <i>Dibamus tiomanensis</i> | — | — |
| Gekkonidae | <i>Cyrtodactylus serpensinsula</i> | — | Serpent Island Gecko |
| | <i>Hoplodactylus</i> spp. | — | Sticky-toed Geckos |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------|---|-------------------|----------------------------|
| | <i>Naultinus</i> spp. | — | — |
| | <i>Phelsuma</i> spp. | — | — |
| | <i>Uroplatus</i> spp. | — | — |
| Helodermatidae | <i>Heloderma suspectum</i> | — | Gila Monster |
| | <i>Heloderma</i> spp. (except the species included in the Second Schedule) | — | — |
| Iguanidae | <i>Amblyrhynchus cristatus</i> | — | Galapagos Marine Iguana |
| | <i>Conolophus</i> spp. | — | — |
| | <i>Iguana</i> spp. | — | — |
| | <i>Phrynosoma coronatum</i> | — | Coast Horned Lizard |
| Lacertidae | <i>Podarcis lilfordi</i> | — | Balearic Lizard |
| | <i>Podarcis pityusensis</i> | — | Ibiza Wall Lizard |
| Scincidae | <i>Corucia zebra</i> | — | Prehensile-tailed Skink |
| | <i>Aspidoscelis hyperythra</i> | — | Orange-Throated Whiptail |
| Teiidae | <i>Crocodilurus amazonicus</i> | — | Crocodile Tegu |
| | <i>Dracaena guianensis</i> | — | Guianan Caiman Lizard |
| | <i>Dracaena paraguayensis</i> | — | Paraguyan Caiman Lizard |
| | <i>Dracaena</i> spp. | — | — |
| | <i>Tupinambis rufescens</i> | — | Argentine Tegu |
| | <i>Tupinambis teguixin</i> | — | Common Tegu |
| | <i>Tupinambis</i> spp. | — | — |
| Varanidae | <i>Varanus acanthurus</i> | — | Spiny-tailed Pygmy Monitor |
| | <i>Varanus brevicauda</i> | — | Short-tailed Pygmy Monitor |
| | <i>Varanus caudolineatus</i> | — | Streaked-tailed Monitor |
| | <i>Varanus eremius</i> | — | Desert Pygmy Monitor |
| | <i>Varanus exanthematicus</i> | — | African Savanna Monitor |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------------------|--|-------------------|----------------------------|
| | <i>Varanus giganteus</i> | — | Perentie |
| | <i>Varanus gilleni</i> | — | Pygmy Mulga Monitor |
| | <i>Varanus glauerti</i> | — | Long-tailed Rock Monitor |
| | <i>Varanus gouldii</i> | — | Gould's Monitor |
| | <i>Varanus grayi</i> | — | Gray's Monitor |
| | <i>Varanus indicus</i> | — | Pacific Monitor |
| | <i>Varanus mertensi</i> | — | Merten's Water Monitor |
| | <i>Varanus mitchelli</i> | — | Mitchell's Water Monitor |
| | <i>Varanus niloticus</i> | — | Nile Monitor |
| | <i>Varanus prasinus</i> | — | Emerald Monitor |
| | <i>Varanus primordius</i> | — | Ridge-tailed Monitor |
| | <i>Varanus salvadorii</i> | — | Papuan Monitor |
| | <i>Varanus semiremex</i> | — | Mangrove Monitor |
| | <i>Varanus spenceri</i> | — | Spencer's Monitor |
| | <i>Varanus storri</i> | — | Dwarf Monitor |
| | <i>Varanus timorensis</i> | — | Timor Tree Monitor |
| | <i>Varanus tristis</i> | — | Freckled Monitor |
| | <i>Varanus varius</i> | — | Lace Monitor |
| | <i>Varanus</i> spp. (except the species included in the Second Schedule) | — | — |
| Xenosauridae | <i>Shinisaurus crocodilurus</i> | — | Chinese Crocodile Lizard |
| SUBORDER SERPENTES | | | |
| Boidae | <i>Boa</i> spp. (except the subspecies included in the Second Schedule) | Ular Boa | Boas |
| | <i>Calabaria reinhardtii</i> | — | Calabar's Burrowing Python |
| | <i>Candoia aspera</i> | — | Papuan Ground Boa |
| | <i>Candoia bibroni</i> | — | Pacific Boa |
| | <i>Candoia carinata</i> | — | Solomons Tree Boa |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|--|-------------------|-----------------------|
| | <i>Candoia</i> spp. | — | — |
| | <i>Charina bottae</i> | — | Rubber Boa |
| | <i>Charina</i> spp. | — | — |
| | <i>Corallus annulatus</i> | — | Annulated Tree Boa |
| | <i>Corallus caninus</i> | — | Emerald Tree Boa |
| | <i>Corallus hortulanus</i> | — | Garden Tree Boa |
| | <i>Corallus</i> spp. | — | — |
| | <i>Epicrates angulifer</i> | — | Cuban Tree Boa |
| | <i>Epicrates cenchria</i> | — | Rainbow Boa |
| | <i>Epicrates chrysogaster</i> | — | Bahama Island Boa |
| | <i>Epicrates exsul</i> | — | Abacoa Islands Boa |
| | <i>Epicrates fordii</i> | — | Ford's Boa |
| | <i>Epicrates gracilis</i> | — | Haitian Vine Boa |
| | <i>Epicrates striatus</i> | — | Fischer's Tree Boa |
| | <i>Epicrates</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Eryx jaculus</i> | — | Sand Boa |
| | <i>Eryx jayakari</i> | — | Jayakar's Sand Boa |
| | <i>Eryx johnii</i> | — | Blunt-tailed Sand Bao |
| | <i>Eryx tataricus</i> | — | Tartary Sand Boa |
| | <i>Eryx</i> spp. | — | — |
| | <i>Eunectes murinus</i> | — | Anaconda |
| | <i>Eunectes notaeus</i> | — | Yellow Anaconda |
| | <i>Eunectes</i> spp. | — | — |
| | <i>Gongylophis colubrinus</i> | — | Kenya Sand Boa |
| | <i>Gongylophis conicus</i> | — | Indian Sand Boa |
| | <i>Gongylophis muelleri</i> | — | Muller's Sand Boa |
| | <i>Gongylophis</i> spp. | — | — |
| | <i>Lichanura trivirgata</i> | — | Rosy Boa |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|--------------------------|----------------------------------|----------------------------|------------------------|
| | <i>Lichanura</i> spp. | — | — |
| Pythonidae | <i>Antaresia childreni</i> | — | Children's Rock Python |
| | <i>Antaresia perthensis</i> | — | Pygmy Python |
| | <i>Antaresia stimsoni</i> | — | Stimson's Python |
| | <i>Antaresia</i> spp. | — | — |
| | <i>Apodora papuana</i> | — | Papuan Python |
| | <i>Aspidites melanocephalus</i> | — | Black-headed Python |
| | <i>Aspidites ramsayi</i> | — | Woma Python |
| | <i>Aspidites</i> spp. | — | — |
| | <i>Bothrochilus boa</i> | — | Barred Python |
| | <i>Leiopython albertisii</i> | — | White-lipped Python |
| | <i>Liasis</i> spp. | — | — |
| | <i>Morelia albertisii</i> | — | D'albertis Python |
| | <i>Morelia amethystina</i> | — | Amethyst Python |
| | <i>Morelia boa</i> | — | Barred Python |
| | <i>Morelia boeleni</i> | — | Boelen's Python |
| | <i>Morelia carinata</i> | — | Rough-scaled Python |
| | <i>Morelia mackloti</i> | — | Water Python |
| | <i>Morelia olivacea</i> | — | Olive Rock Python |
| | <i>Morelia papuana</i> | — | Papua Python |
| | <i>Morelia spilota</i> | — | Carpet Python |
| | <i>Morelia viridis</i> | — | Green Tree Python |
| | <i>Morelia</i> spp. | — | — |
| | <i>Python anchietae</i> | — | Angolan Python |
| | <i>Python molurus bivittatus</i> | — | Burmese Python |
| | <i>Python curtus</i> | Ular Sawa Darah | Blood Python |
| | <i>Python regius</i> | — | Ball Python |
| <i>Python natalensis</i> | — | Lesser African Rock Python | |
| <i>Python sebae</i> | — | African Rock Python | |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------|--|--------------------------|---------------------------------|
| | <i>Python timoriensis</i> | — | Timor Python |
| | <i>Python</i> spp. (except the species and subspecies included in the Second Schedule) | — | — |
| Colubridae | <i>Atretium schistosum</i> | — | Olivaceous Keelback |
| | <i>Clelia clelia</i> | — | Mussurana |
| | <i>Cyclagras gigas</i> | — | Brazilian Smooth Snake |
| | <i>Elachistodon westermanni</i> | — | Indian Egg-eater |
| | <i>Elaphe porphyracea</i> | — | Red Mountain Racer |
| | <i>Hoplocephalus bungaroides</i> | Ular Kepala Lebar | Broad-headed Snake |
| | <i>Xenochrophis piscator</i> | — | Asiatic Water Snake |
| Elapidae | <i>Micrurus diastema</i> | Ular Pantai Atlantik | Atlantic Coral Snake |
| | <i>Micrurus nigrocinctus</i> | Ular Pantai Belang Hitam | Black-banded Coral Snake |
| | <i>Naja atra</i> | Ular Senduk Cina | Chinese Cobra |
| | <i>Naja mandalayensis</i> | Ular Senduk | Cobra |
| | <i>Naja naja</i> | Ular Senduk Asia | Common Cobra |
| | <i>Naja oxiana</i> | Ular Senduk Asia Tengah | Central Asian Cobra |
| | <i>Naja philippinensis</i> | — | North Philippine Spitting Cobra |
| | <i>Naja sagittifera</i> | Ular Senduk Andaman | Andaman Cobra |
| | <i>Naja samarensis</i> | Ular Senduk Peter | Peter's Cobra |
| | <i>Naja siamensis</i> | Ular Senduk Indochina | Indochinese Cobra |
| | <i>Naja sputatrix</i> | Ular Senduk Indonesia | Indonesian Cobra |
| Loxocemidae | <i>Loxocemus bicolor</i> | — | Mexican Burrowing Python |
| Tropidophiidae | <i>Exilibao placata</i> | — | Oaxacan Dwarf Boa |
| | <i>Trachyboa boulengeri</i> | — | Boulenger's Boa |
| | <i>Trachyboa</i> spp. | — | — |
| | <i>Tropidophis</i> spp. | — | — |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------|--|-------------------------|----------------------------------|
| | <i>Ungaliophis panamensis</i> | — | Central American Dwarf Boa |
| | <i>Ungaliophis</i> spp. | — | — |
| Viperidae | <i>Agkistrodon bilineatus</i> | — | Mexican Copperhead |
| | <i>Atropoides nummifer</i> | — | Jumping Viper |
| | <i>Bothriechis schlegelii</i> | — | Horned Palm Viper |
| | <i>Bothrops asper</i> | — | Barba Amarilla |
| | <i>Crotalus durissus</i> | — | Cascabel Pit Viper |
| | <i>Daboia russelii</i> | Ular Kapak Russell | Russell's Viper |
| | <i>Vipera wagneri</i> | Ular Kapak Wagner | Wagner's Viper |
| | <i>Porthidium nasutum</i> | — | Horned Hog-Nosed Pit Viper |
| | <i>Trimeresurus puniceus</i> | Ular Kapak Hidung Pipih | Flat-nosed Pit Viper |
| ORDER TESTUDINES | | | |
| Carettochelyidae | <i>Carettochelys insculpta</i> | Labi-labi Muncung Babi | Pig-nosed Turtle |
| Chelydridae | <i>Macrochelys temminckii</i> | — | Alligator Snapping Turtle |
| Emydidae | <i>Graptemys</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Glyptemys insculpta</i> | — | Wood turtle |
| | <i>Terrapene</i> spp. (except the species included in the Second Schedule) | — | — |
| Geoemydidae | <i>Cuora</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Geoemyda spengleri</i> | — | Black-breasted Hill Turtle |
| | <i>Heosemys grandis</i> | Kura Besar | Giant Asian Pond Turtle |
| | <i>Mauremys iversoni</i> | — | Fujian Pond Turtle |
| | <i>Mauremys megaloccephala</i> | — | Chinese Broad-headed Pond Turtle |
| | <i>Mauremys mutica</i> | — | Yellow Pond Turtle |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------|---|-------------------|--------------------------------|
| | <i>Mauremys nigricans</i> | — | Red-necked Pond Turtle |
| | <i>Mauremys pritchardi</i> | — | Pritchard's Pond Turtle |
| | <i>Mauremys sinensis</i> | — | Chinese Stripe-necked Turtle |
| | <i>Sacalia bealei</i> | — | Beal's Eyed Turtle |
| | <i>Sacalia pseudocellata</i> | — | Chinese False-eyed Turtle |
| | <i>Sacalia quadriocellata</i> | — | Four-eyed Turtle |
| | <i>Pangshura</i> spp. (except the species included in the Second Schedule) | — | — |
| Platysternidae | <i>Platysternon megacephalum</i> | — | Big-headed Turtle |
| Podocnemididae | <i>Peltocephalus dumerilianus</i> | — | Big-headed Amazon River Turtle |
| | <i>Podocnemis</i> spp. | — | — |
| Testudinidae | <i>Chersina angulata</i> | — | Angulated Tortoise |
| | <i>Geochelone</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Gopherus</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Homopus</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Indotestudo</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Kinixys</i> spp. | — | — |
| | <i>Malacochersus tornieri</i> | — | African Pancake Tortoise |
| | <i>Manouria</i> spp. (except the species included in the Second Schedule) | — | — |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-----------------------|---|-------------------|--------------------------------|
| | <i>Psammobates</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Testudo</i> spp. (except the species included in the Second Schedule) | — | — |
| Trionychidae | <i>Chitra</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Lissemys punctata</i> | — | Spotted Turtle |
| | <i>Lissemys scutata</i> | — | Burmese Flapshell Turtle |
| | <i>Palea steindachneri</i> | — | Wattle-necked Softshell Turtle |
| | <i>Pelochelys</i> spp. (except the species included in the Second Schedule) | — | — |
| | <i>Pelodiscus axenaria</i> | — | Chinese Softshell Turtle |
| | <i>Pelodiscus maackii</i> | — | — |
| | <i>Pelodiscus parviformis</i> | — | — |
| CLASS AMPHIBIA | | | |
| ORDER ANURA | | | |
| Dendrobatidae | <i>Dendrobates</i> spp. | — | — |
| | <i>Epipedobates</i> spp. | — | — |
| | <i>Minyobates</i> spp. | — | — |
| | <i>Phyllobates</i> spp. | — | — |
| Hylidae | <i>Agalychnis</i> spp. | — | — |
| Mantellidae | <i>Mantella</i> spp. | — | — |
| Microhylidae | <i>Scaphiophryne gottlebei</i> | — | Red Rain Frog |
| Myobatrachidae | <i>Rheobatrachus</i> spp. | — | — |
| Ranidae | <i>Euphlyctis hexadactylus</i> | Katak Kolam Hijau | Green Pond Frog |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|--------------------------|---------------------------------|-------------------|-------------------------------|
| | <i>Hoplobatrachus tigerinus</i> | Katak Harimau | Tiger Frog |
| ORDER CAUDATA | | | |
| Ambystomidae | <i>Ambystoma dumerilii</i> | — | Lake Patzcuaro Salamander |
| | <i>Ambystoma mexicanum</i> | — | Axolotl |
| CLASS ARACHNIDA | | | |
| ORDER ARANEAE | | | |
| Theraphosidae | <i>Aphonopelma albiceps</i> | — | Amula Red Rump Tarantula |
| | <i>Aphonopelma pallidum</i> | — | Chihuahua Rose-grey Tarantula |
| | <i>Avicularia avicularia</i> | — | Pinktoe Tarantula |
| | <i>Brachypelma</i> spp. | — | — |
| CLASS INSECTA | | | |
| ORDER COLEOPTERA | | | |
| Lucanidae | <i>Colophon</i> spp. | — | Cape Stag Beetles |
| ORDER LEPIDOPTERA | | | |
| Papilionidae | <i>Atrophaneura jophon</i> | — | Sri Lanka Rose |
| | <i>Atrophaneura pandiyana</i> | — | Malabar Rose |
| | <i>Bhutanitis</i> spp. | — | Bhutan Swallowtails |
| | <i>Parnassius apollo</i> | — | Apollo Butterfly |
| | <i>Teinopalpus</i> spp. | — | Kaiserihinds |
| | <i>Trogonoptera</i> spp. | — | Birdwing Butterflies |
| KELAS GASTROPODA | | | |
| Camaenidae | <i>Papustyla pulcherrima</i> | — | Emerald Green Snail |

SECOND SCHEDULE

[Section 3]

TOTALLY PROTECTED WILDLIFE

Interpretation of the Second Schedule

1. Species included in this Schedule are referred to—
 - (a) by the name of the species; or
 - (b) as being all of the species included in a higher taxon or designated part thereof.
2. The abbreviation “spp.” is used to denote all species of a higher taxon.
3. Other references to taxa higher than species are for the purposes of information or classification only. The common names included after the scientific names of families are for reference only. They are intended to indicate the species within the family concerned that are included in this Schedule. In most cases this is not all of the species within the family.
4. Where there is conflict between a scientific name and a local name and a common name in the use of the name of any species in this Schedule, the scientific name shall prevail.

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------------------|-------------------------------|-------------------|--------------------|
| CLASS MAMMALIA | | | |
| ORDER ARTIODACTYLA | | | |
| Antilocapridae | <i>Antilocapra americana</i> | — | Mexican Pronghorn |
| Bovidae | <i>Addax nasomaculatus</i> | — | Addax |
| | <i>Bison bison</i> | — | American Bison |
| | <i>Bos gaurus</i> | Seladang | Malayan Gaur |
| | <i>Bos javanicus</i> | Banteng | Banteng |
| | <i>Bos mutus</i> | — | Wild Yak |
| | <i>Bos sauveli</i> | — | Kouprey |
| | <i>Bubalus depressicornis</i> | — | Anoa |
| | <i>Bubalus mindorensis</i> | — | Tamaraw |
| | <i>Bubalus quarlesi</i> | — | Mountain Anoa |
| | <i>Capra falconeri</i> | — | Markhor |
| | <i>Capricornis</i> spp. | — | Serow |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|-----------------------------------|-------------------|----------------------|
| | <i>Capricornis sumatraensis</i> | Kambing Gurun | Serow |
| | <i>Cephalophus jentinki</i> | — | Jentink's Duiker |
| | <i>Gazella cuvieri</i> | — | Cuvier's Gazelle |
| | <i>Gazella leptoceros</i> | — | Sand Gazelle |
| | <i>Hippotragus niger variani</i> | — | Giant Sable Antelope |
| | <i>Naemorhedus baileyi</i> | — | Red Goral |
| | <i>Naemorhedus caudatus</i> | — | Chinese Goral |
| | <i>Naemorhedus goral</i> | — | Himalayan Goral |
| | <i>Naemorhedus griseus</i> | — | South China Goral |
| | <i>Nanger dama</i> | — | Addra Gazelle |
| | <i>Oryx dammah</i> | — | Sahara Oryx |
| | <i>Oryx leucoryx</i> | — | Arabian Oryx |
| | <i>Ovis ammon hodgsonii</i> | — | Great Tibetan Sheep |
| | <i>Ovis ammon nigrimontana</i> | — | Asian Wild Sheep |
| | <i>Ovis orientalis ophion</i> | — | Cyprian Wild Sheep |
| | <i>Ovis vignei vignei</i> | — | Ladakh Urial |
| | <i>Pantholops hodgsonii</i> | — | Chiru |
| | <i>Pseudoryx nghetinhensis</i> | — | Saola |
| | <i>Rupicapra pyrenaica ornata</i> | — | Pyrenean Chamois |
| Cervidae | <i>Axis calamianensis</i> | — | Calamian Deer |
| | <i>Axis kuhlii</i> | — | Bawean Deer |
| | <i>Axis porcinus annamiticus</i> | — | Ganges Hog Deer |
| | <i>Blastocerus dichotomus</i> | — | Marsh Deer |
| | <i>Dama mesopotamica</i> | — | Persian Fallow Deer |
| | <i>Hippocamelus</i> spp. | — | Huemuls |
| | <i>Muntiacus crinifrons</i> | — | Black Muntjac |
| | <i>Muntiacus vuquangensis</i> | — | Giant Muntjac |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|------------------------|-------------------------------|-------------------|-------------------------|
| | <i>Ozotoceros bezoarticus</i> | — | Pampas Deer |
| | <i>Pudu puda</i> | — | Chilean Pudu |
| | <i>Rucervus duvaucelii</i> | — | Swamp Deer |
| | <i>Rucervus eldii</i> | — | Brow-antlered Deer |
| Camelidae | <i>Vicugna vicugna</i> | — | Vicugna |
| Moschidae | <i>Moschus</i> spp. | Rusa Kasturi | Musk Deer |
| Suidae | <i>Babyrousa babyrussa</i> | Babirusa | Babiroussa |
| | <i>Babyrousa celebensis</i> | — | North Sulawesi Babirusa |
| | <i>Babyrousa togeanensis</i> | — | Malenge Babirusa |
| | <i>Sus barbatus</i> | Babi Bodoh | Bearded Pig |
| | <i>Sus salvanus</i> | — | Pygmy Hog |
| Tayassuidae | <i>Catagonus wagneri</i> | — | Chacoan Peccary |
| ORDER CARNIVORA | | | |
| Ailuridae | <i>Ailurus fulgens</i> | — | Lesser Panda |
| Canidae | <i>Canis lupus</i> | Serigala | Common Wolf |
| | <i>Cuon alpinus</i> | Anjing Hutan | Asiatic Wild Dog |
| | <i>Speothos venaticus</i> | — | Bush Dog |
| Felidae | <i>Acinonyx jubatus</i> | — | Cheetah |
| | <i>Caracal caracal</i> | — | Caracal |
| | <i>Catopuma badia</i> | — | Bay Cat |
| | <i>Catopuma temminckii</i> | Kucing Tulap | Asian Golden Cat |
| | <i>Felis nigripes</i> | — | Black-footed Cat |
| | <i>Leopardus geoffroyi</i> | — | Geoffroy's Cat |
| | <i>Leopardus jacobita</i> | — | Andean Cat |
| | <i>Leopardus pardalis</i> | — | Ocelot |
| | <i>Leopardus tigrinus</i> | — | Little Spotted Cat |
| | <i>Leopardus wiedii</i> | — | Margay |
| | <i>Lynx pardinus</i> | — | Iberian Lynx |
| | <i>Lynx rufus</i> | — | Bobcat |
| | <i>Neofelis diardi</i> | — | Bornean clouded leopard |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|------------------------------------|-------------------------|-------------------------|
| | <i>Neofelis nebulosa</i> | Harimau Dahan | Clouded Leopard |
| | <i>Panthera leo persica</i> | — | Asiatic Lion |
| | <i>Panthera onca</i> | Jaguar | Jaguar |
| | <i>Panthera pardus</i> | Harimau Kumbang | Leopard |
| | <i>Panthera tigris</i> | Harimau Belang | Tiger |
| | <i>Pardofelis marmorata</i> | Kucing Dahan | Marbled Cat |
| | <i>Prionailurus bengalensis</i> | Kucing Batu | Leopard Cat |
| | <i>Prionailurus planiceps</i> | Kucing Hutan | Flat-headed Cat |
| | <i>Prionailurus rubiginosus</i> | — | Rusty-spotted Cat |
| | <i>Prionailurus viverrinus</i> | — | Fishing Cat |
| | <i>Puma concolor coryi</i> | — | Florida Cougar |
| | <i>Puma concolor costaricensis</i> | — | Central American Puma |
| | <i>Puma concolor cougar</i> | — | Eastern Cougar |
| | <i>Puma yagouaroundi</i> | — | Eyra Cat |
| | <i>Uncia uncia</i> | — | Snow Leopard |
| Herpestidae | <i>Herpestes brachyurus</i> | Bambun Ekor Pendek | Short-tailed Mongoose |
| | <i>Herpestes edwardsii</i> | Bambun Kelabu | Indian Grey Mongoose |
| | <i>Herpestes urva</i> | Bambun, Cherpelai Ketam | Crab-eating Mongoose |
| Mustelidae | <i>Aonyx capensis microdon</i> | — | Cameroon Clawless Otter |
| | <i>Aonyx cinerea</i> | Memerang Kecil | Small-clawed Otter |
| | <i>Enhydra lutris nereis</i> | — | California Sea Otter |
| | <i>Lontra felina</i> | — | Marine Otter |
| | <i>Lontra longicaudis</i> | — | Long-tailed Otter |
| | <i>Lontra provocax</i> | — | Southern River Otter |
| | <i>Lutra lutra</i> | Memerang Utara | Common Otter |
| | <i>Lutra nippon</i> | — | Japanese River Otter |
| | <i>Lutra sumatrana</i> | Memerang Hidung Berbulu | Hairy-nosed Otter |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------|---------------------------------|--------------------|--------------------------|
| | <i>Lutrogale perspicillata</i> | Memerang Licin | Smooth Otter |
| | <i>Martes flavigula</i> | Mengkira | Yellow-throated Marten |
| | <i>Martes gwatkinsii</i> | — | Nilgiri Marten |
| | <i>Mustela nigripes</i> | — | Black-footed Ferret |
| | <i>Mustela nudipes</i> | Pulasan Tanah | Malay Weasel |
| | <i>Pteronura brasiliensis</i> | — | Giant Otter |
| Ursidae | <i>Ailuropoda melanoleuca</i> | Panda | Giant Panda |
| | <i>Helarctos malayanus</i> | Beruang Matahari | Malayan Sun Bear |
| | <i>Melursus ursinus</i> | — | Sloth Bear |
| | <i>Tremarctos ornatus</i> | — | Andean Bear |
| | <i>Ursus arctos</i> | Beruang Perang | Brown Bear |
| | <i>Ursus arctos isabellinus</i> | — | Himalayan Brown Bear |
| | <i>Ursus maritimus</i> | Beruang Kutub | Polar Bear |
| | <i>Ursus thibetanus</i> | — | Asian Black Bear |
| Viverridae | <i>Arctictis binturong</i> | Binturong | Binturong |
| | <i>Arctogalidia trivirgata</i> | Musang Akar | Small-toothed Palm Civet |
| | <i>Cynogale bennettii</i> | Musang Memerang | Otter civet |
| | <i>Hemigalus derbyanus</i> | Musang Belang | Banded Civet |
| | <i>Paguma larvata</i> | Musang Lamri | Masked Palm Civet |
| | <i>Prionodon linsang</i> | Linsang | Banded Linsang |
| | <i>Prionodon pardicolor</i> | Linsang Berbintik | Spotted Linsang |
| | <i>Viverra megaspila</i> | Musang Titik Besar | Large Spotted Civet |
| | <i>Viverra tangalunga</i> | Musang Tenggalong | Malayan Civet |
| | <i>Viverra zibetha</i> | Musang Jebat | Large Indian Civet |
| | <i>Viverricula malaccensis</i> | Musang Bulan | Little Civet |
| ORDER CHIROPTERA | | | |
| Pteropodidae | <i>Acerodon jubatus</i> | — | Golden-capped Fruit Bat |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-----------------------------|---------------------------------|--------------------------------------|-----------------------------|
| | <i>Pteropus insularis</i> | — | Chuuk Flying-fox |
| | <i>Pteropus loochoensis</i> | — | Japanese Flying-fox |
| | <i>Pteropus mariannus</i> | — | Marianas Flying-fox |
| | <i>Pteropus molossinus</i> | — | Rodrigues Flying-fox |
| | <i>Pteropus pelewensis</i> | — | Palau Flying-fox |
| | <i>Pteropus pilosus</i> | — | Large Palau Flying-fox |
| | <i>Pteropus samoensis</i> | — | Samoan Flying-fox |
| | <i>Pteropus tonganus</i> | — | Insular Flying-fox |
| | <i>Pteropus ualanus</i> | — | Kosrae Flying-fox |
| | <i>Pteropus yapensis</i> | — | Yap Flying-fox |
| ORDER DASYUROMORPHIA | | | |
| Dasyuridae | <i>Sminthopsis longicaudata</i> | — | Long-tailed Dunnart |
| | <i>Sminthopsis psammophila</i> | — | Sandhill Dunnart |
| ORDER DERMOPTERA | | | |
| Cynocephalidae | <i>Galeopterus variegatus</i> | Kubung, Kujul, Kubung Pelanduk | Sunda Flying Lemur |
| ORDER DIPROTODONTIA | | | |
| Macropodidae | <i>Dendrolagus</i> spp. | — | Tree Kangaroos |
| | <i>Lagorchestes hirsutus</i> | — | Rufous Hare-wallaby |
| | <i>Lagostrophus fasciatus</i> | — | Banded Hare-wallaby |
| | <i>Onychogalea fraenata</i> | — | Bridled Nailtail Wallaby |
| | <i>Onychogalea lunata</i> | — | Crescent Nailtail Wallaby |
| Potoroidae | <i>Bettongia</i> spp. | — | Rat-kangaroos |
| | <i>Caloprymnus campestris</i> | — | Desert Rat-kangaroo |
| Vombatidae | <i>Lasiorhinus krefftii</i> | — | Northern Hairy-nosed Wombat |
| ORDER INSECTIVORA | | | |
| Soricidae | <i>Chimarrogale hantu</i> | — | Malayan Water Shrew |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|------------------------------|------------------------------------|--------------------|-----------------------------------|
| ORDER LAGOMORPHA | | | |
| Leporidae | <i>Caprolagus hispidus</i> | — | Assam Rabbit |
| | <i>Romerolagus diazi</i> | — | Volcano Rabbit |
| ORDER PERAMELEMORPHIA | | | |
| Peramelidae | <i>Perameles bougainville</i> | — | Barred Bandicoot |
| Thylacomyidae | <i>Macrotis lagotis</i> | — | Bilby |
| | <i>Macrotis leucura</i> | — | Lesser Bilby |
| ORDER PERISSODACTYLA | | | |
| Equidae | <i>Equus africanus</i> | — | African Ass |
| | <i>Equus grevyi</i> | — | Grevy's Zebra |
| | <i>Equus hemionus hemionus</i> | — | Mongolian Wild Ass |
| | <i>Equus hemionus khur</i> | — | Indian Wild Ass |
| | <i>Equus przewalskii</i> | — | Mongolian Wild Horse |
| | <i>Equus zebra zebra</i> | — | Cape Mountain Zebra |
| Rhinocerotidae | <i>Ceratotherium simum cottoni</i> | — | Northern Square-lipped Rhinoceros |
| | <i>Ceratotherium simum simum</i> | — | Southern Square-lipped Rhinoceros |
| | <i>Dicerorhinus sumatrensis</i> | Badak Sumatera | Sumatran Rhinoceros |
| | <i>Diceros bicornis</i> | — | Black Rhinoceros |
| | <i>Rhinoceros sondaicus</i> | Badak Raya | Javan Rhinoceros |
| | <i>Rhinoceros unicornis</i> | — | Great Indian Rhinoceros |
| Tapiridae | <i>Tapirus bairdii</i> | — | Baird's Tapir |
| | <i>Tapirus indicus</i> | Badak Cipan, Tapir | Malayan Tapir |
| | <i>Tapirus pinchaque</i> | — | Andean Tapir |
| | <i>Tapirus terrestris</i> | — | Lowland Tapir |
| ORDER PHOLIDOTA | | | |
| Manidae | <i>Manis javanica</i> | Tenggiling | Pangolin |
| | <i>Manis</i> spp. | Tenggiling | Pangolins |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-----------------------|------------------------------------|-------------------|----------------------------------|
| ORDER PRIMATES | | | |
| Atelidae | <i>Alouatta coibensis</i> | — | Coiba Island Howling Monkey |
| | <i>Alouatta palliata</i> | — | Mantled Howling Monkey |
| | <i>Alouatta pigra</i> | — | Guatemalan Howling Monkey |
| | <i>Ateles geoffroyi frontatus</i> | — | Black-browed Spider Monkey |
| | <i>Ateles geoffroyi panamensis</i> | — | Panama Spider Monkey |
| | <i>Brachyteles arachnoides</i> | — | Woolly Spider Monkey |
| | <i>Oreonax flavicauda</i> | — | Yellow-tailed Woolly Monkey |
| Cebidae | <i>Callimico goeldii</i> | — | Goeldi's Marmoset |
| | <i>Callithrix aurita</i> | — | Buffy-tufted-ear Marmoset |
| | <i>Callithrix flaviceps</i> | — | Buffy-headed Marmoset |
| | <i>Leontopithecus</i> spp. | — | Lion tamarins |
| | <i>Saguinus bicolor</i> | — | Bare-faced Tamarin |
| | <i>Saguinus geoffroyi</i> | — | Cotton-top Marmoset |
| | <i>Saguinus leucopus</i> | — | White-footed Tamarin |
| | <i>Saguinus martinsi</i> | — | Martin's Bare-faced Tamarin |
| | <i>Saguinus oedipus</i> | — | Cotton-headed Tamarin |
| | <i>Saimiri oerstedii</i> | — | Central American Squirrel Monkey |
| Cercopithecidae | <i>Cercocebus galeritus</i> | — | Tana River Mangabey |
| | <i>Cercopithecus diana</i> | — | Diana Guenon |
| | <i>Cercopithecus roloway</i> | — | Roloway Monkey |
| | <i>Macaca arctoides</i> | Beruk Kentoi | Stump-tailed Macaque |
| | <i>Macaca silenus</i> | — | Lion-tailed Macaque |
| | <i>Mandrillus leucophaeus</i> | — | Drill |
| | <i>Mandrillus sphinx</i> | — | Mandrill |
| | <i>Nasalis larvatus</i> | Monyet Belanda | Proboscis Monkey |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------|-------------------------------------|--------------------|-----------------------------|
| | <i>Nasalis</i> spp. | — | Long-nosed Monkey |
| | <i>Ptilocolobus kirkii</i> | — | Kirk's Colobus |
| | <i>Ptilocolobus rufomitratu</i> s | — | Tana River Red Colobus |
| | <i>Presbytis potenziani</i> | — | Long-tailed Langur |
| | <i>Pygathrix</i> spp. | — | Snub-nosed Monkeys |
| | <i>Rhinopithecus avunculus</i> | — | Tonkin Snub-nosed Monkeys |
| | <i>Rhinopithecus bieti</i> | — | Yunnan Snub-nosed Monkey |
| | <i>Rhinopithecus brelichi</i> | — | Brelich's Snub-nosed Monkey |
| | <i>Semnopithecus</i> spp. | — | Grey Langur |
| | <i>Trachypithecus geei</i> | — | Golden Langur |
| | <i>Trachypithecus pileatus</i> | — | Bonneted Langur |
| | <i>Trachypithecus shortridgei</i> | — | Shortridge's Langur |
| Cheirogaleidae | <i>Allocebus trichotis</i> | — | Hairy-eared Dwarf Lemur |
| | <i>Cheirogaleus</i> spp. | — | Dwarf Lemur |
| | <i>Microcebus</i> spp. | — | Mouse Lemur |
| | <i>Mirza coquereli</i> | — | Coquerel's Dwarf Lemur |
| | <i>Phaner</i> spp. | — | Fork-marked Lemur |
| Daubentoniidae | <i>Daubentonia madagascariensis</i> | — | Aye-aye |
| Hominidae | <i>Gorilla beringei</i> | Gorila | Eastern Gorilla |
| | <i>Gorilla gorilla</i> | Gorila | Gorilla |
| | <i>Pan</i> spp. | Cimpanzi | Chimpanzees |
| | <i>Pongo abelii</i> | Orang Utan Sumatra | Sumatran Orang Utan |
| | <i>Pongo pygmaeus</i> | Orang Utan Borneo | Bornean Orang Utan |
| Hylobatidae | <i>Hoolock hoolock</i> | — | Hoolock Gibbon |
| | <i>Hylobates agilis</i> | Ungka Tangan Hitam | Agile Gibbon |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|--------------------------|---------------------------------|--------------------|--------------------------|
| | <i>Hylobates lar</i> | Ungka Tangan Putih | White Handed Gibbon |
| | <i>Hylobates muelleri</i> | Ungka Borneo | Bornean Gibbon |
| | <i>Hylobates</i> spp. | Ungka | Gibbons |
| | <i>Nomascus</i> spp. | — | Gibbons |
| | <i>Symphalangus syndactylus</i> | Siamang | Siamang |
| Indriidae | <i>Avahi laniger</i> | — | Eastern Woolly Lemur |
| | <i>Avahi occidentalis</i> | — | Western Avahi |
| | <i>Avahi unicolor</i> | — | Unicoloured Avahi |
| | <i>Indri indri</i> | — | Indris |
| | <i>Propithecus</i> spp. | — | Sifakas |
| Lemuridae | <i>Eulemur</i> spp. | — | Lemurs |
| | <i>Haplemur</i> spp. | — | Lemurs |
| | <i>Lemur catta</i> | — | Ring-tailed Lemur |
| | <i>Lepilemur</i> spp. | — | Sportive Lemurs |
| | <i>Prolemur simus</i> | — | Greater Bamboo Lemur |
| | <i>Varecia rubra</i> | — | Red Ruffed Lemur |
| | <i>Varecia variegata</i> | — | Ruffed Lemur |
| Lorisidae | <i>Nycticebus bengalensis</i> | — | Bengal Slow Loris |
| | <i>Nycticebus coucang</i> | Kongkang | Slow Loris |
| | <i>Nycticebus pygmaeus</i> | — | Pygmy Slow Loris |
| | <i>Nycticebus</i> spp. | — | Slow Loris |
| Pitheciidae | <i>Cacajao</i> spp. | — | Uakaris |
| | <i>Chiropotes albinasus</i> | — | White-nosed Bearded Saki |
| ORDER PROBOSCIDAE | | | |
| Elephantidae | <i>Elephas maximus</i> | Gajah Asia | Asian Elephant |
| | <i>Loxodonta africana</i> | Gajah Afrika | African Elephant |
| ORDER RODENTIA | | | |
| Chinchillidae | <i>Chinchilla</i> spp. | — | Chinchillas |
| Heteromyidae | <i>Dipodomys elator</i> | — | Texas Kangaroo Rat |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|-----------------------------------|---------------------------|--------------------------------|
| | <i>Dipodomys gravipes</i> | — | San Quintin Kangaroo Rat |
| | <i>Dipodomys ingens</i> | — | Giant Kangaroo Rat |
| | <i>Dipodomys insularis</i> | — | San Jose Island Kangaroo Rat |
| | <i>Dipodomys margaritae</i> | — | Margarita Island Kangaroo Rat |
| | <i>Dipodomys nitratoides</i> | — | San Joaquin Kangaroo Rat |
| | <i>Dipodomys spectabilis</i> | — | Banner-tailed Kangaroo Rat |
| | <i>Dipodomys stephensi</i> | — | Stephen's Kangaroo Rat |
| Hystricidae | <i>Trichys fasciculata</i> | Landak Padi | Long-tailed Porcupine |
| Muridae | <i>Leporillus conditor</i> | — | Greater Stick-nest Rat |
| | <i>Pseudomys fieldi praeconis</i> | — | Alice Springs Mouse |
| | <i>Xeromys myoides</i> | — | False Swamp Rat |
| | <i>Zygomys pedunculatus</i> | — | Central Rock Rat |
| Sciuridae | <i>Aeromys tephromelas</i> | Tupai Terbang Hitam | Large Black Flying Squirrel |
| | <i>Callosciurus prevostii</i> | Tupai Gading | Prevost's Squirrel |
| | <i>Cynomys mexicanus</i> | | Prairie Dog |
| | <i>Hylopetes lepidus</i> | Tupai Terbang Pipi Kelabu | Grey-cheeked Flying Squirrel |
| | <i>Hylopetes spadiceus</i> | Tupai Terbang Pipi Merah | Red-cheeked Flying Squirrel |
| | <i>Iomys horsfieldii</i> | Tupai Terbang Ekor Merah | Horsfield's Flying Squirrel |
| | <i>Petaurillus kinlochii</i> | Tupai Terbang Terkecil | Selangor Pygmy Flying Squirrel |
| | <i>Petaurista elegans</i> | Tupai Terbang Bintang | Spotted Giant Flying Squirrel |
| | <i>Petaurista petaurista</i> | Tupai Terbang Merah | Red Giant Flying Squirrel |
| | <i>Petinomys genibarbis</i> | Tupai Terbang Berjambang | Whiskered Flying Squirrel |
| | <i>Petinomys setosus</i> | Tupai Terbang Dada Putih | Temminck's Flying Squirrel |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------------------|--------------------------------------|----------------------------|-------------------------------|
| | <i>Petinomys vordermanni</i> | Tupai Terbang Kecil | Vordermann's Flying Squirrel |
| | <i>Pteromyscus pulverulentus</i> | Tupai Terbang Kotor | Smoky Flying Squirrel |
| | <i>Ratufa affinis</i> | Tupai Kerawak Putih-Kuning | Cream-coloured Giant Squirrel |
| | <i>Ratufa bicolor</i> | Tupai Kerawak Hitam | Black Giant Squirrel |
| ORDER SCANDENTIA | | | |
| Tupaiaidae | <i>Tupaia glis</i> | Tupai Muncung Besar | Common Treeshrew |
| | <i>Tupaia minor</i> | Tupai Muncung Akar | Pygmy Treeshrew |
| ORDER XENARTHRA | | | |
| Dasypodidae | <i>Priodontes maximus</i> | — | Giant Armadillo |
| CLASS AVES | | | |
| ORDER ANSERIFORMES | | | |
| Anatidae | <i>Anas aucklandica</i> | — | Brown Teal |
| | <i>Anas laysanensis</i> | — | Laysan Duck |
| | <i>Anas oustaleti</i> | — | Marianas Island Duck |
| | <i>Anas acuta</i> | Itik Muara | Northern Pintail |
| | <i>Anas crecca</i> | Itik Eropah | Common Teal |
| | <i>Anas penelope</i> | Itik Eurasia | Eurasian Wigeon |
| | <i>Anas querquedula</i> | Itik Gargany | Garganey |
| | <i>Anas clypeata</i> | Itik Sudu | Northern Shoveller |
| | <i>Aythya fuligula</i> | Itik Jambul | Tufted Duck |
| | <i>Branta sandvicensis</i> | — | Hawaiian Goose |
| | <i>Branta canadensis leucopareia</i> | — | Aleutian Canada Goose |
| | <i>Cairina scutulata</i> | Serai Hutan | White-winged Duck |
| | <i>Dendrocygna arcuata</i> | — | Wandering Whistling-duck |
| | <i>Dendrocygna javanica</i> | Belibis | Lesser Whistling-duck |
| | <i>Nettapus coromandelianus</i> | Itik Kapas | Cotton Pygmy-goose |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-----------------------------|-----------------------------------|------------------------------|--------------------------------|
| | <i>Rhodonessa caryophyllacea</i> | — | Pink-headed Duck |
| ORDER APODIFORMES | | | |
| Apodidae | <i>Aerodramus salanganus</i> | — | Mossy-nest Swiftlet |
| | <i>Apus pacificus</i> | Layang-Layang Ekor Cabang | Fork-tailed Swift |
| | <i>Apus affinis</i> | Layang-Layang Rumah | House Swift |
| | <i>Collocalia brevirostris</i> | Layang-Layang Himalaya | Himalayan Swiftlet |
| | <i>Collocalia esculenta</i> | Layang-layang Perut Putih | Glossy Swiftlet |
| | <i>Cypsiurus balasiensis</i> | Layang-Layang Asia | Asian Palm-swift |
| | <i>Cypsiurus parvus</i> | — | African Palm-swift |
| | <i>Hydrochous gigas</i> | Layang-layang Hantu | Waterfall Swiftlet |
| | <i>Hirundapus caudacutus</i> | Layang-layang Leher Putih | White-throated Needletail |
| | <i>Hirundapus cochinchinensis</i> | Layang-layang Rengkong Putih | White-vented Needletail |
| | <i>Hirundapus giganteus</i> | Layang-layang Besar | Brown-backed Needletail |
| | <i>Rhaphidura leucopygialis</i> | Layang-layang Kecil | Silver-rumped Needletail |
| Hemiprocidae | <i>Hemiprocne longipennis</i> | Layang-Layang Jambul Kelabu | Grey-rumped Treeswift |
| | <i>Hemiprocne comata</i> | Layang-Layang Jambul Kecil | Whiskered Treeswift |
| Trochilidae | <i>Glaucis dohrnii</i> | — | Hook-billed Hermit Hummingbird |
| ORDER BUCEROTIFORMES | | | |
| Bucerotidae | <i>Aceros comatus</i> | Enggang Jambul Putih | White-crowned Hornbill |
| | <i>Aceros subruficollis</i> | Enggang Belantara | Plain-pouched Hornbill |
| | <i>Aceros nipalensis</i> | Enggang Dahan | Rufous-necked Hornbill |
| | <i>Aceros narcondami</i> | — | Narcondam Hornbill |
| | <i>Aceros plicatus</i> | — | Papuan Hornbill |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------------|-----------------------------------|--------------------------------|--------------------------|
| | <i>Aceros</i> spp. | — | — |
| | <i>Anorrhinus galeritus</i> | Enggang Belukar | Bushy-crested Hornbill |
| | <i>Anorrhinus austeni</i> | — | Austen's Brown Hornbill |
| | <i>Anorrhinus tickelli</i> | — | Tickell's Brown Hornbill |
| | <i>Anthracoceros coronatus</i> | — | Malabar Pied Hornbill |
| | <i>Anthracoceros malayanus</i> | Enggang Gatal Birah | Black Hornbill |
| | <i>Anthracoceros albirostris</i> | Enggang Belulang | Oriental Pied Hornbill |
| | <i>Anthracoceros</i> spp. | — | — |
| | <i>Buceros rhinoceros</i> | Enggang Badak | Rhinoceros Hornbill |
| | <i>Buceros bicornis</i> | Enggang Papan | Great Hornbill |
| | <i>Buceros</i> spp. | — | — |
| | <i>Rhyticeros undulatus</i> | Enggang Gunong | Wreathed Hornbill |
| | <i>Rhinoplax vigil</i> | Enggang Tebang Mentua | Helmeted Hornbill |
| ORDER CAPRIMULGIFORMES | | | |
| Batrachostomidae | <i>Batrachostomus auritus</i> | Segan Besar | Large Frogmouth |
| | <i>Batrachostomus harterti</i> | — | Dulit Frogmouth |
| | <i>Batrachostomus stellatus</i> | Segan Bintik Mas | Gould's Frogmouth |
| | <i>Batrachostomus poliolophus</i> | — | Short-tailed Frogmouth |
| | <i>Batrachostomus cornutus</i> | — | Sunda Frogmouth |
| | <i>Batrachostomus javensis</i> | Segan Jawa | Javan Frogmouth |
| | <i>Batrachostomus affinis</i> | — | Blyth's Frogmouth |
| Caprimulgidae | <i>Caprimulgus concretus</i> | — | Bonarparte's Nightjar |
| | <i>Caprimulgus macrurus</i> | Tukang Kubur | Large-tailed Nightjar |
| | <i>Caprimulgus indicus</i> | Tukang Kelabu, Tukang Hutan | Grey Nightjar |
| | <i>Caprimulgus affinis</i> | Tukang Savana | Savanna Nightjar |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|------------------------------|---------------------------------|------------------------------|--------------------------|
| | <i>Eurostopodus macrotis</i> | Tukang Telinga Besar | Giant Eared-nightjar |
| | <i>Eurostopodus temminckii</i> | Tukang Tabtibau | Malaysian Eared-nightjar |
| ORDER CHARADRIIFORMES | | | |
| Charadriidae | <i>Charadrius alexandrinus</i> | Rapang Rantai, Kedidi Pantai | Kentish Plover |
| | <i>Charadrius peronii</i> | Rapang Pasir | Malaysian Plover |
| | <i>Charadrius placidus</i> | Rapang Paruh Panjang | Long-billed Plover |
| | <i>Charadrius mongolus</i> | Rapang Mongolia | Lesser Sand Plover |
| | <i>Charadrius leschenaultii</i> | Rapang Besar | Greater Sand Plover |
| | <i>Charadrius veredus</i> | Rapang Timur | Oriental Plover |
| | <i>Charadrius hiaticula</i> | Rapang Gelang | Common Ringed Plover |
| | <i>Charadrius asiaticus</i> | Kedidi Caspian | Caspian Plover |
| | <i>Charadrius dubius</i> | Rapang Biji Nangka | Little Ringed Plover |
| | <i>Pluvialis squatarola</i> | Rapang Kelabu | Grey Plover |
| | <i>Pluvialis fulva</i> | Rapang Kerinyut | Pacific Golden Plover |
| | <i>Pluvialis dominica</i> | — | American Golden Plover |
| | <i>Vanellus indicus</i> | Rapang Duit | Red-wattled Lapwing |
| | <i>Vanellus malabaricus</i> | Rapang Balung Kuning | Yellow-wattled Lapwing |
| <i>Vanellus cinereus</i> | Rapang Kepala Kelabu | Grey-headed Lapwing | |
| Scolopacidae | <i>Actitis hypoleucos</i> | Kedidi Pasir | Common Sandpiper |
| | <i>Arenaria interpres</i> | Kedidi Kerikil | Ruddy Turnstone |
| | <i>Calidris canutus</i> | Kedidi Dian Kecil | Red Knot |
| | <i>Calidris tenuirostris</i> | Kedidi Daun Besar | Great Knot |
| | <i>Calidris ruficollis</i> | Kedidi Luris Leher | Red-necked Stint |
| | <i>Calidris minuta</i> | Kedidi Kerdil | Little Stint |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|----------------------------------|--------------------------|------------------------|
| | <i>Calidris temminckii</i> | Kedidi Temminck | Temminck's Stint |
| | <i>Calidris subminuta</i> | Kedidi Jari Panjang | Long-toed Stint |
| | <i>Calidris acuminata</i> | Kedidi Ekor Tajam | Sharp-tailed Sandpiper |
| | <i>Calidris alpina</i> | Kedidi Dunlin | Dunlin |
| | <i>Calidris ferruginea</i> | Kedidi Pasir Kendi | Curlew Sandpiper |
| | <i>Calidris alba</i> | Kedidi Kapak Jalur Putih | Sanderling |
| | <i>Eurynorhynchus pygmeus</i> | Kedidi Paruh Sudu | Spoon-billed Sandpiper |
| | <i>Gallinago stenura</i> | Berkek Berbintik | Pintail Snipe |
| | <i>Gallinago megala</i> | Berkek Tiruk | Swinhoe's Snipe |
| | <i>Gallinago gallinago</i> | Berkek Ekor Kapas | Common Snipe |
| | <i>Gallinago nemoricola</i> | Berkek Kayu | Wood Snipe |
| | <i>Heteroscelus brevipes</i> | Kedidi Ekor Kelabu | Grey-tailed Tattler |
| | <i>Heteroscelus incanus</i> | Kucau Tongkeng Kelabu | Wandering Tattler |
| | <i>Limnodromus semipalmatus</i> | Kedidi Dada Merah | Asian Dowitcher |
| | <i>Limnodromus scolopaceus</i> | Kedidi Paruh Panjang | Long-billed Dowitcher |
| | <i>Limnodromus griseus</i> | — | Short-billed Dowitcher |
| | <i>Limosa limosa</i> | Kedidi Ekor Hitam | Black-tailed Godwit |
| | <i>Limosa lapponica</i> | Kedidi Berjalur | Bar-tailed Godwit |
| | <i>Limicola falcinellus</i> | Kedidi Paruh Lebar | Broad-billed Sandpiper |
| | <i>Numenius madagascariensis</i> | Kedidi Timur | Far Eastern Curlew |
| | <i>Numenius minutus</i> | Kedidi Kecil | Little Curlew |
| | <i>Numenius borealis</i> | — | Eskimo Curlew |
| | <i>Numenius tenuirostris</i> | — | Slender-billed Curlew |
| | <i>Numenius arquata</i> | Kedidi Kendi | Eurasian Curlew |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|------------------|---------------------------------|-----------------------------|------------------------|
| | <i>Numenius phaeopus</i> | Kedidi Pisau Raut | Whimbrel |
| | <i>Philomachus pugnax</i> | Kedidi Ropol | Ruff |
| | <i>Phalaropus fulicaria</i> | Phalaropes Merah | Red Phalarope |
| | <i>Phalaropus lobatus</i> | Kedidi Paruh Jarum | Red-necked Phalarope |
| | <i>Scolopax rusticola</i> | Berkek Urasia | Eurasian Woodcock |
| | <i>Tringa erythropus</i> | Kedidi Berbintik | Spotted Redshank |
| | <i>Tringa totanus</i> | Kedidi Kaki Merah | Common Redshank |
| | <i>Tringa stagnatilis</i> | Kedidi Paya | Marsh Sandpiper |
| | <i>Tringa nebularia</i> | Kedidi Kaki Hijau | Common Greenshank |
| | <i>Tringa guttifer</i> | Kedidi Kaki Hijau Berbintik | Nordmann's Greenshank |
| | <i>Tringa ochropus</i> | Kedidi Pasir Hijau | Green Sandpiper |
| | <i>Tringa glareola</i> | Kedidi Kayu | Wood Sandpiper |
| | <i>Xenus cinereus</i> | Kedidi Sereng | Terek Sandpiper |
| Jacaniidae | <i>Hydrophasianus chirurgus</i> | Teratai Besar | Pheasant-tailed Jacana |
| | <i>Metopidius indicus</i> | Teratai Kecil | Bronz-winged Jacana |
| Rostratulidae | <i>Rostratula benghalensis</i> | Meragi | Greater Paintedsnipe |
| Haematopodidae | <i>Haematopus ostralegus</i> | Tetiram | Eurasian Oystercatcher |
| Recurvirostridae | <i>Himantopus himantopus</i> | Stilt Kepak Hitam | Black-winged Stilt |
| Glareolidae | <i>Glareola maldivarum</i> | Lelayang Padang | Collared Pratincole |
| | <i>Stiltia isabella</i> | Lelayang Australia | Australian Pratincole |
| Burhinidae | <i>Esacus magnirostris</i> | Sisir Air | Beach Thick-knee |
| Stercorariidae | <i>Stercorarius longicaudus</i> | — | Long-tailed Jaeger |
| | <i>Stercorarius parasiticus</i> | — | Parasitic Jaeger |
| | <i>Stercorarius pomarinus</i> | Pelangi Sungai | Pomarine Jaeger |
| Laridae | <i>Anous minutus</i> | — | Black Noddy |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------------|-------------------------------|-----------------------|--------------------------|
| | <i>Anous stolidus</i> | Camar Anggok | Brown Noddy |
| | <i>Chlidonias hybridus</i> | Camar Batu Berumbai | Whiskered Tern |
| | <i>Chlidonias leucopterus</i> | Camar Kepak Putih | White-winged Tern |
| | <i>Gelochelidon nilotica</i> | Camar Tiram | Gull-billed Tern |
| | <i>Hydroprogne caspia</i> | Camar Kaspian | Caspian Tern |
| | <i>Larus relictus</i> | — | Relict Gull |
| | <i>Larus ridibundus</i> | Camar Kepala Hitam | Common Black-headed Gull |
| | <i>Larus brunnicephalus</i> | Camar Kepala Coklat | Brown-headed Gull |
| | <i>Larus argentatus</i> | — | Herring Gull |
| | <i>Sterna hirundo</i> | Camar Siput | Common Tern |
| | <i>Sterna dougallii</i> | Camar Berjalur | Roseate Tern |
| | <i>Sterna sumatrana</i> | Camar Topi Hitam | Black-naped Tern |
| | <i>Sterna anaethetus</i> | Camar Batu | Bridled tern |
| | <i>Sterna fuscata</i> | Camar Angin | Sooty Tern |
| | <i>Sterna albifrons</i> | Camar Kecil | Little Tern |
| | <i>Sterna bergii</i> | Camar Besar Berjambul | Great Crested Tern |
| | <i>Sterna bengalensis</i> | Camar Kecil Berjambul | Lesser Crested Tern |
| | <i>Sterna bernsteini</i> | Camar Cina Berjambul | Chinese Crested Tern |
| | <i>Sterna saundersi</i> | — | Saunders's Tern |
| ORDER CICONIIFORMES | | | |
| Ardeidae | <i>Ardea sumatrana</i> | Pucung Lembu | Great-billed Heron |
| | <i>Ardea cinerea</i> | Pucung Seriap | Grey Heron |
| | <i>Ardea purpurea</i> | Pucung Serandau | Purple Heron |
| | <i>Ardea goliath</i> | — | Goliath Heron |
| | <i>Ardeola bacchus</i> | Pucung Cina | Chinese Pond-heron |
| | <i>Ardeola grayii</i> | Pucung Bakau | Indian Pond-heron |
| | <i>Ardeola speciosa</i> | Pucung Jawa | Javan Pond-heron |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------|--------------------------------------|-------------------|---------------------------|
| | <i>Bubulcus ibis</i> | Bangau Kendi | Cattle Egret |
| | <i>Botaurus stellaris</i> | Pucung Danau | Great Bittern |
| | <i>Butorides striatus</i> | Pucung Keladi | Little Heron |
| | <i>Casmerodius albus</i> | Bangau Besar | Great Egret |
| | <i>Egretta sacra</i> | Bangau Batu | Pacific Reef-egret |
| | <i>Egretta eulophotes</i> | Bangau Cina | Chinese Egret |
| | <i>Egretta garzetta</i> | Bangau Kecil | Little Egret |
| | <i>Gorsachius melanolophus</i> | Pucung Rimau | Malayan Night-Heron |
| | <i>Ixobrychus flavicollis</i> | Pucung Hitam | Black Bittern |
| | <i>Ixobrychus sinensis</i> | Pucung Merah | Yellow Bittern |
| | <i>Ixobrychus eurhythmus</i> | Pucung Gelam | Von Schrenck's Bittern |
| | <i>Ixobrychus cinnamomeus</i> | Pucung Bendang | Cinnamon Bittern |
| | <i>Mesophoyx intermedia</i> | Bangau Kerbau | Intermediate Egret |
| | <i>Nycticorax nycticorax</i> | Pucung Kuak | Black-crowned Night-heron |
| | <i>Nycticorax caledonicus</i> | Pucung Kelabu | Rufous Night-heron |
| Ciconiidae | <i>Ciconia boyciana</i> | Botak Putih Jepun | Oriental Stork |
| | <i>Ciconia episcopus</i> | Botak Leher Putih | Woolly-necked Stork |
| | <i>Ciconia stormi</i> | Botak Leher Hitam | Storm's Stork |
| | <i>Ephippiorhynchus senegalensis</i> | — | Saddle-billed Stork |
| | <i>Jabiru mycteria</i> | — | Jabiru |
| | <i>Leptoptilos crumeniferus</i> | — | Marabou Stork |
| | <i>Leptoptilos javanicus</i> | Botak Kecil | Lesser Adjutant |
| | <i>Mycteria cinerea</i> | Botak Upeh | Milky Stork |
| | <i>Mycteria leucocephala</i> | Botak Padi | Painted Stork |
| Threskiornithidae | <i>Eudocimus albus</i> | — | White Ibis |
| | <i>Geronticus eremita</i> | — | Northern Bald Ibis |
| | <i>Nipponia nippon</i> | — | Crested Ibis |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------------|------------------------------------|----------------------|-----------------------------|
| | <i>Plegadis falcinellus</i> | Sekendi Kilat | Glossy Ibis |
| | <i>Pseudibis davisoni</i> | Sekendi Bahu Putih | White-shouldered Ibis |
| | <i>Threskiornis melanocephalus</i> | Sekendi Kepala Hitam | Black-headed Ibis |
| Pelecanidae | <i>Pelecanus onocrotalus</i> | Undan Putih | Great Pelican |
| | <i>Pelecanus philippensis</i> | Undan Paruh Titik | Spot-billed Pelican |
| | <i>Pelecanus crispus</i> | Dalmatian Pelican | Dalmatian Pelican |
| ORDER COLUMBIFORMES | | | |
| Columbidae | <i>Columba guinea</i> | — | Speckled Pigeon |
| | <i>Columba iriditorques</i> | — | Western Bronze-naped Pigeon |
| | <i>Columba unicincta</i> | — | Afep Pigeon |
| | <i>Columba argentina</i> | Merpati Perak | Silvery Pigeon |
| | <i>Caloenas nicobarica</i> | Punai Mas | Nicobar Pigeon |
| | <i>Ducula mindorensis</i> | — | Mindoro Imperial-pigeon |
| | <i>Ducula aenea</i> | Pergam Besar | Green Imperial-pigeon |
| | <i>Ducula pickeringii</i> | Pergam Kelabu | Grey Imperial-pigeon |
| | <i>Ducula bicolor</i> | Pergam Rawa | Pied Imperial-pigeon |
| | <i>Ducula badia</i> | Pergam Gunong | Mountain Imperial-pigeon |
| | <i>Macropygia amboinensis</i> | — | Brown Cuckoo-dove |
| | <i>Macropygia unchall</i> | Tekukur Api Gunung | Barred Cuckoo-dove |
| | <i>Macropygia ruficeps</i> | Tekukur Api | Little Cuckoo-dove |
| | <i>Oena capensis</i> | — | Namaque dove |
| | <i>Ptilinopus jambu</i> | Punai Jambu | Jambu Fruit-dove |
| | <i>Ptilinopus melanospila</i> | — | Black-naped Fruit-dove |
| | <i>Streptopelia bitorquata</i> | — | Island Collared-dove |
| | <i>Streptopelia tranquebarica</i> | Tekukur Merah | Red collared-dove |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------------|----------------------------------|----------------------|------------------------------|
| | <i>Streptopelia decipiens</i> | — | Mourning Collared-dove |
| | <i>Streptopelia roseogrisea</i> | — | African Collared-dove |
| | <i>Streptopelia semitorquata</i> | — | Red-eyed Dove |
| | <i>Streptopelia senegalensis</i> | — | Laughing Dove |
| | <i>Streptopelia turtur</i> | — | European Turtle-dove |
| | <i>Streptopelia vinacea</i> | — | Vinaceous Dove |
| | <i>Treron fulvicollis</i> | Punai Bakau | Cinnamon-headed Green-pigeon |
| | <i>Treron sphenura</i> | Punai Bukit | Wedge-tailed-pigeon |
| | <i>Treron curvirostra</i> | Punai Lengguak | Thick-billed Green-pigeon |
| | <i>Treron capellei</i> | Punai Bakok | Large Green-pigeon |
| | <i>Treron bicincta</i> | Punai Siam | Orange-breasted Green-pigeon |
| | <i>Treron seimundi</i> | Punai Gunung | Yellow-vented Green Pigeon |
| | <i>Treron calva</i> | — | African Green-pigeon |
| | <i>Treron waalia</i> | — | Bruce's Green-pigeon |
| | <i>Turtur abyssinicus</i> | — | Black-billed Wood-dove |
| | <i>Turtur afer</i> | — | Blue-spotted Wood-dove |
| | <i>Turtur brehmeri</i> | — | Blue-headed Wood-dove |
| | <i>Turtur tympanistria</i> | — | Tambourine Dove |
| ORDER CORACIIFORMES | | | |
| Alcedinidae | <i>Alcedo atthis</i> | Pekaka Cit-Cit Kecil | Common Kingfisher |
| | <i>Alcedo euryzona</i> | Pekaka Bukit | Blue-banded Kingfisher |
| | <i>Alcedo meninting</i> | Pekaka Bintek-Bintek | Blue-eared Kingfisher |
| | <i>Actenoides concretus</i> | Pekaka Rimba Besar | Rufous-collared Kingfisher |
| | <i>Halcyon coromanda</i> | Pekaka Belacan | Ruddy Kingfisher |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------------------|---------------------------------|-----------------------------|---------------------------|
| | <i>Halcyon pileata</i> | Pekaka Kopiah Hitam | Black-capped Kingfisher |
| | <i>Halcyon smyrnensis</i> | Pekaka Belukar | White-throated Kingfisher |
| | <i>Lacedo pulchella</i> | Pekaka Riang Rimba | Banded Kingfisher |
| | <i>Pelargopsis amauroptera</i> | — | Brown-winged Kingfisher |
| | <i>Pelargopsis capensis</i> | — | Stork-billed Kingfisher |
| | <i>Todiramphus sanctus</i> | — | Sacred Kingfisher |
| | <i>Todiramphus pyrrhopygius</i> | — | Red-backed Kingfisher |
| | <i>Todiramphus chloris</i> | Pekaka Sungai | Collared Kingfisher |
| Meropidae | <i>Merops leschenaulti</i> | Berek-Berek Senja | Chestnut-headed Bee-eater |
| | <i>Merops philippinus</i> | Berek-Berek Carik Dada | Blue-tailed Bee-eater |
| | <i>Merops viridis</i> | Berek-Berek Tadah Hujan | Blue-throated Bee-eater |
| | <i>Merops superciliosus</i> | — | Madagascar Bee-eater |
| | <i>Nyctornis amictus</i> | Berek-Berek Janggut Merah | Red-bearded Bee-eater |
| Coraciidae | <i>Coracias benghalensis</i> | Tiong Gajah | Indian Roller |
| | <i>Eurystomus orientalis</i> | Tiong Batu | Dollarbird |
| Upupidae | <i>Upupa epops</i> | Hupo Tunggal | Common Hoopoe |
| ORDER CUCULIFORMES | | | |
| Cuculidae | <i>Clamator coromandus</i> | Sewah Kepak Merah Berjambul | Chestnut-winged Cuckoo |
| | <i>Cuculus sparverioides</i> | Sewah Tekukur Besar | Large Hawk-cuckoo |
| | <i>Cuculus vagans</i> | Sewah Tekukur Kecil | Moustached Hawk-cuckoo |
| | <i>Cuculus fugax</i> | Sewah Hantu | Malaysian Hawk-cuckoo |
| | <i>Cuculus nasicolor</i> | — | Hodgson's Hawk-cuckoo |
| | <i>Cuculus hyperythrus</i> | — | Northern Hawk-cuckoo |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|------------------------------------|---------------------|---------------------------|
| | <i>Cuculus micropterus</i> | Sewah India | Indian Cuckoo |
| | <i>Cuculus saturatus</i> | Sewah Dada Putih | Oriental Cuckoo |
| | <i>Cuculus poliocephalus</i> | — | Lesser Cuckoo |
| | <i>Cacomantis sonneratii</i> | Sewah Takuweh | Banded Bay Cuckoo |
| | <i>Cacomantis merulinus</i> | Sewah Mati Anak | Plaintive Cuckoo |
| | <i>Cacomantis sepulchralis</i> | Sewah Gila | Rusty-breasted Cuckoo |
| | <i>Cacomantis variolosus</i> | — | Brush Cuckoo |
| | <i>Chrysococcyx xanthorhynchus</i> | Sewah Rembah | Violet Cuckoo |
| | <i>Chrysococcyx maculatus</i> | Sewah Tanah | Asian Emerald Cuckoo |
| | <i>Chrysococcyx basalis</i> | Sewah Sampah | Horsfield's Bronze-cuckoo |
| | <i>Chrysococcyx russatus</i> | — | Gould's Bronze-cuckoo |
| | <i>Chrysococcyx minutillus</i> | Sewah Daun | Little Bronze-cuckoo |
| | <i>Carpococcyx radiatus</i> | — | Bornean Ground Cuckoo |
| | <i>Centropus rectunguis</i> | But-but Jari Pendek | Short-toed Coucal |
| | <i>Centropus sinensis</i> | But-But Carik Anak | Greater Coucal |
| | <i>Centropus bengalensis</i> | But-But Kecil | Lesser Coucal |
| | <i>Eudynamis scolopacea</i> | Sewah Tahu | Asian Koel |
| | <i>Phaenicophaeus diardi</i> | Cenok Perut Hitam | Black-bellied Malkoha |
| | <i>Phaenicophaeus sumatranus</i> | Cenok Kecil | Chestnut-bellied Malkoha |
| | <i>Phaenicophaeus tristis</i> | Cenok Kera | Green-billed Malkoha |
| | <i>Phaenicophaeus chlorophaeus</i> | Cenok Kerak | Raffles's Malkoha |
| | <i>Phaenicophaeus javanicus</i> | Cenok Api | Red-billed Malkoha |
| | <i>Phaenicophaeus curvirostris</i> | Cenok Birah | Chestnut-breasted Malkoha |
| | <i>Surniculus lugubris</i> | Sewah Sawai | Drongo Cuckoo |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------------|---|---------------------|-----------------------------|
| ORDER FALCONIFORMES | | | |
| Cathartidae | <i>Gymnogyps californianus</i> | — | California Condor |
| | <i>Vultur gryphus</i> | — | Andean Condor |
| Pandionidae | <i>Pandion haliaetus</i> | Lang Tiram | Osprey |
| Accipitridae | <i>Accipiter badius</i> | Lang Bido | Shikra |
| | <i>Accipiter gularis</i> | Lang Sawah | Japanese Sparrowhawk |
| | <i>Accipiter soloensis</i> | Lang Rajawali | Chinese Goshawk |
| | <i>Accipiter trivirgatus</i> | Lang Sika | Crested Goshawk |
| | <i>Accipiter virgatus</i> | Lang Garang | Besra |
| | <i>Accipiter</i> spp. | — | — |
| | <i>Aegyptius monachus</i> | Hering Hitam | Cinereous Vulture |
| | <i>Aquila clanga</i> | Lang Bintik | Greater Spotted Eagle |
| | <i>Aquila heliaca</i> | Lang Gunung | Imperial Eagle |
| | <i>Aquila nipalensis</i> | Helang Padang | Steppe Eagle |
| | <i>Aquila</i> spp. | — | — |
| | <i>Asturina nitida</i> | — | Grey-lined Hawk |
| | <i>Aviceda jerdoni</i> | Lang Baza | Jerdon's Baza |
| | <i>Aviceda leuphotes</i> | Lang Baza Berjambul | Black Baza |
| | <i>Aviceda</i> spp. | — | — |
| | <i>Busarellus nigricollis</i> | — | Black-collared Hawk |
| | <i>Butastur indicus</i> | Lang Bintik | Grey-faced Buzzard |
| | <i>Butastur</i> spp. | — | — |
| | <i>Buteo buteo</i> | Lang Besar | Common Buzzard |
| | <i>Buteo</i> spp. | — | — |
| | <i>Buteogallus</i> spp. | — | — |
| | <i>Chelictinia riocourii</i> | — | African Swallow-tailed Kite |
| | <i>Chondrohierax uncinatus wilsonii</i> | — | Cuban Hook-billed Kite |
| <i>Circaetus gallicus</i> | Helang Ular | Short-toed Eagle | |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|-----------------------------------|-----------------------|-----------------------------|
| | <i>Circaetus</i> spp. | — | — |
| | <i>Circus aeruginosus</i> | Lang Barat | Marsh-harrier |
| | <i>Circus cyaneus</i> | Lang Sayap Hitam | Northern harrier |
| | <i>Circus melanoleucos</i> | Lang Tangling | Pied Harrier |
| | <i>Circus spilonotus</i> | Lang Timur | Eastern Marsh-harrier |
| | <i>Circus</i> spp. | — | — |
| | <i>Dryotriorchis spectabilis</i> | — | African Serpent-eagle |
| | <i>Elanoides forficatus</i> | — | Swallow-tailed Kite |
| | <i>Elanus axillaris</i> | Lang Bahu Hitam | Black-shouldered Kite |
| | <i>Elanus caeruleus</i> | — | Black-winged Kite |
| | <i>Elanus</i> spp. | — | — |
| | <i>Erythrotriorchis buergersi</i> | — | Chestnut-shouldered Hawk |
| | <i>Erythrotriorchis radiatus</i> | — | Red Goshawk |
| | <i>Eutriorchis astur</i> | — | Madagascar Serpent-eagle |
| | <i>Gampsonyx swainsonii</i> | — | Pearl Kite |
| | <i>Geranoaetus melanoleucus</i> | — | Black-chested Buzzard-eagle |
| | <i>Geranospiza caerulescens</i> | — | Crane Hawk |
| | <i>Gypaetus barbatus</i> | — | Bearded Vulture |
| | <i>Gypohierax angolensis</i> | — | Vulturine Fish-eagle |
| | <i>Gyps bengalensis</i> | Hereng Tongkeng Puteh | White-rumped Vulture |
| | <i>Gyps himalayensis</i> | Hereng Himalaya | Himalayan Griffon |
| | <i>Gyps indicus</i> | Hereng Paruh Panjang | Indian Vulture |
| | <i>Gyps</i> spp. | — | — |
| | <i>Haliaeetus albicilla</i> | Helang Laut Kelabu | Grey Sea-eagle |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|----------------------------------|--------------------|---------------------------|
| | <i>Haliaeetus leucogaster</i> | Lang Siput | White-bellied Sea-eagle |
| | <i>Haliaeetus</i> spp. | — | — |
| | <i>Haliastur indus</i> | Lang Merah | Brahminy Kite |
| | <i>Haliastur sphenurus</i> | — | Whistling Eagle |
| | <i>Hamirostra melanosternon</i> | — | Black-breasted Buzzard |
| | <i>Harpagus bidentatus</i> | — | Double-toothed Kite |
| | <i>Harpagus diodon</i> | — | Rufous-thighed Kite |
| | <i>Harpia harpyja</i> | — | Harpy Eagle |
| | <i>Harpyhaliaetus coronatus</i> | — | Crowned Eagle |
| | <i>Harpyhaliaetus solitaries</i> | — | Solitary Eagle |
| | <i>Harpyopsis novaeguineae</i> | — | New Guinea Eagle |
| | <i>Henicopernis infuscatus</i> | — | Black Honey-buzzard |
| | <i>Henicopernis longicauda</i> | — | Long-tailed Honey-buzzard |
| | <i>Hieraaetus</i> spp. | — | — |
| | <i>Hiraaetus pennatus</i> | Helang Junam | Booted Hawk |
| | <i>Ichthyophaga humilis</i> | Lang Kanggok | Lesser Fish-eagle |
| | <i>Ichthyophaga ichthyaetus</i> | Lang Kepala Kelabu | Grey-headed Fish-eagle |
| | <i>Ictinaetus malayensis</i> | Lang Hitam | Black Eagle |
| | <i>Ictinia mississippiensis</i> | — | Mississippi Kite |
| | <i>Ictinia plumbea</i> | — | Plumbeous Kite |
| | <i>Kaupifalco monogrammicus</i> | — | Lizard Buzzard |
| | <i>Leptodon cayanensis</i> | Lang Kepala Kelabu | Grey-headed Kite |
| | <i>Leucopternis</i> spp. | — | — |
| | <i>Lophaetus occipitalis</i> | — | Long-crested Eagle |
| | <i>Lophoictinia isura</i> | — | Square-tailed Kite |
| | <i>Lophotriorchis kienerii</i> | Lang Bandong | Rufous-bellied Eagle |
| | <i>Macheiramphus alcinus</i> | Lang Malam | Bat Hawk |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|--------------------------------|---------------------|--------------------------|
| | <i>Megatriorchis doriae</i> | — | Doria's Goshawk |
| | <i>Melierax</i> spp. | — | — |
| | <i>Micronisus gabar</i> | — | Gabar Goshawk |
| | <i>Milvus migrans</i> | Lang Gelap | Black Kite |
| | <i>Milvus</i> spp. | — | — |
| | <i>Morphnus guianensis</i> | — | Crested Eagle |
| | <i>Necrosyrtes monachus</i> | — | Hooded Vulture |
| | <i>Neophron percnopterus</i> | — | Egyptian Vulture |
| | <i>Nisaetus philippensis</i> | — | Philippine Hawk Eagle |
| | <i>Oroaetus isidori</i> | — | Black and Chestnut Eagle |
| | <i>Parabuteo unicinctus</i> | — | Bay-winged Hawk |
| | <i>Pernis ptilorhynchus</i> | Lang lebah | Oriental Honey-buzzard |
| | <i>Pernis</i> spp. | — | — |
| | <i>Pithecophaga jefferyi</i> | — | Great Philippine Eagle |
| | <i>Polemaetus bellicosus</i> | — | Martial Eagle |
| | <i>Polyboroides radiatus</i> | — | Madagascar Gymnogone |
| | <i>Polyboroides typus</i> | — | African Gymnogone |
| | <i>Rostrhamus hamatus</i> | — | Slender-billed Kite |
| | <i>Rostrhamus sociabilis</i> | — | Snail Kite |
| | <i>Sarcogyps calvus</i> | Hering Kepala Merah | Red-headed Vulture |
| | <i>Spilornis cheela</i> | Lang Berjambul | Crested Serpent-eagle |
| | <i>Spilornis</i> spp. | — | — |
| | <i>Spizaetus alboniger</i> | Lang Hantu | Blyth's Hawk-eagle |
| | <i>Spizaetus cirrhatus</i> | Lang Hindek | Changeable Hawk-Eagle |
| | <i>Spizaetus nanus</i> | Lang Selat | Wallace's Hawk-eagle |
| | <i>Spizaetus nipalensis</i> | Lang Gunung | Mountain Hawk-eagle |
| | <i>Spizaetus</i> spp. | — | — |
| | <i>Stephanoaetus coronatus</i> | — | African Crowned Eagle |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|----------------------------------|----------------------|--------------------------|
| | <i>Terathopius ecaudatus</i> | — | Bateleur Eagle |
| | <i>Torgos tracheliotus</i> | — | Lappet-faced Vulture |
| | <i>Trionocephs occipitalis</i> | — | White-headed Vulture |
| | <i>Urotriorchis macrourus</i> | — | African Long-tailed Hawk |
| Falconidae | <i>Caracara lutosa</i> | — | Guadalupe Caracara |
| | <i>Caracara plancus</i> | — | Southern Caracara |
| | <i>Daptrius ater</i> | — | Black Caracara |
| | <i>Falco amurensis</i> | Falko Lalat | Amur Falcon |
| | <i>Falco araea</i> | — | Seychelles Kestrel |
| | <i>Falco jugger</i> | Falko Awan | Laggar Falcon |
| | <i>Falco newtoni</i> | — | Madagascar Kestrel |
| | <i>Falco pelegrinoides</i> | — | Barbary Falcon |
| | <i>Falco peregrinus</i> | Falko Belalang | Peregrine Falcon |
| | <i>Falco punctatus</i> | — | Mauritius Kestrel |
| | <i>Falco rusticolus</i> | — | Gyr Falcon |
| | <i>Falco severus</i> | Falko Timor | Oriental Hobby |
| | <i>Falco spp.</i> | — | — |
| | <i>Falco subbuteo</i> | Falko Utara | Eurasian Hobby |
| | <i>Falco tinnuculus</i> | Falko Serani | Common Kestrel |
| | <i>Herpetotheres cachinnans</i> | — | Laughing Falcon |
| | <i>Ibycter americanus</i> | — | Red-throated Caracara |
| | <i>Micrastur spp.</i> | — | — |
| | <i>Microhierax fringillarius</i> | Falko Rajawali | Black-thighed Falconet |
| | <i>Microhierax latifrons</i> | — | White-fronted Falconet |
| | <i>Microhierax spp.</i> | — | — |
| | <i>Milvago chimachima</i> | — | Yellow-headed Caracara |
| | <i>Milvago chimango</i> | — | Chimango Caracara |
| | <i>Phalcoboenus spp.</i> | — | — |
| | <i>Polihierax insignis</i> | Falko Tongkeng Putih | White-rumped Falcon |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-----------------------------|-------------------------------------|-------------------|------------------------------|
| | <i>Polihierax semitorquatus</i> | — | African Pygmy Falcon |
| | <i>Spiziapteryx circumcinctus</i> | — | Spot-winged Falcon |
| ORDER GALLIFORMES | | | |
| Cracidae | <i>Crax blumenbachii</i> | — | Red-billed Curassow |
| | <i>Mitu mitu</i> | — | Alagoas Curassow |
| | <i>Oreophasis derbianus</i> | — | Horned Guan |
| | <i>Penelope albipennis</i> | — | White-winged Guan |
| | <i>Pipile jacutinga</i> | — | Black-fronted Curassow |
| | <i>Pipile pipile</i> | — | Trinidad Piping-Guan |
| Megapodidae | <i>Megapodius cumingii</i> | — | Philippine Scrubfowl |
| | <i>Macrocephalon maleo</i> | — | Maleo |
| Phasianidae | <i>Arborophila brunneopectus</i> | — | Bar-backed Partridge |
| | <i>Arborophila campbelli</i> | — | Malaysian Hill-partridge |
| | <i>Arborophila charltonii</i> | Siul Onak | Chestnut-necklaced Partridge |
| | <i>Arborophila hyperythra</i> | — | Red-breasted Partridge |
| | <i>Argusianus argus</i> | Kuang Raya | Great Argus |
| | <i>Caloperdix oculeus</i> | Sang Serok Rimba | Ferruginous Partridge |
| | <i>Catreus wallichii</i> | — | Cheer Pheasant |
| | <i>Colinus virginianus ridgwayi</i> | — | Masked Bobwhite |
| | <i>Crossoptilon crossoptilon</i> | — | White Eared-pheasant |
| | <i>Crossoptilon harmani</i> | — | Tibetan Eared-pheasant |
| | <i>Crossoptilon mantchuricum</i> | — | Brown Eared-pheasant |
| | <i>Haematortyx sanguiniceps</i> | — | Crimson-headed Partridge |
| | <i>Lophophorus impejanus</i> | Kuang Semut | Himalayan Monal |
| | <i>Lophophorus lhuysii</i> | — | Chinese Impeyan |
| <i>Lophophorus sclateri</i> | Kuang Pacat | Crestless Monal | |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------|-------------------------------------|-------------------|----------------------------|
| | <i>Lophura bulweri</i> | — | Bulwer's Pheasant |
| | <i>Lophura edwardsi</i> | Kuang Ranting | Edwards's Pheasant |
| | <i>Lophura erythrophthalma</i> | Merah Mata | Crestless Fireback |
| | <i>Lophura ignita</i> | Ayam Pegar | Crested Fireback |
| | <i>Lophura imperialis</i> | Kuang Batu Hampar | Imperial Pheasant |
| | <i>Lophura swinhoii</i> | — | Swinhoe's Pheasant |
| | <i>Melanoperdix niger</i> | Siul Bertam | Black Partridge |
| | <i>Pavo muticus</i> | Merak Hijau | Green Peafowl |
| | <i>Polyplectron inopinatum</i> | Kuang Cermin | Mountain Peacock-pheasant |
| | <i>Polyplectron malacense</i> | Merak Pongsu | Malaysian Peacock-pheasant |
| | <i>Polyplectron napoleonis</i> | — | Palawan Peacock-pheasant |
| | <i>Polyplectron schleiermacheri</i> | Kuang Borneo | Borneon Peacock-pheasant |
| | <i>Rheinardia ocellata</i> | Kuang Raya Gunung | Crested Argus |
| | <i>Rhizothera longirostris</i> | Siul Selanting | Long-billed Partridge |
| | <i>Rollulus rouloul</i> | Siul Berjambul | Crested Partridge |
| | <i>Syrnaticus ellioti</i> | — | Elliot's Pheasant |
| | <i>Syrnaticus humiae</i> | — | Hume's Pheasant |
| | <i>Syrnaticus mikado</i> | — | Mikado Pheasant |
| | <i>Tetraogallus caspius</i> | — | Caspian Snowcock |
| | <i>Tetraogallus tibetanus</i> | — | Tibetan Snowcock |
| | <i>Tragopan blythii</i> | — | Blyth's Tragopan |
| | <i>Tragopan caboti</i> | — | Cabot's Tragopan |
| | <i>Tragopan melanocephalus</i> | — | Western Tragopan |
| | <i>Tympanuchus cupido attwateri</i> | — | Attwater's Prairie-chicken |
| ORDER GRUIFORMES | | | |
| Gruidae | <i>Grus antigone</i> | Keria Timur | Sarus Crane |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------|-----------------------------------|-------------------|----------------------------|
| | <i>Grus americana</i> | — | Whooping Crane |
| | <i>Grus canadensis nesiototes</i> | — | Cuban Sandhill Crane |
| | <i>Grus canadensis pulla</i> | — | Mississippi Sandhill Crane |
| | <i>Grus japonensis</i> | — | Red-crowned Crane |
| | <i>Grus leucogeranus</i> | — | Siberian White Crane |
| | <i>Grus monacha</i> | — | Hooded Crane |
| | <i>Grus nigricollis</i> | Keria Leher Hitam | Black-necked Crane |
| | <i>Grus vipio</i> | Keria Leher Putih | White-naped Crane |
| | <i>Grus virgo</i> | — | Demoiselle Crane |
| Rallidae | <i>Fulica atra</i> | Pangling Hitam | Common Coot |
| | <i>Gallicrex cinerea</i> | Ayam-Ayam | Watercock |
| | <i>Gallinula chloropus</i> | Tiong Air | Common Moorhen |
| | <i>Gallirallus striatus</i> | Sintar | Slaty-breasted Rail |
| | <i>Gallirallus sylvestris</i> | — | Lord Howe Island Rail |
| | <i>Gallirallus australis</i> | — | Weka |
| | <i>Porzana pusilla</i> | Sintar Kecil | Bailon's Crake |
| | <i>Porzana fusca</i> | Sintar Belacan | Ruddy-breasted Crake |
| | <i>Porzana paykullii</i> | Sintar Berjalur | Band-bellied Crake |
| | <i>Porphyrio porphyrio</i> | Pangling | Purple Swamphen |
| | <i>Rallus aquaticus</i> | Sintar Air | Water Rail |
| | <i>Rallina fasciata</i> | Sintar Api | Red-legged Crake |
| | <i>Rallina eurizonoides</i> | Sintar Merah | Slaty-legged Crake |
| Rhynochetidae | <i>Rhynochetos jubatus</i> | — | Kagu |
| Heliornithidae | <i>Heliopais personata</i> | Pedandang | Masked Finfoot |
| Otididae | <i>Ardeotis nigriceps</i> | — | Great Indian Bustard |
| | <i>Chlamydotis undulata</i> | — | Houbara Bustards |
| | <i>Houbaropsis bengalensis</i> | — | Bengal Bustards |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------------------------|-----------------------------------|-------------------|--------------------------------|
| ORDER PASSERIFORMES | | | |
| Acanthizidae | <i>Gerygone sulphurea</i> | Cekup Perepat | Golden-bellied Gerygone |
| Alaudidae | <i>Alauda gulgula</i> | — | Oriental Skylark |
| Atrichornithidae | <i>Atrichornis clamosus</i> | — | Noisy Scrub-bird |
| Campephagidae | <i>Coracina javensis</i> | Sewah Besar | Javan Cuckooshrike |
| | <i>Coracina striata</i> | Sewah Rimba | Bar-bellied Cuckooshrike |
| | <i>Coracina larvata</i> | Sewah Sunda | Sunda Cuckooshrike |
| | <i>Coracina fimbriata</i> | Sewah Kecil | Lesser Cuckooshrike |
| | <i>Coracina novaehollandiae</i> | — | Black-faced Cuckooshrike |
| | <i>Hemipus picatus</i> | Rembah Bukit | Bar-winged Flycatcher-shrike |
| | <i>Hemipus hirundinaceus</i> | Rembah Batu | Black-winged Flycatcher-shrike |
| | <i>Lalage nigra</i> | Sewah Kapas | Pied Triller |
| | <i>Pericrocotus divaricatus</i> | Mas Padang | Ashy Minivet |
| | <i>Pericrocotus igneus</i> | Mas Tulin | Fiery Minivet |
| | <i>Pericrocotus solaris</i> | Mas Dagu Kelabu | Grey-chinned Minivet |
| | <i>Pericrocotus flammeus</i> | Mas Belukar | Scarlet Minivet |
| | <i>Pericrocotus ethologus</i> | — | Long-tailed Minivet |
| Chloropseidae | <i>Tephrodornis gularis</i> | Rembah Kayu Besar | Large Woodshrike |
| | <i>Aegithina lafresnayei</i> | Kunyit Bukit | Great Iora |
| | <i>Aegithina tiphia</i> | Kunyit Pacat | Common Iora |
| | <i>Aegithina viridissima</i> | Kunyit Bakau | Green Iora |
| | <i>Chloropsis cochinchinensis</i> | Daun sayap Biru | Blue-winged Leafbird |
| | <i>Chloropsis cyanopogon</i> | Daun Kecil | Lesser Green Leafbird |
| | <i>Chloropsis hardwickii</i> | Daun Paruh Oren | Orange-bellied Leafbird |
| <i>Chloropsis kinabaluensis</i> | — | Kinabalu Leafbird | |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------|---------------------------------------|---------------------|------------------------------|
| | <i>Chloropsis sonnerati</i> | Daun Besar | Greater Green Leafbird |
| Corvidae | <i>Crypsirina temia</i> | Gagak Anting-anting | Racquet-tailed Treepie |
| | <i>Cissa chinensis</i> | Gagak Gunung | Common Green Magpie |
| | <i>Cissa thalassina</i> | Gagak Ekor Pendek | Short-tailed Green Magpie |
| | <i>Dendrocitta cinerascens</i> | Gagak Borneo | Bornean Treepie |
| | <i>Platylophus galericulatus</i> | Gagak Jerit | Crested Jay |
| | <i>Platysmurus leucopterus</i> | Gagak Kambing | Black Magpie |
| Cotingidae | <i>Cotinga maculata</i> | — | Banded Cotinga |
| | <i>Xipholena atropurpurea</i> | — | White-winged Cotinga |
| Dasyornithidae | <i>Dasyornis longirostris</i> | — | Western Bristlebird |
| | <i>Dasyornis broadbenti litoralis</i> | — | Lesser Rufous Bristlebird |
| Dicaeidae | <i>Dicaeum cruentatum</i> | Sepah Puteri Merah | Scarlet-backed Flowerpecker |
| | <i>Dicaeum ignipectus</i> | Sepah Puteri Sulong | Buff-bellied Flowerpecker |
| | <i>Dicaeum sanguinolentum</i> | — | Blood-breasted Flowerpecker |
| | <i>Dicaeum agile</i> | — | Thick-billed Flowerpecker |
| | <i>Dicaeum everetti</i> | Sepah Puteri Gunong | Brown-backed Flowerpecker |
| | <i>Dicaeum chrysorrheum</i> | Sepah Puteri Rimba | Yellow-vented Flowerpecker |
| | <i>Dicaeum trigonostigma</i> | Sepah Puteri Bukit | Orange-bellied Flowerpecker |
| | <i>Dicaeum concolor</i> | Sepah Puteri Bongsu | Plain Flowerpecker |
| | <i>Dicaeum monticolum</i> | — | Black-sided Flowerpecker |
| | <i>Prionochilus xanthopygius</i> | — | Yellow-rumped Flowerpecker |
| | <i>Prionochilus maculatus</i> | Sepah Puteri Raja | Yellow-breasted Flowerpecker |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|------------------------------------|--------------------------|----------------------------------|
| | <i>Prionochilus percussus</i> | Sepah Puteri Kayangan | Crimson-breasted Flowerpecker |
| | <i>Prionochilus thoracicus</i> | Sepah Puteri | Scarlet-breasted Flowerpecker |
| Dicruridae | <i>Dicrurus aeneus</i> | Cecawi Keladi | Bronze Drongo |
| | <i>Dicrurus annectans</i> | Cecawi Sawai | Crow-billed Drongo |
| | <i>Dicrurus hottentottus</i> | Cecawi Rimba | Spangled Drongo |
| | <i>Dicrurus leucophaeus</i> | Cecawi Rantau | Ashy Drongo |
| | <i>Dicrurus macrocercus</i> | Cecawi Rajawali | Black Drongo |
| | <i>Dicrurus paradiseus</i> | Cecawi Anting- anting | Greater Racquet-tailed Drongo |
| | <i>Dicrurus remifer</i> | Cecawi Hamba Kera | Lesser Racquet-tailed Drongo |
| Emberizidae | <i>Emberiza fucata</i> | Cakar Ulat | Chestnut-eared Bunting |
| | <i>Emberiza pusilla</i> | Cakar Kecil | Little Bunting |
| | <i>Emberiza melanocephala</i> | Cakar Kepala Hitam | Black Headed Bunting |
| | <i>Emberiza aureola</i> | Cakar Ranting | Yellow-breasted Bunting |
| Estrildidae | <i>Erythrura prasina</i> | Ciak Ekor Jarum | Pin-tailed Parrotfinch |
| | <i>Erythrura hyperythra</i> | Ciak Buluh | Tawny-breasted Parrotfinch |
| Eurylaimidae | <i>Corydon sumatranus</i> | Takau Rimba Hujan | Dusky Broadbill |
| | <i>Cymbirhynchus macrorhynchos</i> | Takau Rakit | Black-and-red Broadbill |
| | <i>Calyptomena viridis</i> | Takau Selawit | Green Broadbill |
| | <i>Calyptomena hosei</i> | — | Hose's Broadbill |
| | <i>Calyptomena whiteheadi</i> | — | Whitehead's Broadbill |
| | <i>Eurylaimus javanicus</i> | Takau Rimba | Banded Broadbill |
| | <i>Eurylaimus ochromalus</i> | Takau Hitam Kuning | Black-and-yellow Broadbill |
| | <i>Psarisomus dalhousiae</i> | Takau Injap | Long Tailed Broadbill |
| | <i>Serilophus lunatus</i> | Takau Tanda Hujan | Silver Breasted Broadbill |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|--|---------------------|------------------------------|
| Fringillidae | <i>Carduelis cucullata</i> | — | Red Siskin |
| | <i>Pyrrhula nipalensis</i> | Cakar Coklat | Brown Bullfinch |
| Hirundinidae | <i>Delichon urbica</i> | — | Northern House-martin |
| | <i>Delichon dasypus</i> | Martin Asia | Asian House-martin |
| | <i>Hirundo concolor</i> | Martin Kelabu | Dusky Crag-martin |
| | <i>Hirundo daurica</i> | Sualo Gua | Red-rumped Swallow |
| | <i>Hirundo rustica</i> | Sualo Api | Barn Swallow |
| | <i>Hirundo striolata</i> | — | Striated Swallow |
| | <i>Pseudochelidon sirintarae</i> | Martin Sungai | White-eyed River Martin |
| | <i>Riparia riparia</i> | Martin Awan | Plain Swallow |
| Icteridae | <i>Xanthopsar flavus</i> | — | Saffron-cowled Blackbird |
| Irenidae | <i>Irena puella</i> | Dendang Gajah | Asian Fairy-bluebird |
| Laniidae | <i>Lanius cristatus</i> | Tirjup Tanah | Brown Shrike |
| | <i>Lanius tigrinus</i> | Tirjup Rimau | Tiger Shrike |
| | <i>Lanius schach</i> | Tirjup Ekor Panjang | Long-tailed Shrike |
| Meliphagidae | <i>Lichenostomus melanops cassidix</i> | — | Helmeted Honeyeater |
| Monarchidae | <i>Hypothymis azurea</i> | Sambar Uban Hitam | Black-naped Monarch |
| | <i>Terpsiphone atrocaudata</i> | Sambar Jepun | Japanese Paradise-flycatcher |
| | <i>Terpsiphone paradisi</i> | Sambar Ekor Panjang | Asian Paradise-flycatcher |
| Motacillidae | <i>Anthus hodgsoni</i> | Pipit Padang | Olive Tree-pipit |
| | <i>Anthus gustavi</i> | Pipit Rumput | Pechora Pipit |
| | <i>Anthus richardi</i> | Pipit Tanah | Richard's Pipit |
| | <i>Anthus rufulus</i> | Pipit Padi | Paddyfield Pipit |
| | <i>Anthus cervinus</i> | Pipit Injup | Red-throated Pipit |
| | <i>Anthus novaeseelandiae</i> | — | Australasian Pipit |
| | <i>Dendronanthus indicus</i> | Pipit Rimba | Forest Wagtail |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|-------------------------------|------------------------|------------------------------|
| | <i>Motacilla alba</i> | Pipit Pelandok | White Wagtail |
| | <i>Motacilla cinerea</i> | Pipit Batu | Grey Wagtail |
| | <i>Motacilla flava</i> | Pipit Kuning | Yellow Wagtail |
| Muscicapidae | <i>Culicicapa ceylonensis</i> | Sambar Pacat | Grey-headed Flycatcher |
| | <i>Cyanoptila cyanomelana</i> | Sambar Biru Putih | Blue-and-white Flycatcher |
| | <i>Cyornis ruckii</i> | Sambar Ruki | Rueck's Blue-Flycatcher |
| | <i>Cyornis banyumas</i> | Sambar Bukit | Hill Blue-flycatcher |
| | <i>Cyornis caerulatus</i> | — | Large-billed Blue-flycatcher |
| | <i>Cyornis concretus</i> | Sambar Ekor Putih | White-tailed Flycatcher |
| | <i>Cyornis rubeculoides</i> | Sambar Rengkong Biru | Blue-throated Flycatcher |
| | <i>Cyornis rufigastra</i> | Sambar Biru Bakau | Mangrove Blue-flycatcher |
| | <i>Cyornis superbus</i> | — | Bornean Blue-flycatcher |
| | <i>Cyornis tickelliae</i> | Sambar Kelicap Ranting | Tickell's Blue-flycatcher |
| | <i>Cyornis turcosus</i> | Sambar Biru Malaysia | Malaysian Blue-flycatcher |
| | <i>Cyornis unicolor</i> | Sambar Rimba | Pale Blue-flycatcher |
| | <i>Eumyias indigo</i> | — | Indigo Flycatcher |
| | <i>Eumyias thalassina</i> | Sambar Ranting | Verditer Flycatcher |
| | <i>Ficedula dumetoria</i> | Sambar Dada Oren | Rufous-chested Flycatcher |
| | <i>Ficedula hyperythra</i> | Sambar Kudung | Snowy-browed Flycatcher |
| | <i>Ficedula mugimaki</i> | Sambar Mugimaki | Mugimaki Flycatcher |
| | <i>Ficedula narcissina</i> | Sambar Bunga | Narcissus Flycatcher |
| | <i>Ficedula parva</i> | Sambar Api Bukit | Red-throated Flycatcher |
| | <i>Ficedula solitaris</i> | Sambar Rengkong Putih | Rufous-browed Flycatcher |
| | <i>Ficedula westermanni</i> | Sambar Gunung | Little Pied Flycatcher |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|-------------------------------|------------------------------|---------------------------------------|
| | <i>Ficedula zanthopygia</i> | Sambar Tongkeng Kuning | Yellow-rumped Flycatcher |
| | <i>Muscicapa dauurica</i> | Sambar Coklat Asia | Asian Brown Flycatcher |
| | <i>Muscicapa ferruginea</i> | Sambar Sampah | Ferruginous Flycatcher |
| | <i>Muscicapa griseisticta</i> | Sambar Arang | Grey-streaked Flycatcher |
| | <i>Muscicapa sibirica</i> | Sambar Sibiria | Dark-sided Flycatcher |
| | <i>Muscicapa williamsoni</i> | Sambar Belantara | Brown-streaked Flycatcher |
| | <i>Muscicapella hodgsoni</i> | Sambar Biru kecil | Pygmy Blue-flycatcher |
| | <i>Niltava grandis</i> | Sambar Besar | Large Niltava |
| | <i>Niltava sumatrana</i> | Sambar Malaysia | Rufous-vented Niltava |
| | <i>Philentoma pyrhoptera</i> | Sambar Paya | Rufous-winged Philentoma |
| | <i>Philentoma velata</i> | Sambar Ungu | Maroon-breasted Philentoma |
| | <i>Rhinomyias brunneata</i> | Sambar Hutan | Brown-chested Jungle Flycatcher |
| | <i>Rhinomyias gularis</i> | — | Eye-browed Jungle- flycatcher |
| | <i>Rhinomyias olivacea</i> | Sambar Bukit | Fulvous-chested Jungle- flycatcher |
| | <i>Rhinomyias ruficauda</i> | — | Rufous-tailed Jungle- flycatcher |
| | <i>Rhinomyias umbratilis</i> | Sambar Batu | Grey-chested Jungle- flycatcher |
| Nectarinidae | <i>Aethopyga saturata</i> | Kelicap Gunung | Black-throated Sunbird |
| | <i>Aethopyga siparaja</i> | Kelicap Sepah Raja | Crimson Sunbird |
| | <i>Aethopyga mystacalis</i> | Kelicap Merah | Scarlet/Temminck's Sunbird |
| | <i>Anthreptes malacensis</i> | Kelicap Mayang Kelapa | Brown-throated Sunbird |
| | <i>Anthreptes rhodolaemus</i> | Kelicap Pinang | Red-throated Sunbird |
| | <i>Anthreptes simplex</i> | Kelicap Kelabu | Plain Sunbird |
| | <i>Anthreptes singalensis</i> | Kelicap Belukar | Ruby-cheeked Sunbird |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-----------------|-----------------------------------|--------------------------------|-------------------------------|
| | <i>Arachnothera affinis</i> | Kelicap Jantung Bukit | Grey-breasted Spiderhunter |
| | <i>Arachnothera chryso-genys</i> | Kelicap Jantung Telinga Kuning | Yellow-eared Spiderhunter |
| | <i>Arachnothera crassirostris</i> | Kelicap Jantung Paruh Tebal | Thick-billed Spiderhunter |
| | <i>Arachnothera flavigaster</i> | Kelicap Jantung Besar | Spectacled Spiderhunter |
| | <i>Arachnothera juliae</i> | Kelicap Jantung Kepala Putih | Whitehead's Spiderhunter |
| | <i>Arachnothera longirostra</i> | Kelicap Jantung | Little Spiderhunter |
| | <i>Arachnothera magna</i> | Kelicap Jantung Gunung | Streaked Spiderhunter |
| | <i>Arachnothera modesta</i> | — | Streaky-breasted Spiderhunter |
| | <i>Arachnothera robusta</i> | Kelicap Jantung Paruh Panjang | Long-billed Spiderhunter |
| | <i>Hypogramma hypogrammicum</i> | Kelicap Rimba | Purple-naped Sunbird |
| | <i>Nectarinia calcostetha</i> | Kelicap Bakau | Copper-throated Sunbird |
| | <i>Nectarinia jugularis</i> | Kelicap Bukit | Olive-backed Sunbird |
| | <i>Nectarinia sperata</i> | Kelicap Nibung | Purple-throated Sunbird |
| Oriolidae | <i>Oriolus chinensis</i> | Dandang Selayang | Black-naped Oriole |
| | <i>Oriolus cruentus</i> | Dandang Mas | Black-and-crimson Oriole |
| | <i>Oriolus hosei</i> | Dandang Hitam | Black Oriole |
| | <i>Oriolus oriolus</i> | — | Eurasian Golden Oriole |
| | <i>Oriolus xanthonotus</i> | Dandang Senja | Dark-throated Oriole |
| | <i>Oriolus xanthornus</i> | Dandang Belukar | Black-hooded Oriole |
| Pachycephalidae | <i>Pachycephala grisola</i> | Sambar Siul Belukar | Mangrove Whistler |
| | <i>Pachycephala homeyeri</i> | — | White-vented Whistler |
| | <i>Pachycephala hypoxantha</i> | — | Bornean Whistler |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|--------------------|----------------------------------|------------------------|-------------------------|
| Paridae | <i>Melanochlora sultanea</i> | Serai Sultan | Sultan Tit |
| | <i>Parus major</i> | Serai Bakau | Great Tit |
| Picathartidae | <i>Picathartes gymnocephalus</i> | — | Bare-headed Rockfowl |
| | <i>Picathartes oreas</i> | — | Grey-necked Picathartes |
| Pittidae | <i>Pitta arquata</i> | Pacat Belang Biru | Blue-banded Pitta |
| | <i>Pitta baudii</i> | Pacat Kepala Biru | Blue-headed Pitta |
| | <i>Pitta caerulea</i> | Pacat Besar | Giant Pitta |
| | <i>Pitta granatina</i> | Pacat Kepala Merah | Garnet Pitta |
| | <i>Pitta guajana</i> | Pacat Bukit | Banded Pitta |
| | <i>Pitta megarhyncha</i> | Pacat Bakau | Mangrove Pitta |
| | <i>Pitta moluccensis</i> | Pacat Sayap Biru | Blue-winged Pitta |
| | <i>Pitta nympha</i> | — | Fairy Pitta |
| | <i>Pitta oatesi</i> | Pacat Tepus | Rusty-naped Pitta |
| | <i>Pitta sordida</i> | Pacat Gembala Pelanduk | Hooded Pitta |
| | <i>Pitta usheri</i> | — | Black-headed Pitta |
| | <i>Pitta gurneyi</i> | Pacat Raya | Gurney's Pitta |
| <i>Pitta kochi</i> | — | Whiskered Pitta | |
| Pycnonotidae | <i>Alophoixus bres</i> | Merbah Sampah | Grey-cheeked Bulbul |
| | <i>Alophoixus finschii</i> | Merbah Rempah | Finsch's Bulbul |
| | <i>Alophoixus ochraceus</i> | Merbah Beringin | Ochraceous Bulbul |
| | <i>Alophoixus phaeocephalus</i> | Merbah Perut Kuning | Yellow-bellied Bulbul |
| | <i>Hemixos flavala</i> | Merbah Abu | Ashy Bulbul |
| | <i>Hypsipetes mcclllandii</i> | Merbah Lorek Gunung | Mountain Bulbul |
| | <i>Hypsipetes virescens</i> | — | Green-winged Bulbul |
| | <i>Iole olivacea</i> | Merbah Riang | Buff-vented Bulbul |
| | <i>Iole propinqua</i> | — | Grey-eyed Bulbul |
| | <i>Ixos malaccensis</i> | Merbah Lorek Bukit | Streaked Bulbul |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|----------------------------------|--------------------------------|-------------------------|
| | <i>Pycnonotus atriceps</i> | Merbah Siam | Black-headed Bulbul |
| | <i>Pycnonotus blanfordi</i> | Merbah Telinga Lurus | Streak-eared Bulbul |
| | <i>Pycnonotus brunneus</i> | Merbah Mata Merah | Red-eyed Bulbul |
| | <i>Pycnonotus cyaniventris</i> | Merbah Kelabu | Grey-bellied Bulbul |
| | <i>Pycnonotus erythrothalmos</i> | Merbah Kecil | Spectacled Bulbul |
| | <i>Pycnonotus eutilotus</i> | Merbah Coklat Berjambul | Puff-backed Bulbul |
| | <i>Pycnonotus finlaysoni</i> | Merbah Luris Leher | Stripe-throated Bulbul |
| | <i>Pycnonotus flavescens</i> | Merbah Kening Putih | Flavescent Bulbul |
| | <i>Pycnonotus melanicterus</i> | Merbah Jambul Hitam | Black-crested Bulbul |
| | <i>Pycnonotus melanoleucos</i> | Merbah Hitam Putih | Black-and-white Bulbul |
| | <i>Pycnonotus plumosus</i> | Merbah Belukar | Olive-winged Bulbul |
| | <i>Pycnonotus simplex</i> | Merbah Mata Putih | Cream-vented Bulbul |
| | <i>Pycnonotus squamatus</i> | Merbah Bersisik | Scaly-breasted Bulbul |
| | <i>Pycnonotus zeylanicus</i> | Barau-Barau | Straw-headed Bulbul |
| | <i>Setornis criniger</i> | — | Hook-billed Bulbul |
| | <i>Tricholestes criniger</i> | Merbah Bulu Panjang Tengkek | Hairy-backed Bulbul |
| Rhipiduridae | <i>Rhipidura albicollis</i> | Sambar Gila Gunung | White-throated Fantail |
| | <i>Rhipidura perlata</i> | Sambar Gila Bukit | Spotted Fantail |
| | <i>Rhipidura javanica</i> | Sambar Murai Gila | Pied Fantail |
| Sittidae | <i>Sitta azurea</i> | Patuk Gunung | Blue Nuthatch |
| | <i>Sitta frontalis</i> | Patuk Baldu | Velvet-fronted Nuthatch |
| Sturnidae | <i>Acridotheres cristatellus</i> | Tiong China | Crested Myna |
| | <i>Ampliceps coronatus</i> | Tiong Jambul Mas | Golden-crested Myna |
| | <i>Leucopsar rothschildi</i> | Tiong Bali | Bali Myna |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------------|----------------------------------|--------------------------------|---------------------------|
| | <i>Sturnus sinensis</i> | — | White-shouldered Starling |
| | <i>Sturnus sturninus</i> | — | Purple-backed Starling |
| Sylviidae | <i>Abroscopus superciliaris</i> | Cekup Perut Kuning | Yellow-bellied Warbler |
| | <i>Acrocephalus aedon</i> | Cekup Paruh Tebal | Thick-billed Reed-warbler |
| | <i>Acrocephalus bistrigiceps</i> | Cekup Alis Hitam | Black-browed Reed-warbler |
| | <i>Acrocephalus orientalis</i> | Cekup Paya Besar | Oriental Reed-warbler |
| | <i>Acrocephalus stentoreus</i> | Cekup Resam | Clamorous Reed-warbler |
| | <i>Acrocephalus arundinaceus</i> | — | Great Reed-warbler |
| | <i>Bradypterus accentor</i> | — | Friendly Bush-warbler |
| | <i>Cettia vulcania</i> | — | Sunda Bush-warbler |
| | <i>Cisticola juncidis</i> | Cekup Layang | Zitting Cisticola |
| | <i>Locustella certhiola</i> | Cekup Belalang | Rusty-rumped Warbler |
| | <i>Locustella lanceolata</i> | Cekup Tikus | Lanceolated Warbler |
| | <i>Locustella ochotensis</i> | Cekup Paya | Middendorff's Warbler |
| | <i>Megalurus palustris</i> | Cekup Jalur | Striated Grassbird |
| | <i>Orthotomus atrogularis</i> | Perenjak Belukar | Dark-necked Tailorbird |
| | <i>Orthotomus cuculatus</i> | Perenjak Gunung | Mountain Tailorbird |
| | <i>Orthotomus sericeus</i> | Perenjak Rimba | Rufous-tailed Tailorbird |
| | <i>Orthotomus ruficeps</i> | Perenjak Bukit | Ashy Tailorbird |
| | <i>Orthotomus sepium</i> | — | Olive-backed Tailorbird |
| | <i>Orthotomus sutorius</i> | Perenjak Pisang | Common Tailorbird |
| | <i>Phylloscopus borealis</i> | Cekup Artik | Arctic Warbler |
| <i>Phylloscopus coronatus</i> | Cekup Dahan | Eastern Crowned Warbler | |
| <i>Phylloscopus fuscatus</i> | Cekup Daun Bakau | Dusky Warbler | |
| <i>Phylloscopus inornatus</i> | Cekup Rimba | Yellow-Browed/Inornate Warbler | |

| Family | Scientific Name | Local Name | Common Name |
|------------|-----------------------------------|----------------------|---------------------------------|
| | <i>Phylloscopus plumbeitarsus</i> | — | Two-barred Warbler |
| | <i>Phylloscopus tenellipes</i> | Cekup Ranting | Pale-legged Warbler |
| | <i>Phylloscopus trivirgatus</i> | Cekup Daun Gunung | Mountain Leaf-warbler |
| | <i>Phylloscopus occipitalis</i> | — | Western Crowned Warbler |
| | <i>Prinia atrogularis</i> | Perenjak Puncak | Hill Prinia |
| | <i>Prinia flaviventris</i> | Perenjak Padi | Yellow-bellied Prinia |
| | <i>Prinia rufescens</i> | Perenjak Sampah | Rufescent Prinia |
| | <i>Seicercus burkii</i> | Cekup Mata Kuning | Golden-spectacled Warbler |
| | <i>Seicercus montis</i> | Cekup Dada Kuning | Yellow-breasted Warbler |
| | <i>Seicercus castaniceps</i> | Cekup Mahkota Coklat | Chestnut-crowned Warbler |
| | <i>Urosphena whiteheadi</i> | — | Bornean Subtail |
| Timaliidae | <i>Alcippe brunneicauda</i> | Rimba Murai Coklat | Brown Fulvetta |
| | <i>Alcippe castaneiceps</i> | Rimba Murai Batu | Rufous-winged Fulvetta |
| | <i>Alcippe peracensis</i> | Rimba Murai Gunung | Mountain Fulvetta |
| | <i>Cutia nipalensis</i> | Rimba Kutia | Cutia |
| | <i>Eupetes macrocerus</i> | Rimba Malaysia | Malaysian Rail-babbler |
| | <i>Gampsorhynchus rufulus</i> | Rimba Tudung Putih | White-hooded Babbler |
| | <i>Garrulax erythrocephalus</i> | Rimba Mahkota Merah | Chestnut-crowned Laughingthrush |
| | <i>Garrulax lugubris</i> | Rimba Hitam | Black Laughingthrush |
| | <i>Garrulax mitratus</i> | Rimba Genting | Chestnut-capped Laughingthrush |
| | <i>Garrulax palliatus</i> | — | Sunda Laughingthrush |
| | <i>Heterophasia picaoides</i> | Sibia Ekor Panjang | Long-tailed Sibia |
| | <i>Kenopia striata</i> | Rimba Tanda Hujan | Striped Wren-babbler |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|---------------------------------|----------------------|---------------------------|
| | <i>Leiothrix argentauris</i> | Rimba Telinga Perak | Silver-eared Mesia |
| | <i>Macronous gularis</i> | Rimba Berjalur | Striped Tit-babbler |
| | <i>Macronous ptilosus</i> | Rimba Pong Pong | Fluffy-backed Tit-babbler |
| | <i>Malacocincla abbotti</i> | Rimba Riang | Abbott's Babbler |
| | <i>Malacocincla malaccensis</i> | Rimba Ekor Pendek | Short-tailed Babbler |
| | <i>Malacocincla sepiaria</i> | Rimba Hutan | Horsfield's Babbler |
| | <i>Malacopteron affine</i> | Rimba Tinjau Belukar | Sooty-capped Babbler |
| | <i>Malacopteron albogulare</i> | Rimba Dahan | Grey-breasted Babbler |
| | <i>Malacopteron cinereum</i> | Rimba Tua Kecil | Scaly-crowned Babbler |
| | <i>Malacopteron magnirostre</i> | Rimba Bermisai | Moustached Babbler |
| | <i>Malacopteron magnum</i> | Rimba Tua Besar | Rufous-crowned babbler |
| | <i>Minla cyanouroptera</i> | Rimba Murai Gunung | Blue-winged Minla |
| | <i>Minla strigula</i> | Rimba Murai Keladi | Chestnut-tailed Minla |
| | <i>Napothera brevicaudata</i> | Rimba Tunggul | Streaked Wren-babbler |
| | <i>Napothera crassa</i> | Rimba Gunung | Mountain Wren-babbler |
| | <i>Napothera epilepidota</i> | Rimba Bercelak | Eye-browed Wren-babbler |
| | <i>Napothera macrodactyla</i> | Rimba Besar Hujan | Large Wren-babbler |
| | <i>Napothera marmorata</i> | Rimba Pacat | Marbled Wren-babbler |
| | <i>Pellorneum capistratum</i> | Rimba Kopiah Hitam | Black-capped Babbler |
| | <i>Pellorneum pyrrogenys</i> | Rimba Timmink | Temminck's Babbler |
| | <i>Pellorneum ruficeps</i> | Rimba Bintik-Bintik | Puff-throated Babbler |
| | <i>Pnoepyga pusilla</i> | Rimba Lompat | Pygmy Wren-babbler |
| | <i>Pomatorhinus hypoleucos</i> | Rimba Paya | Large Scimitar-babbler |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|----------------------------------|---------------------------|----------------------------------|
| | <i>Pomatorhinus montanus</i> | Rimba Hulu | Chestnut-backed Scimitar-babbler |
| | <i>Pteruthius flaviscapis</i> | Rimba Cekup Belalang | White-browed Shrike-babbler |
| | <i>Pteruthius melanotis</i> | Rimba Cekup Telinga Hitam | Black-eared Shrike-babbler |
| | <i>Ptilocichla leucogrammica</i> | — | Bornean Wren-babbler |
| | <i>Stachyris chrysaea</i> | Rimba Mas | Golden Babbler |
| | <i>Stachyris erythroptera</i> | Rimba Merbah Sampah | Chestnut-winged Babbler |
| | <i>Stachyris leucotis</i> | Rimba Rembang | White-necked Babbler |
| | <i>Stachyris maculata</i> | Rimba Rembang Besar | Chestnut-rumped Babbler |
| | <i>Stachyris nigriceps</i> | Rimba Leher Kelabu | Grey-throated Babbler |
| | <i>Stachyris nigricollis</i> | Rimba Bertam | Black-throated Babbler |
| | <i>Stachyris poliocephala</i> | Rimba Kepala Kelabu | Grey-headed Babbler |
| | <i>Stachyris rufifrons</i> | Rimba Api | Rufous-fronted Babbler |
| | <i>Stachyris striolata</i> | — | Spot-necked Babbler |
| | <i>Trichastoma bicolor</i> | Rimba Sampah | Ferruginous Babbler |
| | <i>Trichastoma rostratum</i> | Rimba Telunjuk | White-chested Babbler |
| | <i>Trichastoma tickelli</i> | Rimba Ranting | Buff-breasted Babbler |
| | <i>Turdinus atrigularis</i> | — | Black-throated Wren-babbler |
| | <i>Yuhina everetti</i> | — | Chestnut-crested Yuhina |
| | <i>Yuhina zantholeuca</i> | Yuhina Perut Putih | White-bellied Yuhina |
| Turdidae | <i>Brachypteryx leucophrys</i> | Murai Kakap | Lesser Shortwing |
| | <i>Brachypteryx bscure</i> | Murai Alis Putih | White-browed Shortwing |
| | <i>Chlamydochaera jefferyi</i> | — | Fruithunter |
| | <i>Copsycus stricklandii</i> | — | White-crowned Shama |
| | <i>Enicurus leschenaulti</i> | Murai Cegar Belukar | White-crowned Forktail |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|------------------------------|---------------------------|-----------------------------------|
| | <i>Enicurus ruficapillus</i> | Murai Cegar | Chestnut-naped Forktail |
| | <i>Enicurus schistaceus</i> | Murai Cegar Berjalur | Slaty-backed Forktail |
| | <i>Luscinia calliope</i> | Murai Sawa | Siberian Rubythroat |
| | <i>Luscinia cyane</i> | Murai Siberia | Siberian Blue Robin |
| | <i>Luscinia ruficeps</i> | Murai Kepala Merah | Rufous-headed Robin |
| | <i>Monticola gularis</i> | Murai Batu Rengkong Putih | White-throated Rock-thrush |
| | <i>Monticola solitarius</i> | Murai Batu Tarung | Blue Rock-thrush |
| | <i>Myiomela leucura</i> | Murai Ekor Putih | White-tailed Robin |
| | <i>Myophonus robinsoni</i> | Murai Tiong Batu | Malayan Whistling-thrush |
| | <i>Myophonus caeruleus</i> | Murai Batu Siul | Blue Whistling-thrush |
| | <i>Oenanthe oenanthe</i> | — | Northern Wheatear |
| | <i>Saxicola caprata</i> | Murai Batu Belang | Pied Bushchat |
| | <i>Saxicola torquata</i> | Murai Batu Pejal | Common Stonechat |
| | <i>Tarsiger cyanurus</i> | Murai Belukar | Orange-flanked Bush-robin |
| | <i>Trichixos pyrropygus</i> | Murai Rimba Ekor Kuning | Rufous-tailed Shama |
| | <i>Turdus obscurus</i> | Murai Batu Kubur | Eye-browed Thrush/ Grey-headed |
| | <i>Turdus poliocephalus</i> | — | Island Thrush |
| | <i>Zoothera citrina</i> | Murai Belanda | Orange-headed Thrush |
| | <i>Zoothera dauma</i> | Murai Batu Putih | Scaly Thrush/ White's Ground |
| | <i>Zoothera everetti</i> | Murai Batu Everett | Everett's Thrush |
| | <i>Zoothera interpres</i> | Murai Batu Tanah | Chestnut-capped Thrush |
| | <i>Zoothera sibirica</i> | Murai Siberia Kelabu | Siberian Thrush |
| Zosteropidae | <i>Zosterops everetti</i> | Mata Putih Belukar | Everett's White-Eye |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|--------------------------------|---------------------------------|-------------------------|------------------------------|
| | <i>Zosterops albogularis</i> | — | White-chested White-eye |
| ORDER PELECANIFORMES | | | |
| Anhingidae | <i>Anhinga melanogaster</i> | Pependang Timur | Oriental Darter |
| | <i>Anhinga anhinga</i> | — | Anhinga |
| Fregatidae | <i>Fregata andrewsi</i> | Simbang Pulau Christmas | Christmas Island Frigatebird |
| | <i>Fregata ariel</i> | Simbang Kecil | Lesser Frigatebird |
| | <i>Fregata minor</i> | Simbang Besar | Great Frigatebird |
| Phalacrocoracidae | <i>Phalacrocorax carbo</i> | Pependang Air | Great Cormorant |
| | <i>Phalacrocorax niger</i> | Pependang Kecil | Little Cormorant |
| Phaethontidae | <i>Phaethon aethereus</i> | — | Red-billed Tropicbird |
| Sulidae | <i>Sula dactylatra</i> | Dandang Penyamar | Masked Booby |
| | <i>Sula sula</i> | Dandang Kaki Merah | Red-footed Booby |
| | <i>Sula leucogaster</i> | Dandang Laut | Brown Booby |
| | <i>Papasula abbotti</i> | — | Abbott's Booby |
| ORDER PICIFORMES | | | |
| Megalaïmidae | <i>Calorhamphus fuliginosus</i> | Takur Dahan | Brown Barbet |
| | <i>Megalaima australis</i> | Takur Akar | Blue-eared Barbet |
| | <i>Megalaima chrysopogon</i> | Takur Jambang Emas | Gold Whiskered Barbet |
| | <i>Megalaima eximia</i> | Takur Borneo | Bornean Barbet |
| | <i>Megalaima franklinii</i> | Takur Leher Emas | Golden-thorated Barbet |
| | <i>Megalaima haemacephala</i> | Takur Tembaga | Coopersmith Barbet |
| | <i>Megalaima henricii</i> | Takur Mahkota Kuning | Yellow-crowned Barbet |
| | <i>Megalaima lineata</i> | Takur Kukup | Lineated Barbet |
| | <i>Megalaima monticola</i> | Takur Gunung | Mountain Barbet |
| <i>Megalaima mystacophanos</i> | Takur Raya | Red-throated Barbet | |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|-------------------------------------|-----------------------|------------------------------|
| | <i>Megalaima oorti</i> | Takur Bukit | Black-browed Barbet |
| | <i>Megalaima pulcherrima</i> | Takur Tengkok Emas | Golden-naped Barbet |
| | <i>Megalaima rafflesii</i> | Takur Mahkota Merah | Red-crowed Barbet |
| | <i>Psilopogon pyrolophus</i> | Takur Api | Fire Tufted Barbet |
| Indicatoridae | <i>Indicator archipelagicus</i> | Gembala Lebah | Malaysian Honeyguide |
| Picidae | <i>Blythipicus pyrrhotis</i> | Belatok Bulan | Bay Woodpecker |
| | <i>Blythipicus rubiginosus</i> | Belatok Pungguk | Maroon Woodpecker |
| | <i>Campephilus imperialis</i> | — | Imperial Woodpecker |
| | <i>Celeus brachyurus</i> | Belatok Biji Nangka | Rufous Woodpecker |
| | <i>Chrysocolaptes lucidus</i> | Belatok Pinang Tua | Greater Flameback |
| | <i>Dendrocopos canicapillus</i> | Belatok Belacan | Grey-capped Woodpecker |
| | <i>Dendrocopos moluccensis</i> | Belatok Belacan Kecil | Brown-capped Woodpecker |
| | <i>Dinopium javanense</i> | Belatok Pinang Muda | Common Goldenback/ Flameback |
| | <i>Dinopium rafflesii</i> | Belatok Rimba | Olive-backed Woodpecker |
| | <i>Dryocopus javensis</i> | Belatok Gajah | White-bellied Woodpecker |
| | <i>Dryocopus javensis richardsi</i> | — | Tristram's Woodpecker |
| | <i>Gecinulus grantia</i> | — | Pale-headed Woodpecker |
| | <i>Gecinulus viridis</i> | Belatok Buluh | Bamboo Woodpecker |
| | <i>Hemicircus concretus</i> | Belatok Punggoh | Grey-and-buff Woodpecker |
| | <i>Meiglyptes tristis</i> | Belatok Awan | Buff-rumped Woodpecker |
| | <i>Meiglyptes tukki</i> | Belatok Tuki-Tuki | Buff-necked Woodpecker |
| | <i>Mulleripicus pulverulentus</i> | Belatok Berjalur | Great Slaty Woodpecker |
| | <i>Picumnus innominatus</i> | Belatok Belang | Speckled Piculet |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|--------------------------------|--------------------------------|---------------------------------|-----------------------------|
| | <i>Picus canus</i> | Belatok Gunung | Grey-headed Woodpecker |
| | <i>Picus chlorolophus</i> | Belatok Kecil Tenggok Kuning | Lesser Yellownape |
| | <i>Picus flavinucha</i> | Belatok Besar Tenggok Kuning | Greater Yellownape |
| | <i>Picus mentalis</i> | Belatok Ranting | Checker-throated Woodpecker |
| | <i>Picus mineaceus</i> | Belatok Merah | Banded Woodpecker |
| | <i>Picus puniceus</i> | Belatok Mas | Crimson-winged Woodpecker |
| | <i>Picus viridanus</i> | Belatok Rotan | Streak-breasted Woodpecker |
| | <i>Picus vittatus</i> | Belatok Hijau | Laced Woodpecker |
| | <i>Reinwardtipicus validus</i> | Belatok Ranum | Orange-backed Woodpecker |
| | <i>Sasia abnormis</i> | Belatok Kecil | Rufous Piculet |
| ORDER PODICIPEDIFORMES | | | |
| Podicipedidae | <i>Podilymbus gigas</i> | — | Atitlan Grebe |
| | <i>Tachybaptus ruficollis</i> | Grebe Kecil | Little Grebe |
| ORDER PROCELLARIIFORMES | | | |
| Diomedeidae | <i>Diomedea albatrus</i> | — | Short-tailed Albatross |
| Procellariidae | <i>Bulweria bulwerii</i> | — | Bulwer's Petrel |
| | <i>Calonectris leucomelas</i> | — | Streaked Shearwater |
| | <i>Puffinus pacificus</i> | — | Wedge-tailed Shearwater |
| Hydrobatidae | <i>Oceanites oceanicus</i> | — | Wilson's Storm-petrel |
| | <i>Oceanodroma monorhis</i> | — | Swinhoe's Storm-petrel |
| | <i>Oceanodroma leucorhoa</i> | — | Leach's Storm-petrel |
| ORDER PSITTACIFORMES | | | |
| Cacatuidae | <i>Cacatua goffini</i> | — | Goffin's Cockatoo |
| | <i>Cacatua haematuropygia</i> | — | Philippine Cockatoo |
| | <i>Cacatua moluccensis</i> | — | Moluccan Cockatoo |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|------------------------------|-------------------|--------------------------|
| | <i>Cacatua sulphurea</i> | — | Yellow-crested Cockatoo |
| | <i>Probosciger aterrimus</i> | — | Palm Cockatoo |
| Loriidae | <i>Eos histrio</i> | — | Red-and-blue Lory |
| | <i>Vini ultramarina</i> | — | Ultramarine Lorikeet |
| Psittacidae | <i>Amazona arausiaca</i> | — | Red-necked Amazon |
| | <i>Amazona barbadensis</i> | — | Yellow-shouldered Amazon |
| | <i>Amazona brasiliensis</i> | — | Red-tailed Parrot |
| | <i>Amazona finschi</i> | — | Lilac-crowned Parrot |
| | <i>Amazona guildingii</i> | — | Saint Vincent Parrot |
| | <i>Amazona imperialis</i> | — | Imperial Parrot |
| | <i>Amazona leucocephala</i> | — | Bahamas Parrot |
| | <i>Amazona auropalliata</i> | — | Yellow-naped Parrot |
| | <i>Amazona ochrocephala</i> | — | Yellow-crowned Amazon |
| | <i>Amazona pretrei</i> | — | Red-spectacled Parrot |
| | <i>Amazona rhodocorytha</i> | — | Red-browed Parrot |
| | <i>Amazona tucumana</i> | — | Tucuman Parrot |
| | <i>Amazona versicolor</i> | — | Saint Lucia Parrot |
| | <i>Amazona vinacea</i> | — | Vinaceous Parrot |
| | <i>Amazona viridigenalis</i> | — | Green-cheeked Parrot |
| | <i>Amazona vittata</i> | — | Puerto Rican Parrot |
| | <i>Anodorhynchus leari</i> | — | Lear's Macaw |
| | <i>Anodorhynchus spp.</i> | — | |
| | <i>Ara ambiguus</i> | — | Great Green Macaw |
| | <i>Ara glaucogularis</i> | — | Blue-throated Macaw |
| | <i>Ara macao</i> | — | Scarlet Macaw |
| | <i>Ara militaris</i> | — | Military Macaw |
| | <i>Ara rubrogenys</i> | — | Red-fronted Macaw |
| | <i>Cyanopsitta spixii</i> | — | Little Blue Macaw |
| | <i>Cyanoramphus forbesi</i> | — | Chatham Parakeet |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|------------------------------|---------------------------------------|-------------------|-----------------------------|
| | <i>Cyanoramphus novaezelandiae</i> | — | Red-fronted Parakeet |
| | <i>Cyclopsitta diophthalma coxeni</i> | — | Coxen's Two-eyed Fig-parrot |
| | <i>Eunymphicus cornutus</i> | — | Horned Parakeet |
| | <i>Pezoporus occidentalis</i> | — | Night Parrot |
| | <i>Guarouba guarouba</i> | — | Golden Parakeet |
| | <i>Neophema chrysogaster</i> | — | Orange-bellied Parrot |
| | <i>Ognorhynchus icterotis</i> | — | Yellow-eared Parrot |
| | <i>Psittacula longicauda</i> | Bayan Nuri | Long-tailed Parakeet |
| | <i>Psittinus cyanurus</i> | Bayan Puling | Blue-rumped Parrot |
| | <i>Pezoporus wallicus</i> | — | Ground Parakeet |
| | <i>Pionopsitta pileata</i> | — | Pileated Parrot |
| | <i>Propyrrhura couloni</i> | — | Blue-headed Macaw |
| | <i>Primolius maracana</i> | — | Blue-winged Macaw |
| | <i>Psephotus chrysopterygius</i> | — | Golden-shouldered Parrot |
| | <i>Psephotus dissimilis</i> | — | Hooded Parrot |
| | <i>Psephotus pulcherrimus</i> | — | Paradise Parrot |
| | <i>Psittacula eques</i> | — | Mauritius Parakeet |
| | <i>Pyrrhura cruentata</i> | — | Blue-throated Parakeet |
| | <i>Rhynchopsitta</i> spp. | — | — |
| | <i>Strigops habroptilus</i> | — | Owl Parrot |
| | <i>Tanygnathus lucionensis</i> | — | Blue-naped Parrot |
| ORDER SPHENISCIFORMES | | | |
| Spheniscidae | <i>Spheniscus humboldti</i> | — | Peruvian Penguin |
| ORDER STRIGIFORMES | | | |
| Tytonidae | <i>Tyto alba</i> | Jampok Kubur | Barn Owl |
| | <i>Tyto capensis</i> | — | African Grass -owl |
| | <i>Tyto soumagnei</i> | — | Madagascar Red Owl |
| | <i>Tyto</i> spp. | — | — |
| Strigidae | <i>Aegolius</i> spp. | — | — |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|---------------------------------------|-------------------|----------------------------|
| | <i>Asio flammeus</i> | Hantu Tuli | Shot-eared Owl |
| | <i>Asio</i> spp. | — | — |
| | <i>Athene blewitti</i> | | Forest Little Owl |
| | <i>Athene</i> spp. | — | — |
| | <i>Bubo coromandus</i> | Hantu Busut | Dusky Eagle-owl |
| | <i>Bubo</i> spp. | — | — |
| | <i>Bubo sumatranus</i> | Hantu Bubu | Barred Eagle-owl |
| | <i>Glaucidium brodiei</i> | Hantu Kecil | Collared Owlet |
| | <i>Glaucidium</i> spp. | — | — |
| | <i>Gymnoglaux lawrencii</i> | — | Bare-legged Owl |
| | <i>Jubula lettii</i> | — | Maned Owl |
| | <i>Ketupa ketupu</i> | Hantu Kuning | Buffy Fish-owl |
| | <i>Ketupa</i> spp. | — | — |
| | <i>Ketupa zeylonensis</i> | Hantu Ikan | Brown Fish-owl |
| | <i>Lophostrix cristata</i> | — | Crested Owl |
| | <i>Micrathene whitneyi</i> | — | Elf Owl |
| | <i>Mimizuku gurneyi</i> | — | Mindanao Eagle-Owl |
| | <i>Nesasio solomonensis</i> | — | Fearful Owl |
| | <i>Ninox natalis</i> | — | Christmas Hawk-owl |
| | <i>Ninox novaeseelandiae undulate</i> | — | Norfolk Island Boobook Owl |
| | <i>Ninox scutulata</i> | Hantu Betamak | Brown Hawk-owl |
| | <i>Ninox</i> spp. | — | — |
| | <i>Nyctea scandiaca</i> | — | Snowy Owl |
| | <i>Otus bakkamoena</i> | Hantu Reban | Collared Scops-owl |
| | <i>Otus brookii</i> | — | Rajah Scops-owl |
| | <i>Otus leucotis</i> | — | White-faced Scops-owl |
| | <i>Otus mantananensis</i> | — | Mantani Scops-owl |
| | <i>Otus podarginus</i> | — | Palau Scops-owl |
| | <i>Otus rufescens</i> | Hantu Merah | Reddish Scops-owl |
| | <i>Otus sagittatus</i> | Hantu Putih | White-fronted Scops-owl |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------------|------------------------------|----------------------|---------------------------|
| | <i>Otus spilocephalus</i> | Hantu Gunung | Mountain Scops-owl |
| | <i>Otus</i> spp. | — | — |
| | <i>Otus sunia</i> | Hantu Kuang Kuik | Oriental Scops-owl |
| | <i>Phodilus badius</i> | Jampok Pantai | Oriental Bay-owl |
| | <i>Phodilus prigoginei</i> | — | African Bay-owl |
| | <i>Pseudoscops clamator</i> | — | Striped Owl |
| | <i>Pseudoscops grammicus</i> | — | Jamaican Owl |
| | <i>Pulsatrix</i> spp. | — | — |
| | <i>Sceloglaux albifacies</i> | — | Laughing Owl |
| | <i>Scotopelia</i> spp. | — | — |
| | <i>Strix huhula</i> | — | Black-banded Owl |
| | <i>Strix leptogrammica</i> | Hantu Punggor | Brown Wood-owl |
| | <i>Strix nigrolineata</i> | — | Black-and-white Owl |
| | <i>Strix seloputo</i> | Hantu Carik Kafan | Spotted Wood-owl |
| | <i>Strix</i> spp. | — | — |
| | <i>Surnia ulula</i> | — | Hawk Owl |
| | <i>Uroglaux dimorpha</i> | — | Papuan Boobook |
| | <i>Xenoglaux loweryi</i> | — | Long-whiskered Owlet |
| ORDER STRUTHIONIFORMES | | | |
| Rheidae | <i>Rhea pennata</i> | — | Lesser Rhea |
| ORDER TINAMIFORMES | | | |
| Tinamidae | <i>Tinamus solitarius</i> | — | Solitary Tinamou |
| ORDER TROGONIFORMES | | | |
| Trogonidae | <i>Harpactes kasumba</i> | Kesumba Batang | Red-naped Trogon |
| | <i>Harpactes diardii</i> | Kesumba Bukit | Diard's Trogon |
| | <i>Harpactes orrhophaeus</i> | Kesumba Pelanduk | Cinnamon-rumped Trogon |
| | <i>Harpactes duvaucelii</i> | Kesumba Puteri | Scarlet-rumped Trogon |
| | <i>Harpactes oreskios</i> | Kesumba Harimau | Orange-breasted Trogon |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|------------------------------|---------------------------------------|---------------------|-----------------------------------|
| | <i>Harpactes erythrocephalus</i> | Kesumba Gunung | Red-headed Trogon |
| | <i>Harpactes whiteheadi</i> | — | Whitehead's Trogon |
| | <i>Pharomachrus mocinno</i> | — | Magnificent Quetzal |
| ORDER TURNICIFORMES | | | |
| Turnicidae | <i>Turnix suscitator</i> | Puyuh Tanah | Barred Buttonquail |
| CLASS REPTILIA | | | |
| ORDER CROCODYLIA | | | |
| Alligatoridae | <i>Alligator sinensis</i> | — | China Alligator |
| | <i>Caiman crocodilus</i> | — | Spectacled Caiman |
| | <i>Caiman crocodilus apaporiensis</i> | — | Apaporis River Caiman |
| | <i>Caiman latirostris</i> | — | Broad-snouted Caiman |
| Crocodylidae | <i>Crocodylus acutus</i> | — | American Crocodile |
| | <i>Crocodylus cataphractus</i> | — | African Slender-snouted Crocodile |
| | <i>Crocodylus intermedius</i> | — | Orinoco Crocodile |
| | <i>Crocodylus mindorensis</i> | — | Philippine Crocodile |
| | <i>Crocodylus moreletii</i> | — | Morelet's Crocodile |
| | <i>Crocodylus niloticus</i> | — | Nile Crocodile |
| | <i>Crocodylus palustris</i> | — | Marsh Crocodile |
| | <i>Crocodylus porosus</i> | Buaya Tembaga | Estuarine Crocodile |
| | <i>Crocodylus rhombifer</i> | — | Cuban Crocodile |
| | <i>Crocodylus siamensis</i> | — | Siamese Crocodile |
| | <i>Melanosuchus niger</i> | — | Black Caiman |
| | <i>Osteolaemus tetraspis</i> | — | African Dwarf Crocodile |
| | <i>Tomistoma schlegelii</i> | Buaya Julung-julung | Gharial |
| Gavialidae | <i>Gavialis gangeticus</i> | — | Gavial |
| ORDER RHYNCHOCEPHALIA | | | |
| Sphenodontidae | <i>Sphenodon punctatus</i> | — | Tuatara |
| | <i>Sphenodon</i> spp. | — | — |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|----------------------------|-------------------------------------|--------------------------|----------------------------|
| ORDER SQUAMATA | | | |
| SUBORDER LACERTILIA | | | |
| Chamaeleonidae | <i>Brookesia perarmata</i> | Kamaleon Daun Berperisai | Armoured Leaf Chameleon |
| | <i>Kinyongia</i> spp. | — | — |
| | <i>Nadzikambia</i> spp. | — | — |
| Helodermatidae | <i>Heloderma horridum</i> | — | Beaded Lizard |
| Iguanidae | <i>Brachylophus fasciatus</i> | — | Fijian Iguana |
| | <i>Brachylophus vitiensis</i> | — | Fijian Crested Iguana |
| | <i>Brachylophus</i> spp. | — | — |
| | <i>Cyclura</i> spp. | — | — |
| | <i>Sauromalus varius</i> | — | Piebald Chuckwalla |
| Lacertidae | <i>Gallotia simonyi</i> | — | Hierro Giant Lizard |
| Varanidae | <i>Varanus bengalensis</i> | Biawak Tikus | Clouded Monitor |
| | <i>Varanus dumerilii</i> | Biawak Kudung | Dumeril's Monitor |
| | <i>Varanus flavescens</i> | Biawak Kuning | Yellow Monitor |
| | <i>Varanus griseus</i> | Biawak Gurun | Desert Monitor |
| | <i>Varanus komodoensis</i> | Biawak Komodo | Komodo Monitor |
| | <i>Varanus nebulosus</i> | Biawak Puru | Clouded Monitor |
| | <i>Varanus rudicollis</i> | Biawak Serunai | Harlequin Monitor |
| SUBORDER SERPENTES | | | |
| Boidae | <i>Acrantophis dumerili</i> | — | Dumeril's Boa |
| | <i>Acrantophis madagascariensis</i> | — | Madagascar Ground Boa |
| | <i>Boa constrictor occidentalis</i> | — | Boa Constrictor |
| | <i>Epicrates inornatus</i> | Boa Pokok Kuning | Yellow Tree Boa |
| | <i>Epicrates monensis</i> | Boa Pulau Mona | Mona Island Boa |
| | <i>Epicrates subflavus</i> | Boa Jamaica | Jamaican Boa |
| | <i>Sanzinia madagascariensis</i> | Boa Pokok Madagascar | Madagascar Tree Boa |
| Bolyeriidae | <i>Bolyeria multocarinata</i> | — | Round Island Burrowing Boa |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------|--------------------------------|--------------------------|---------------------------------|
| | <i>Casarea dussumieri</i> | — | Round Island Keel-scaled Boa |
| Pythonidae | <i>Python breitensteini</i> | — | Short-tailed Python |
| | <i>Python brongersmai</i> | Ular Sawa Darah | Blood Python |
| | <i>Python molurus molurus</i> | — | Indian Python |
| Viperidae | <i>Vipera ursinii</i> | Ular Kapak Padang Rumput | Meadow Viper |
| ORDER TESTUDINES | | | |
| Chelidae | <i>Chelodina mccordi</i> | — | Roti Island Snake-necked Turtle |
| | <i>Chelodina parkeri</i> | — | Parker's Snake-necked Turtle |
| | <i>Chelodina pritchardi</i> | — | Pritchard's Snake-necked Turtle |
| | <i>Elusor macrurus</i> | — | Mary River Turtle |
| | <i>Mesoclemmys dahli</i> | — | Dahl's Toad-headed Turtle |
| | <i>Pseudemydura umbrina</i> | — | Western Swamp Turtle |
| Dermatemydidae | <i>Dermatemys mawii</i> | — | Central American River Turtle |
| Emydidae | <i>Glyptemys muhlenbergii</i> | Kura-kura Bog | Bog Turtle |
| | <i>Graptemys flavimaculata</i> | — | Yellow-blotched Map Turtle |
| | <i>Terrapene coahuila</i> | — | Aquatic Box Turtle |
| Geoemydidae | <i>Batagur affinis</i> | Tuntung | Common Batagur |
| | <i>Batagur baska</i> | Tuntung Laut | River Terrapin |
| | <i>Batagur trivittata</i> | — | Burmese Roofed Turtle |
| | <i>Cuora trifasciata</i> | — | Three-banded Box Turtle |
| | <i>Geoclemys hamiltonii</i> | Kura-kura Kolam Hitam | Black Pond Turtle |
| | <i>Heosemys annandalii</i> | Kura Tokong | Yellow-headed Temple Turtle |
| | <i>Heosemys depressa</i> | — | Arakan Forest Turtle |
| | <i>Heosemys spinosa</i> | Kura-kura Duri Bukit | Spiny Terrapin |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------|----------------------------------|-----------------------------|----------------------------------|
| | <i>Leucocephalon yuwonoi</i> | Kura-kura Daun | Sulawesi Forest Turtle |
| | <i>Malayemys subtrijuga</i> | Jelebu Siput | Ricefield Terrapin |
| | <i>Mauremys annamensis</i> | — | Annam Leaf Turtle |
| | <i>Melanochelys tricarinata</i> | — | Three-keeled Land Tortoise |
| | <i>Morenia ocellata</i> | — | Bengal Eyed Turtle |
| | <i>Notochelys platynota</i> | Kura Punggong Datar | Malayan Flat-shelled Turtle |
| | <i>Orlitia borneensis</i> | Juku Juku Besar | Malaysia Giant Tortoise |
| | <i>Pangshura tecta</i> | — | Indian Roofed Turtle |
| | <i>Siebenrockiella leytensis</i> | — | Leyte Pond Turtle |
| Testudinidae | <i>Astrochelys radiata</i> | — | Radiated Tortoise |
| | <i>Astrochelys yniphora</i> | Kura-kura Madagascar | Madagascar Tortoise |
| | <i>Chelonoidis nigra</i> | Kura-kura Gergasi Galapagos | Galapagos Giant Tortoise |
| | <i>Geochelone platynota</i> | — | Burmese Star Tortoise |
| | <i>Gopherus flavomarginatus</i> | — | Bolson Tortoise |
| | <i>Homopus signatus</i> | — | Speckled Cape Tortoise |
| | <i>Indotestudo elongata</i> | Baning Lonjong | Elongated Tortoise |
| | <i>Manouria impressa</i> | Baning Bukit | Impressed Tortoise |
| | <i>Psammobates geometricus</i> | — | Geometric Tortoise |
| | <i>Pyxis arachnoides</i> | Kura-kura Lelabah | Spider Tortoise |
| | <i>Pyxis planicauda</i> | — | Flat-backed Spider Tortoise |
| | <i>Testudo kleinmanni</i> | — | Egyptian Tortoise |
| Trionychidae | <i>Apalone spinifera</i> | — | Spiny Softshell Turtle |
| | <i>Chitra chitra</i> | Labi-labi Bintang | Nutaphand's Narrowhead Softshell |
| | <i>Nilssonina gangeticus</i> | Labi-labi India | Indian Softshell Turtle |
| | <i>Nilssonina hurum</i> | — | Peacock Soft-shell Turtle |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|--------------------------|--------------------------------------|-------------------|---------------------------------|
| | <i>Nilssononia nigricans</i> | Labi Hitam | Black Softshell Turtle |
| | <i>Pelochelys cantorii</i> | Labi-labi Raksasa | Asian Giant soft-shelled Turtle |
| | <i>Rafetus swinhoi</i> | — | Yangtze Giant Softshell Turtle |
| Podocnemididae | <i>Erymnochelys madagascariensis</i> | — | Madagascar Big-headed Turtle |
| CLASS AMPHIBIA | | | |
| ORDER ANURA | | | |
| Bufonidae | <i>Altiphrynoides</i> spp. | — | — |
| | <i>Atelopus zeteki</i> | — | Golden Arrow Poison Frog |
| | <i>Amietophrynus superciliaris</i> | Kodok Cameroon | Cameroon Toad |
| | <i>Incilius periglenes</i> | Kodok Oren | Orange Toad |
| | <i>Nectophrynoides</i> spp. | — | — |
| | <i>Nimbaphrynoides</i> spp. | — | — |
| Microhylidae | <i>Dyscophus antongilii</i> | Katak Tomato | Tomato Frog |
| Ranidae | <i>Limnonectes nitidus</i> | — | Tanah Rata Wart Frog |
| ORDER CAUDATA | | | |
| Cryptobranchidae | <i>Andrias</i> spp. | — | — |
| Salamandridae | <i>Neurergus kaiseri</i> | — | Kaiser's Newts |
| CLASS ARACHNIDA | | | |
| ORDER ARANEAE | | | |
| Liphisitiidae | <i>Liphistius tioman</i> | — | — |
| CLASS INSECTA | | | |
| ORDER LEPIDOPTERA | | | |
| Papilionidae | <i>Ornithoptera alexandrae</i> | — | Queen Alexandra's Birdwing |
| | <i>Papilio chikae</i> | — | Luzon Peacock Swallowtail |
| | <i>Papilio homerus</i> | — | Homerus Swallowtail |
| | <i>Papilio hospiton</i> | — | Corsican Swallowtail |

| <i>Family</i> | <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------|-------------------------|---------------------|--------------------|
| CLASS GASTROPODA | | | |
| Achatinellidae | <i>Achatinella</i> spp. | Siput Pokok Oahu | Oahu Tree Snail |

THIRD SCHEDULE

[Section 3]

STANDARD OF MATURITY

1. Totally Protected Wildlife

Asian Elephant–Elephas maximus–Gajah Asia: shall be deemed to be immature if the height is less than 250 cm, length of head and body is less than 400 cm.

Sumatran Rhinoceros–Dicerorhinus sumatrensis–Badak Sumatra: shall be deemed to be immature if the length of head and body is less than 240 cm, length of tail is less than 65 cm, height at the shoulder is less than 100 cm and incisors in the upper jaw are absent.

Gaur–Bos gaurus–Seladang: shall be deemed to be immature if the height is less than 250 cm, height at the shoulder is less than 170 cm and length of tail is less than 70 cm.

Tapir–Tapirus indicus–Tapir: shall be deemed to be immature if the body is covered with yellow stripes and white spots, height at the shoulder is less than 90 cm and the length of head and body is less than 220 cm.

Tiger–Panthera tigris–Harimau Belang: shall be deemed to be immature if the length of head and body is less than 170 cm, length of tail is less than 95 cm and the widest part of a canine tooth is less than 2.4 cm.

Malayan Sun Bear–Helarctos malayanus–Beruang: shall be deemed to be immature if the length of head and body is less than 100 cm.

Leopard, Panther–Panthera pardus–Harimau Bintang, Harimau Kumbang: shall be deemed to be immature if the length of head and body is less than 108 cm and length of tail is less than 80 cm.

Clouded Leopard–Neofelis nebulosa–Harimau Dahan: shall be deemed to be immature if the length of head and body is less than 65 cm and length of tail is less than 55 cm.

Flat-headed Cat–Prionailurus planiceps–Kucing Hutan: shall be deemed to be immature if the length of head and body is less than 46.5 cm and length of tail is less than 12.8 cm.

Serow–*Capricornis sumatraensis*–Kambing Gurun, Kambing Bukit, Kambing Hutan: shall be deemed to be immature if the length of head and body is less than 140 cm, height at shoulder is less than 85 cm, length of tail is less than 11.5 cm and the horn measured at the outer curve is less than 12.7 cm.

Pangolin, Scaly Anteater–*Manis javanica*–Tenggiling: shall be deemed to be immature if the length of head and body is less than 42.5 cm and length of tail is less than 34 cm.

Slow Loris–*Nycticebus coucang*–Kongkang: shall be deemed to be immature if the length of head and body is less than 30 cm and length of tail is less than 1 cm.

Clouded Monitor–*Varanus bengalensis*–Biawak Tikus: shall be deemed to be immature if the total length, including the tail, is less than 60 cm.

Harlequin Monitor–*Varanus rudicollis*–Biawak Serunai: shall be deemed to be immature if the total length, including the tail, is less than 60 cm.

Dumeril’s Monitor–*Varanus dumerilii*–Biawak Kudung: shall be deemed to be immature if the total length, including the tail, is less than 60 cm.

Estuarine Crocodile–*Crocodylus porosus*–Buaya Tembaga: shall be deemed to be immature if the total length, including the tail, is less than 180 cm.

Gharial–*Tomistoma schlegelii*–Buaya Julung-Julung: shall be deemed to be immature if the total length, including the tail, is less than 180 cm.

Blood Python–*Python brongersmai*–Ular Sawa Darah: shall be deemed to be immature if the total length, including the tail, is less than 75 cm.

A bird shall be deemed to be immature if the offspring of the bird has not developed the capacity for flight or is not yet covered with full plummage.

2. Protected Wildlife

Sambar Deer–*Rusa unicolor*–Rusa: shall be deemed to be immature if the length of head and body is less than 180 cm, height at shoulder is less than 140 cm, or length of tail is less than 25 cm, the antlers are less than 35.6 cm in length or less than 14 cm in circumference and a female shall be deemed to be immature if the height at shoulder is less than 101.6 cm.

Monitor Lizard–*Varanus salvator*–Biawak: shall be deemed to be immature if the total length, including tail, less than 75 cm.

A bird shall be deemed to be immature if the offspring of the bird has not developed the capacity for flight or is not yet covered with full plummage.

FIFTH SCHEDULE
[Sections 3 and 117]

CONTROLLED SPECIES

Interpretation of the Fifth Schedule

1. Species included in this Schedule are referred to —
 - (a) by the name of the species; or
 - (b) as being all of the species included in a higher taxon or designated part thereof.
2. The abbreviation “spp.” is used to denote all species of a higher taxon.
3. Other references to taxa higher than species are for the purposes of information or classification only. The common names included after the scientific names of families are for reference only. They are intended to indicate the species within the family concerned that are included in this Schedule. In most cases this is not all of the species within the family.
4. Where there is conflict between a scientific name and a local name and a common name in the use of the name of any species in this Schedule, the scientific name shall prevail.

| <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|------------------------------|-------------------|-----------------------|
| CLASS MAMMALIA | | |
| <i>Vulpes vulpes</i> | — | Red Fox |
| <i>Cervus elaphus</i> | — | European Red Deer |
| <i>Herpestes javanicus</i> | — | Small Indian Mongoose |
| <i>Mustela erminea</i> | — | Short-Tailed Weasel |
| <i>Sciurus carolinensis</i> | — | Gray Squirrel |
| <i>Myocastor coypus</i> | — | Nutria |
| <i>Trichosurus vulpecula</i> | — | Brushtail Possum |
| CLASS AVES | | |
| <i>Sturnus vulgaris</i> | — | European Starling |
| <i>Pycnonotus cafer</i> | — | Red-Vented Bulbul |
| <i>Columba livia</i> | — | Rock Pigeon |
| <i>Agapornis roseicollis</i> | — | Peach-faced Lovebird |

| <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---|-------------------------|----------------------|
| CLASS REPTILIA | | |
| <i>Boiga irregularis</i> | | Brown Tree Snake |
| <i>Trachemys scripta</i> | Kura-kura telinga merah | Red-eared Slider |
| <i>Crotalus</i> spp. (except the species included in the Second Schedule) | — | — |
| <i>Sistrurus</i> spp. | — | — |
| <i>Dendroaspis polylepis</i> | — | Mamba |
| CLASS AMPHIBIA | | |
| <i>Rhinella marina</i> | — | American Giant Frog |
| <i>Eleutherodactylus coqui</i> | — | Caribbean Tree Frog |
| CLASS INSECTA | | |
| <i>Bemisia tabaci</i> | — | Cotton Whitefly |
| <i>Cinara cupressi</i> | — | Cypress Aphid |
| <i>Lymantria dispar</i> | — | Asian Gypsy Moth |
| <i>Trogoderma granarium</i> | — | Khapra Beetle |
| <i>Vespula vulgaris</i> | — | Common Yellow-jacket |

SIXTH SCHEDULE

[Section 51]

LIST OF WILDLIFE FOR ABORIGINE'S CONSUMPTION

| <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|---------------------------------|-------------------|------------------------|
| <i>Sus scrofa</i> | Babi Hutan | Wild Pig |
| <i>Rusa unicolor</i> | Rusa Sambar | Sambar Deer |
| <i>Tragulus napu</i> | Napuh | Large Mousedeer |
| <i>Tragulus javanicus</i> | Pelanduk | Lesser Mousedeer |
| <i>Macaca nemestrina</i> | Beruk | Pig-tailed Macaque |
| <i>Trachypithecus cristatus</i> | Lotong Kelabu | Silvered-Leaf Monkey |
| <i>Trachypithecus obscurus</i> | Lotong Cengkong | Dusky Leaf Monkey |
| <i>Hystrix brachyura</i> | Landak Raya | Malayan Porcupine |
| <i>Atherurus macrourus</i> | Landak Nibong | Brush-tailed Porcupine |

| <i>Scientific Name</i> | <i>Local Name</i> | <i>Common Name</i> |
|-------------------------------|-------------------|-------------------------|
| <i>Amaurornis phoenicurus</i> | Ruak-Ruak | White-breasted Waterhen |
| <i>Chalcophaps indica</i> | Punai tanah | Emerald Dove |

SEVENTH SCHEDULE

[Section 3]

SNARE

Snare means any type of trap that—

- (a) is made of light wire cable looped through a locking device or of small nylon cord tied so that it will tighten as the animal pulls against it;
- (b) consist of two metal rectangles hinged together midway on the long side to open and close like scissors. One jaw has a trigger that can be baited. The opposite jaw has a catch or dog that holds the trap open;
- (c) is triggered by a pan-tension device, the weight of an animal stepping between the jaws of the trap causes the jaws to slam and strangulate the victim's leg or other body part in a vicelike grip.”.

Made 7 March 2012

[NRE/PUU 611-2/8; PN(PU²)697/II]

DATO SRI DOUGLAS UGGAH EMBAS
Minister of Natural Resources and Environment